OPEN ACCESS **molecules** ISSN 1420-3049 www.mdpi.com/journal/molecules

Article

# Dihydrochalcones with Antiinflammatory Activity from Leaves and Twigs of *Cyathostemma argenteum*

Jariya Somsrisa<sup>1</sup>, Puttinan Meepowpan<sup>2</sup>, Samroeng Krachodnok<sup>1</sup>, Haruthai Thaisuchat<sup>1</sup>, Sittiporn Punyanitya<sup>3</sup>, Narong Nantasaen<sup>4</sup> and Wilart Pompimon<sup>1,\*</sup>

- <sup>1</sup> Laboratory of Natural Products, Faculty of Science and Center for Innovation in Chemistry, Lampang Rajabhat University, Lampang 52100, Thailand; E-Mails: somsrisa@windowslive.com (J.S.); krachodnok@lpru.ac.th (S.K.); haruthaithai@yahoo.com (H.T.)
- <sup>2</sup> Department of Chemistry, Faculty of Science and Center for Innovation in Chemistry, Chiang Mai University, Chiang Mai 50300, Thailand; E-Mail: pmeepowpan@gmail.com
- <sup>3</sup> Department of Surgery, Faculty of Medicine, Chiang Mai University, Chiang Mai 50300, Thailand; E-Mail: punyanitya@hotmail.com
- <sup>4</sup> The Forest Herbarium, Department of National Park, Wildlife and Plant Conservation, Ministry of Natural Resources and Environment, Bangkok 10220, Thailand; E-Mail: narong\_1960@hotmail.com
- \* Author to whom correspondence should be addressed; E-Mail: wilart\_P@hotmail.com; Tel./Fax: +665-4241052.

Received: 8 May 2013; in revised form: 30 May 2013 / Accepted: 7 June 2013 / Published: 10 June 2013


**Abstract:** A new dihydrochalcone derivative, 4',6'-dihydroxy-2',4-dimethoxy-5'-(2"hydroxybenzyl)dihydrochalcone (1) and one known dihydrochalcone, 4',6'-dihydroxy-2',4dimethoxydihydrochalcone (2) were isolated from leaves and twigs of *Cyathostemma argenteum*. Their structures were established by spectral methods, mainly 2D NMR spectroscopic techniques, which involved combined applications of DEPT, COSY, HMQC and HMBC. The molecular structure of 1 was also confirmed by single crystal X-ray diffraction. The test compounds 1 and 2 displayed significant inhibitory activity at a dose of 1 mg/ear on edema formation at all determination times, with similar intensity as phenylbutazone.

**Keywords:** dihydrochalcone; antiinflammatory activity; *Cyathostemma argenteum*; annonaceae

#### 1. Introduction

*Cyathostemma argenteum* is one of the six known *Cyathostemma* species (*argenteum*, *longipes*, *micranthum*, *siamensis*, *viridiflorum*, *wrayi*) belonging to the family Annonaceae [1]. It is a flowering and woody vine plant which is widely grown in Thailand. Previous bioactivity investigations of the *Cyathostemma* genus showed that the methanolic extract from root and stem bark of this plant were effective against breast cancer [1,2]. Although it is known for producing a variety of secondary metabolites including alkaloids [1,3]; flavonoids [3] and shikimic acid derivatives [4,5], the constituents of this plant have not been studied much. Within the scope of our continuous search for bioactive compounds from natural plants, the leaves and twigs of *C. argenteum* were further investigated. In this paper, we report the first isolation and structural elucidation of one novel dihydrochalcone **1** along with another previously known chalcone derivative **2** (Figure 1). In addition, the compounds were evaluated for their *in vivo* antiinflammatory activity.

Figure 1. Structures of isolated compounds 1–2.



## 2. Results and Discussion

Compound **1** crystallized as white needles which gave a  $[M+Na]^+$  quasimolecular ion peak at m/z 431.15729 in the HRESIMS spectrum, consistent with the molecular formula  $C_{24}H_{24}O_6$ . The peaks in the EIMS at m/z 246 (100%) resulting from cleavage of a cinnamoyl moiety revealed the existence of a dihydrochalcone skeleton with a methoxy-substituted ring B and a ring A substituted with three hydroxyls, one methoxy and one benzyl group. The UV spectrum of **1** showed absorption maxima at 240 and 295 nm, suggesting the presence of a chalcone [6]. The IR spectrum showed bands at 3150 and 1616 cm<sup>-1</sup> that were attributed to chelated carbonyl and phenolic hydroxyl groups, respectively. The <sup>1</sup>H-NMR spectrum of **1** (Table 1) showed two methylene triplets at  $\delta$  3.28 and 2.90 with a coupling constant of 7.7 Hz in agreement with H<sub>2</sub>- $\alpha$  and H<sub>2</sub>- $\beta$ , respectively. The multiplet signals at  $\delta$  7.18 and obscure signals at  $\delta$  6.83 Hz were assigned to the four aromatic protons of ring B, H-2, H-6 and H-3, H-5, respectively, thus the methoxy group was located at the C-4 position. Additionally, the HMBC spectrum of **1** showed correlations between H- $\beta$  and C-1, C-6, C- $\alpha$ , C- $\beta$ ', H- $\alpha$  and C-1, C-2, C-6, C- $\beta$ , C- $\beta$ ', H-3 and C-1, C-2, C-3, C-4, C-5, H-2 and C-1, C-3, C-4, C-6, C- $\beta$ , H-4(OCH3) and C-4 (Table 2).

**Table 1.** <sup>1</sup>H-NMR (400 MHz), <sup>13</sup>C-NMR (100 MHz) in acetone-d<sub>6</sub> data for the isolated dihydrochalcone compounds 1 and <sup>1</sup>H-NMR (500 MHz), <sup>13</sup>C-NMR (125 MHz) for 2 in CDCl<sub>3</sub>.

	4',6'-Dihydroxy-2',4-dimethoxy-5'-(2"-			4',6'-Dihydroxy-2',4-			
Position	hydroxybenzyl)dih	ydrochalcone (1)	Position	dimethoxydihydrochalcone (2)			
	* δ <sup>1</sup> H (J Hz)	δ <sup>13</sup> C (DEPT)		* δ <sup>1</sup> H (J Hz)	δ <sup>13</sup> C (DEPT)		
1	-	133.64 (C)	1	-	133.72 (C)		
2	7.18 m	129.30 (CH)	2	7.18 m	129.37 (CH)		
3	6.83 obsc.	113.70 (CH)	3	6.87 dd (2.07, 6.6)	113.87 (CH)		
4(OC <u>H</u> 3)	3.75 s	158.07 (C)	4(OC <u>H</u> 3)	3.82s	157.88 (C)		
5	6.83 obsc.	113.70 (CH)	5	6.87 dd (2.07, 6.6)	133.87 (CH)		
6	7.18 m	129.30 (CH)	6	7.18 m	129.37 (CH)		
α	3.28 t (7.7)	45.89 (CH2)	α	3.31 t (7.8)	46.08 (CH2)		
β	2.90 t (7.7)	29.75 (CH2)	β	2.96 t (7.8)	29.81 (CH2)		
β'	-	205.40 (C)	β'	-	204.68 (C)		
1'	-	104.87(C)	1'	-	105.95 (C)		
2′(OC <u>H</u> 3)	3.86s	161.81 (C)	2'(OC <u>H3</u> )	3.87s	162.31 (C)		
3'	6.13s	91.01 (CH)	3'	5.93 d (2.4)	90.64 (CH)		
4'(O <u>H</u> )	-	162.26 (C)	4'(OH)	5.56 br s	163.48 (C)		
5'	-	106.93(C)	5'	6.02 d (2.4)	96.60 (CH)		
6'(O <u>H</u> )	14.76s	164.70 (C)	6'(O <u>H</u> )	13.97s	167.34 (C)		
1"	-	126.99 (C)	4(O <u>C</u> H3)	-	55.27 (CH3)		
2"(O <u>H</u> )	-	154.13 (C)	2′(O <u>C</u> H3)	-	55.68 (CH3)		
3"	6.83 obsc.	115.05 (CH)					
4"	7.01ddd (1.6, 7.5, 7.7)	126.95 (CH)					
5"	6.74 ddd (1.6, 7.5, 7.7)	119.85 (CH)					
6"	7.23 dd (1.6, 7.5)	130.39 (CH)					
7"	3.89s	21.87 (CH2)					
4(O <u>C</u> H3)		54.52 (CH3)					
2'(O <u>C</u> H3)		55.19 (CH3)					

\*  $\delta$  in ppm from TMS [coupling constants (J) in Hz are given in parentheses]; obsc. = obscure signal.

<b>Table 2.</b> <sup>1</sup> H- <sup>13</sup> C, <sup>1</sup> H- <sup>1</sup> H	correlations for isolated dih	ydrochalcone derivatives.
---	-------------------------------	---------------------------


	4',6'-Dihydroxy-2',4-d	imethoxy-5'-(2''-		4',6'-dihydroxy-2',4-dimethoxy-		
Position	hydroxybenzyl)-dihy	Position	dihydrochalcone (2)			
Н	HMBC	COSY	Η	HMBC	COSY	
	Correlation	Correlation		Correlation	Correlation	
1	-	-	1	-	-	
2	C-1, 3, 4, 6, β	Н-3	2	C-1, 3, 4, β	Н-3	
3	C-1, 2, 3, 4, 5	Н-2	3	C-1, 2, 4, 5	H-2	
$4(OCH_3)$	C-4	-	4(OC <u>H</u> <sub>3</sub> )	C-4	-	
5	C-1, 3, 4, 6	H-6	5	C-1, 3, 4	H-6	
6	C-1, 2, 4, 5, β	H-5	6	C-1, 2, 4, 5, β	H-5	
α	C-1, 2, 6, β, β'	Η-α, β	α	C- 1, β, β'	Η-α, β	
β	C-1, 6, α, β'	Η-α, β	β	C- 1, 2, 6, α, β'	Η-α, β	
β'	-	-	β'	-	-	

Position	4',6'-Dihydroxy-2',4-di hydroxybenzyl)dihyd	Position	4',6'-Dihydroxy-2',4- dimethoxydihydrochalcone (2)		
Н	HMBC Correlation	COSY Correlation	H	HMBC Correlation	COSY Correlation
1'	-	-	1'	-	-
2'(OC <u>H</u> <sub>3</sub> )	C-2'	-	2′(OC <u>H</u> 3)	C- 2'	-
3'	C-1', 2', 4', 5', β'	-	3'	C-1', 2', 4', 5'	-
4'	-	-	4'(OH)	-	-
5'	-	-	5'	C-1', 3'	-
6'(O <u>H</u> )	C-1', 5', 6', 7"	-	6'(O <u>H</u> )	C-1', 5', 6'	-
1"	-	-	4(OC <u>H</u> 3)	C-4	-
2"	-	-			
3"	C-1", 2", 4", 5"	-			
4"	C-2", 3", 5", 6"	H-5", 6"			
5"	C-1", 3", 4", 6"	H-4", 6"			
6"	C-1", 2", 4", 5", 7"	H-5", 4"			
7"	C-4', 5', 6', 1", 2", 6"	H-7"			
4(OC <u>H</u> 3)	C-4	-			

Table 2. Cont.

The chelated hydroxy proton signal of ring A appeared at  $\delta$  14.76 and a resonance at  $\delta_{\rm C}$  205.40 for a chelated carbonyl group were consistent with a 6'-hydroxychalcone. Furthermore, the methoxy ( $\delta_{\rm H}$ 3.68,  $\delta_{\rm C}$  55.19), H-3' ( $\delta$  14.76, s) and a benzyl group substituents were established from NMR (Table 1) and MS data. From the biosynthetic point of view the remaining methoxy and hydroxy groups should be attached to C-2' and C-4', respectively. The <sup>1</sup>H-NMR spectrum also showed features of hydroxybenzyl moiety ( $\delta$  3.89 assigned to a singlet of magnetically equivalent methylene protons), and signals for four aromatic protons, H-3"  $\delta$  6.83 obsc., H-4" $\delta$  7.01ddd (1.6, 7.5, 7.7), H-5"  $\delta$  6.74 ddd (1.6, 7.5, 7.7), H-6"  $\delta$  7.23 dd (1.6, 7.5). The HMBC spectrum showed the correlation between H-6'(OH) and C-7" confirming the hydroxybenzyl group to be connected at C-5'. Moreover, the pattern of substitution on the hydroxybenzyl ring was again confirmed using HMBC spectra. The H-7", methylene proton showed HMBC correlations to C-1", C-2" and C-6". On the other hand, the splitting pattern of the aromatic proton H-4", H-5", H-6" and HMBC correlation (Tables 1 and 2) also confirmed presence of the *o*-hydroxybenzyl group. Thus, the structure of compound 1 was determined as 4',6'-dihydroxy-2',4-dimethoxy-5'-(2"-hydroxybenzyl)dihydrochalcone. The dihydrochalcone is one of the major classes of secondary metabolites in the plant kingdom and is biosynthesized via both the shikimate and acetate pathways. The biosynthesis of this compound requires *p*-dihydroxycoumaroyl-CoA as a precursor. It is assumed the biosynthesis may involve interconversion between p-coumaroyl-CoA and p-dihydrocoumaroyl-CoA catalyzed by NADPH-dependent dehydrogenase. In fact, a dihydrochalcone such as compound 1, must have two nucleophilic centers at the hydroxyl group and the ortho-C-3', C-5' position in the A-ring to perform a nuclephilic substitution reaction with o-hydroxybenzoyl-CoA. Thus, the o-hydroxybenzyl group of compound 1 was confirmed at C-5' position which corresponded to the biosynthesis pathway [7]. This structure was also confirmed by X-ray crystallographic analysis (Figure 2).

**Figure 2.** ORTEP view of the asymmetric unit of **1** with the atom-labelling scheme, showing 50% probability displacement ellipsoids.



Compound 1 presented one crystallographically independent molecule in the asymmetric unit. The molecule is twisted with a dihedral angle of  $16.70(11)^\circ$  between benzene rings A and B which is significantly different to that reported in [8] due to not only to the substituted hydroxybenzyl ring (ring C) at C-12 of ring A with dihedral angle of  $70.23(10)^\circ$ , but also the influence of the strong intramolecular O-4–H-4…O-5 hydrogen bond interaction of the substituted 4'-and 2"-hydroxyl groups which are generated as a S(8) motif. In addition, the 4'-hydroxyl group at C-20 is not coplanar compared to one hydroxyl and one methoxy substituent in the A ring as well as the methoxy substituent on ring B that are closely coplanar, especially the strong intramolecular O-6–H-6…O-2 hydrogen bond produced the S(6) motif as observed in [8] with six non-hydrogen r.m.s. 0.0112(1) and 0.0056(1) Å, respectively. The torsion angle of the 1-propane unit [C-6–C-7–(C-8=O-2)] attached to rings A and B is 95.49(1)° and dihedral angles of 66.40(2) and 83.16(2)° are observed (Figure 3 and Table 3). Figure 4 shows the crystal packing of 1 which generated 1-D supramolecular hydrogen bond chains along the [001] plane.

Figure 3. ORTEP drawing of strong intramolecular O-H…O hydrogen bonds in 1.




 Table 3. The selected strong hydrogen bond interactions in 1.

D-H···A	d[D–H] (Å)	d[H…A] (Å)	d[D…A] (Å)	∠[D–H…A] (°)
O-4–H-4…O-5	0.820	1.856	2.662(3)	168
O-5–H-5…O-2 <sup>i</sup>	0.820	1.903	2.704(2)	165
O-6–H-6…O-2	0.820	1.743	2.477(2)	148

Symmetry code (i) x,y-1,z.




Figure 4. ORTEP drawing of strong intermolecular O–H…O hydrogen bond in 1.

Compound 2 was isolated as pale yellow needles. Its molecular formula, C<sub>17</sub>H<sub>18</sub>O<sub>5</sub> was obtained from analysis of the HRESIMS ( $[M+Na]^+$ ), m/z 325.11542 and NMR spectroscopic data. General analysis of the NMR spectroscopic data (Tables 1 and 2) showed that its spectrum resembled that of compound 1, except for the resonance of its hydroxybenzyl group. The IR absorption frequencies (3258, 1643 cm<sup>-1</sup>) of the hydroxyl and carbonyl groups indicated their involvement in intramolecular hydrogen-bonding. In addition, the ultraviolent spectrum  $\lambda_{max}$  (log  $\varepsilon$ ): 4.18 (289) nm supported the presence of a conjugated ketone in the structure. The <sup>1</sup>H-NMR spectrum of **2** showed signals for a chelated and normal phenolic hydroxy function ( $\delta$  13.97s and 5.56 br s), two aromatic methoxy groups ( $\delta$  3.82s and 3.87s), and six aromatic protons, as in 2. Four of these aromatic protons appeared as a doublet of doublets of H-3, 5 [( $\delta$  6.87 dd (2.07, 6.6)] and a multiplet for H-2, 6 ( $\delta$  7.18), representing an AB system of a *p*-disubstitued benzene derivative. The remaining two aromatic protons of 2 also appeared as a pair of doublets [( $\delta$  5.93 and 6.02 (J = 2.4 Hz)] corresponding to two *meta*-coupled protons, which resembled those of H-3' and H-5' of 2. However, the spectrum of 2 showed two two-proton triplets at  $\delta$  3.31 and 2.96 (J = 7.8 Hz) typical of H- $\alpha$  and H- $\beta$  of a dihydrochalcone derivative [8]. The distributions of the methoxy and hydroxy groups in the two benzene rings of 2 were confirmed by the mass spectral fragmentation of the compound. The mass spectrum showed a base peak at m/z 134 (100%) indicating the presence of a methoxy group in the ring B, whereas the intense peak at m/z 167 (84) suggested that ring A contains both methoxy and hydroxy groups. The identification of H-3' in ring A was determined by NOE difference spectra. Irradiation of H-3' signal showed enhancement of the methoxy group, thus indicating that it definitely has one methoxy next to H-3'. In addition, irradiation at the methoxy signal of 2 also showed enhancement of H-3'. On the other hand, the H-5' was confirmed at this position since there was no NOE enhancement with the methoxy group and HMBC correlations technique with H- 6'(OH). From the foregoing spectroscopic data, the structure of 2 was deduced to be 4',6'-dihydroxy-2',4-dimethoxydihydrochalcone, which is identical to that previously assigned to a chalcone derivative isolated from the leaves of Rauwenhoffia siamensis Scheff [9].

The results of the present study also revealed the anti-inflammatory activity of both tested compounds in the acute phase of inflammation (Table 4). Formation of EPP-induced rat ear edema is a useful model for screening and investigating the anti-inflammatory activity of test compounds in this phase of inflammation. The inflammatory mediators released in this model include histamine, serotonin, bradykinin and prostaglandin (PGs). These mediators are capable of promoting vasodilation and increasing vascular permeability as well as synergistically producing edema [10].

Groom	Dose	Edema thickness ( m)					% edema inhibition			
Group	(mg/ear)	15 min	30 min	1 h	2 h	15 min	30 min	1 h	2 h	
Control (Acetone)	-	$160.00\pm7.30$	$180.00 \pm 5.16$	$203.33\pm8.03$	$193.33\pm4.94$	-	-	-	-	
<u>Phenylbutazone</u>	1	30.00 ± 13.41 *	43.33 ± 9.54 *	73.33 ± 12.29 *	90 ± 4.47 *	81.25	75.93	63.93	53.45	
Compound 1	1	16.67 ± 2.11 *	40.00 ± 5.16 *	76.67 ± 8.03 *	83.33 ± 3.33 *	89.58	77.78	62.30	56.90	
Compound 2	1	1.67 ± 1.67 *	23.33 ± 2.11 *	63.33 ± 4.22 *	66.67 ± 8.82 *	98.96	87.04	68.85	65.52	

**Table 4.** Antiinflammatory activity of compounds 1 and 2.

Results are expressed as mean  $\pm$  S.E.M. (N of ears = 6); Significantly different from the control group: \* p < 0.05.

It was found that both test compounds 1 and 2 elicited a significant inhibitory effect on the edema formation at all assessment times at the dose of 1 mg/ear, similar to that of phenylbutazone. It is suggested that test both compounds probably possess anti-inflammatory activity by inhibition of the release or synthesis of various inflammatory mediators.

# 3. Experimental

## 3.1. General

<sup>1</sup>H and <sup>13</sup>C-NMR, <sup>1</sup>H-<sup>1</sup>H COSY, HMQC and HMBC spectra were recorded with a Unity *plus* 500 spectrometer (Varian Inc, Palo Alto, CA, USA) operating at 500 MHz for <sup>1</sup>H, and 125 MHz for <sup>13</sup>C, respectively. <sup>1</sup>H and <sup>13</sup>C-NMR spectra were also measured with a DPX on Bruker operating at 400 MHz for <sup>1</sup>H, and 100 MHz for <sup>13</sup>C, respectively. Low resolution mass spectra were recorded on a Thermo Finnegan Polaris Q mass spectrometer at 70 eV (probe) for EIMS. HRESIMS was obtained by using a Finnigan LC-Q Advantage Thermoquest spectrometer equipped with Xcalibur software (both intruments from Thermo Finnigan, Waltham, MA, USA). UV spectrum was measured on a Shimadzu 1601 spectrophotometer (Shimadzu, Kyoto, Japan). IR spectra in KBr disk were recorded on Shimadzu 8900 FTIR spectrophotometer. The X-ray data set was collected at 296(2)K on a X8 APEX II diffractometer (Bruker AXS Inc, Karlsruhe, Germany), using Mo-K\alpha radiation ( $\lambda = 0.71073$  Å). Melting points were recorded in degree Celsius (°C) and were measured on a digital Electrothermal melting apparatus. Column chromatography was conducted on silica gel 60 (Merck 7734, 70–230 mesh). TLC was performed on aluminium backed pre-coated silica gel 60 PF<sub>254</sub> sheets and detection with using UV detector.

## 3.2. Plant Material

The leaves and twigs of *C. argenteum* (Annonaceae) were collected in October 2011 from a swamp forest in Ubon Ratchathani Province, Thailand. The species was identified by Mr. Narong Nantasean,

from The Forest Herbarium, Department of National Park, Wildlife and Plant Conservation, Ministry of Natural Resources and Environment, Bangkok, Thailand. A voucher specimen (BKF.18053) was deposited in the herbarium of this institute.

# 3.3. Extraction and Isolation

The dried, powdered leaves and twigs of *C. argenteum* (1.85 kg) were successively macerated without agitation at room temperature for 72 h in hexane ( $3 \times 12$  L) and 2:1 EtOAc/MeOH ( $3 \times 12$  L). Evaporation of the hexane and EtOAc/MeOH gave a pale yellow amorphous solid (28 g) and a dark brown solid (111 g), respectively. A portion of the EtOAc/MeOH extract was chromatographed over a column of silica gel (Merck Art 7734, 350 g) with hexane/acetone/MeOH to give 10 fractions F1-F10. Subfraction F8 (2.05 g) was rechromatographed over a column of silica gel with hexane/acetone/MeOH and crystallized using EtOH to furnish compound 1 (256 mg). Fraction F5 (3.11 g) was rechromatographed over silica gel using a hexane-EtOAc gradient, to give three subfractions A1–A3. The pale yellow subfraction A1 (1.06 g) was repeatedly recrystallized from EtOH to afford compound 2 (170 mg). Compounds 1–2 were subjected to an antiinflammatory activity test by the ear edema model, according to Brattsand *et al.* [11].

# 3.4. Spectroscopic Data

4',6'-Dihydroxy-2',4-dimethoxy-5'-(2"-hydroxybenzyl)dihydrochalcone (1): White needles. Mp 158.3–159 °C. UV (EtOH)  $\lambda_{max}(\log \varepsilon)$ : 3.48 (295), 3.07 (240) nm. IR (KBr)  $v_{max}$  3150, 2937, 1616, 1580, 1568, 1512, 1454, 1416, 1330, 1265, 1252, 1196, 1151, 1101, 1130, 827, 756 cm<sup>-1</sup>. <sup>1</sup>H-NMR (Acetone-d<sub>6</sub>, 500 MHz) data see Table 1, <sup>13</sup>C-NMR (CDCl<sub>3</sub>, 125 MHz) data see Table 1. EI-MS *m/z*: 408 [M]<sup>+</sup>(61), 390(19), 377(15), 283(16), 273(24), 264(100), 180(28), 179(82), 153(39), 121(27), 91(10), 77(11). HR-ESI-MS (pos.) *m/z*: 431.15729 ([M+Na]<sup>+</sup>, C<sub>24</sub>H<sub>24</sub>O<sub>6</sub>Na. calcd. 431.15732).

4',6'-Dihydroxy-2',4-dimethoxydihydrochalcone (2): Pale yellow needles. Mp 172–172.9 °C. UV(EtOH)  $\lambda_{max}(\log \varepsilon)$ : 4.18 (289) nm. IR (KBr)  $v_{max}$  3258, 3020, 2952, 2833, 1643, 1630, 1610, 1568, 1512, 1417, 1436, 1296, 1244, 1196, 1164, 1111, 1032, 817 cm<sup>-1</sup>. <sup>1</sup>H-NMR (CDCl<sub>3</sub>, 400 MHz) data see Table 1, <sup>13</sup>C-NMR (CDCl<sub>3</sub>, 100 MHz) data see Table 1. EI-MS *m/z*: 302 [M]<sup>+</sup>(44), 283(44), 167(84), 134(100), 121(29), 91(12), 77(8). HR-ESI-MS (pos.) *m/z*: 325.11542 ([M+Na]<sup>+</sup>, C<sub>17</sub>H<sub>18</sub>O<sub>5</sub>Na. calcd. 325.11551).

# 3.5. X-ray Crystallographic Analysis of 1

Molecular formula C<sub>24</sub>H<sub>24</sub>O<sub>6</sub>, Mr = 408.43, monoclinic, Pc, a = 11.1360(6) Å, b = 10.2061(6) Å, c = 8.9779(4) Å,  $\beta = 94.756(3)^{\circ}$ , V = 1016.87(9) Å<sup>3</sup>, Z = 2, Dc = 1.334 Mg/m<sup>3</sup>,  $\mu = 0.096$  mm<sup>-1</sup>, T = 296(2) K. Three thousand four hundred and ten reflections (3226 independent,  $R_{int} = 0.000$ ) were collected in  $\theta$  range from 1.84 to 25.73°. Largest electron density residue: 0.119 e.Å<sup>-3</sup>,  $R_1$  (for  $I > 2\sigma(I) = 0.0349$  and  $wR_2 = 0.0937$  (all data) with  $R_1 = \sum ||F_0| - |F_c||/\sum |F_0|$  and  $wR_2 = \sum w(F_0^2 - F_c^2)^2 / \sum w(F_0^2)^{20.5}$ . The structure was solved by direct methods using *SHELXS-97* [6] and all non-hydrogen atoms were refined anisotropically using the least-squares method on  $F^2$  using *SHELXL-97* [12]. All the H atoms in these compounds were calculated geometrically with isotropic

displacement parameters set to 1.2 (1.5 for hydroxyl and methyl groups) times the equivalent isotropic *U* values of the parent carbon atoms. The molecular graph was illustrated using *ORTEP* [13]. The crystallographic data for the structure of **1** reported in this paper has been deposited with the Cambridge Crystallographic Data Centre as supplementary publication (Deposition No. CCDC 937638). This data can be obtained free of charge from *via* www.ccdc.cam.ac.uk/conts/retrieving.html (or from the CCDC, 12 Union Road, Cambridge CB2 1EZ, UK; fax: +44 1223 336033; e-mail: deposit@ccdc.cam.ac.uk).

# 3.6. Antiinflammatory Activity: Ethyl Phenylpropiolate (EPP)-induced Ear Edema in Rats

The method of Brattsand *et al.* [11] was used. *Animals*: Male Sprague–Dawley rats weighing 40–60 g purchased from the National Laboratory Animal Center, Nakorn Pathom Province, Thailand, were used. All animals were kept in a room maintained under environmentally controlled conditions of  $24 \pm 1$  °C and 12 h light–12 h dark cycle. The animals had free access to water and food. They were acclimatized at least 1 week before starting the experiments. *Testing*: Ear edema was induced by the topical application of either EPP dissolved in acetone to the inner and outer surfaces of both ears by means of an automatic microliter pipet. Test compounds **1** and **2**, at the dose of 1 mg/ear, were dissolved in acetone and applied topically in a volume of 20 µL to the inner and outer surfaces of the ear just before the irritants. The control group received acetone. All experiments were approved by Animal Ethics Committees, Faculty of Medicine, Chiang Mai University, Thailand. *Statistical analysis*: All data were expressed as mean  $\pm$  S.E.M. Statistical comparison between groups was analyzed by using one-way analysis of variance (ANOVA) and p values of less than 0.05 were considered significant.

#### 4. Conclusions

The new compound 4',6'-dihydroxy-2',4-dimethoxy-5'-(2"-hydroxybenzyl)dihydrochalcone (1) was isolated from *C. argenteum*, together with one known dihydrochalcone 2. Both compounds underwent additional biological screening for antiinflammatory activity. The experimental results suggest that both compounds probably possess anti-inflammatory activity by inhibition of the release or synthesis of various inflammatory mediators.

#### Acknowledgments

We thank the Center for Innovation in Chemistry (PERCH-CIC), Commission on Higher Education, Ministry of Education for financial support. Moreover, we are also indebted to Manop Tirarattanasompot, Scientific and Technological Research Equipment Centre (STREC), Chulalongkorn University for the X-ray crystallographic analysis.

## **Conflict of Interest**

The authors declare no conflict of interest.

# References

- 1. Smitinand, T. Thai Plant Name, revised ed.; Prachachon: Bangkok, Thailand, 2001.
- 2. Khamis, S.B.; Brown, J.E.; Kirkpatrick, H.E.; Knox, R.; Walker, A.; Wright, C.W. Preliminary investigation of *Cyathostemma argenteum*, a plant species used in traditional medicine for the treatment of breast cancer. *J. Pharm. Pharmacol.* **1998**, *50*, 222.
- 3. Khamis, S.; Bibby, M.C.; Brown, J.E.; Cooper, P.A.; Scowen, I.; Wright, C.W. Phytochemistry and preliminary biological evaluation of *Cyathostemma argenteum*, a Malaysian plant used traditionally for the treatment of breast cancer. *Phytpther. Res.* **2004**, *18*, 507–510.
- 4. Mahmood, K.; Fontaine, C.; Pais, M.; Ali, H.M.; Hapipah, M.; Hadi, H.A.; Guittet, E. Cyathostemmine, a new shikimic acid derivative from *Cyathostemma viridiflorum* Griff. *Tetrahedron Lett.* **1991**, *32*, 6117–6120.
- 5. Mahmood, K.; Sable, S.; Pais, M.; Ali, H.M.; Hadi, H.A.; Guittet, E. Cyathoviridine, a cytotoxic metabolite from *Cyathostemma viridiflorum*. *Nat. Prod. Lett.* **1993**, *3*, 245–249.
- 6. Passador, E.A.P.; Das, M.F.; Silva, G.F.D.; Fo, E.R.; Fernandes, J.B.; Vieira, P.C.; Pirani, J.R. A pyrano chalcone and a flavanone from *Neoraputia magnifica*. *Photochemistry* **1997**, *45*, 1533–1537.
- 7. Atta-ur-Rahman. Studies in Natural Products Chemistry, 1st ed.; Elsevier B.V.: London, UK, 2013.
- 8. Majumder, P.L.; Lahiri, S.; Mukhoti, N. Chalcone and dihydrochalcone derivatives from the orchid *Lusia volucris*. *Phytochemistry* **1995**, *40*, 271–274.
- Ng, S.L.; Razak, I.A.; Fun, H.K.; Boonsri, S.; Chantrapromma, S.; Prawat, U. A second monoclinic polymorph of 1-(2,4-dihydroxy-6-methoxyphenyl)-3-(4-methoxyphenyl)propan-1one. *Acta Crystallogr., Sect. E: Struct. Rep. Online* 2005, *61*, 3234–3236.
- Carlson, R.P.; O'Neill-Davis, L.; Chang, J.; Lewis, A.J. Modulation of mouse ear edema by cyclooxygenase and lipooxygenase inhibitors and other pharmacologic agents. *Agents Actions* 1985, 17, 197–204.
- Brattsand, R.; Thalen, A.; Roempke, K.; Kallstrom, L.; Gruvstad, E. Influence of 16α, 17α-acetal substitution and steroid nucleus fluorinative on the topical to systemic activity ratio of glucocorticoids. J. Steroid. Biochem. 1982, 16, 786–779.
- 12. Sheldrick, G.M. A short history of *SHELX. Acta Crystallogr., Sect. A: Found. Crystallogr.* 2008, 64, 112–122.
- 13. Burnett, M.N.; Johnson, C.K. ORTEP-III: Oak ridge Thermal Ellipsoid Plot Program for Crystal Structure Illustration; Report ORNL-6895; Oak Ridge National Laboratory: Oak Ridge, TN, USA, 1996.

Sample Availability: Samples of the compounds 1–2 are available from the authors.

© 2013 by the authors; licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution license (http://creativecommons.org/licenses/by/3.0/).