Article

Time-Resolved Spectroscopic Study of N,N-Di(4bromo)nitrenium Ions in Selected Solutions

Lili Du 1,2,+, Xin Lan 1,+, Zhiping Yan 1, Ruixue Zhu1,3 and David Lee Phillips 1,*

- ¹ Department of Chemistry, The University of Hong Kong, Hong Kong S.A.R., China; justailleen@gmail.com (L.D.); xinlan@connect.hku.hk (X.L.); mcayzp@gmail.com (Z.Y.); zhurx@shanghaitech.edu.cn (R.Z.)
- ² Institute of Life Sciences, Jiangsu University, Zhenjiang 212013, China

- ³ School of Physical Science and Technology, Shanghai Tech University, Shanghai 201210, China
- * Correspondence: phillips@hku.hk; Tel.: +852-2859-2160
- + These authors contributed equally to this work.

Table of Contents

Figure S1. Shown are ns-TA spectra in obtained in pure MeCN solution after 266 nm irradiation of DN.1
Figure S2. The ns-TR ³ spectra produced in MeCN acquired by pump 266 nm, probe 416 nm. The star symbols indicate the regions affected by solvent subtraction artifacts
Figure S3. The comparison between the DFT calculated normal Raman spectrum of nitrenium ions 2 and 1
Figure S 4. Fs-TA in 1:1 MeCN:H ₂ O solution acquired after 267 nm irradiation of DN (Left). Kinetics of the characteristic fs-TA absorption bands observed at 450 nm is shown in right. The solid lines indicate the kinetics fitting to the experimental data points
Figure S5. Comparison of the ns- TR^3 10 ns spectrum achieved in MeCN (red) to one achieved in 1:1 MeCN: H ₂ O solution (black) by employing 416 nm as the probe and 266 nm as the pump of DN. The symbol * means features affected by solvent subtraction artifacts
Cartesian coordinates, total energies, and vibrational zero-point energies



Figure S1. Shown are ns-TA spectra in obtained in pure MeCN solution after 266 nm irradiation for DN.



Figure S2. The ns-TR³ spectra produced in MeCN acquired by 266-nm pump and 416-nm probe of **DN**. The star symbols indicate the regions affected by solvent subtraction artifacts.



Figure S3. The comparison between the DFT calculated normal Raman spectrum of nitrenium ions 2 and 1.



Figure S4. fs-TA in 1:1 MeCN:H₂O solution acquired after 267 nm irradiation of **DN** (left). Kinetics of the characteristic fs-TA absorption bands observed at 450 nm is shown in right. The solid lines indicate the kinetics fitting to the experimental data points.



Figure S5. Comparison of the ns-TR³ 10 ns spectrum achieved in MeCN (red) to one achieved in 1:1 MeCN: H₂O solution (black) by employing 416 nm as the probe and 266 nm as the pump of **DN**. The symbol * means features affected by solvent subtraction artifacts.

Cartesian coordinates, total energies, and vibrational zero-point energies for the optimized geometry from the (U)B3LYP/6-311G** calculations for the compounds and intermediates considered in this paper are given

Nitrenium ion 1

С	-1.44443 -0.31987 -0.49905
С	-1.19313 1.01479 -0.04253
С	-2.30615 1.82637 0.34424
С	-3.57649 1.3048 0.39351
С	-3.77894 -0.02109 -0.02341
С	-2.72251 -0.823 -0.49387
Ν	0. 1.62176 0.
С	1.19314 1.01479 0.04253
С	1.44443 -0.31987 0.49906
С	2.72252 -0.823 0.49387
С	3.77894 -0.02109 0.02341
С	3.57649 1.3048 -0.39352
С	2.30615 1.82637 -0.34425
Н	2.92204 -1.81761 0.86807
Н	4.41071 1.90638 -0.72665
Н	2.10729 2.84748 -0.64218
Н	-2.10729 2.84748 0.64218
Н	-4.41071 1.90638 0.72664
Н	-2.92203 -1.81761 -0.86806
Н	-0.64363 -0.90678 -0.92683
Н	0.64364 -0.90677 0.92685

 H
 4.76988
 -0.42465
 0.01424

 H
 -4.76988
 -0.42465
 -0.01424

 Zero-point correction=
 0.185943
 (Hartree/Particle)

 Sum of electronic and thermal Free Energies= -517.796629
 Hartree

Nitrenium ion 2

С	1.46685 -0.35164 0.48677
С	1.19715 0.98359 0.03888
С	2.30407 1.80941 -0.33877
С	3.58121 1.30465 -0.3873
С	3.80578 -0.02203 0.02187
С	2.75096 -0.83693 0.48562
Ν	0.00004 1.5824 0.00014
С	-1.19736 0.98421 -0.0391
С	-1.46702 -0.35069 -0.48763
С	-2.75091 -0.83658 -0.4861
С	-3.80576 -0.022 -0.02192
С	-3.5813 1.30471 0.38738
С	-2.30429 1.80976 0.33885
Br	-5.54858 -0.70973 -0.00615
Br	5.54869 -0.70955 0.0064
Н	-2.96572 -1.82943 -0.85878
Н	-4.40993 1.91922 0.7132
Н	-2.09114 2.83137 0.62718
Н	2.09081 2.83112 -0.62663
Н	4.40975 1.9194 -0.7129
Н	2.96604 -1.82973 0.85829
Н	0.67109 -0.95202 0.90707
Н	-0.67138 -0.95093 -0.90865

Zero-point correction= 0.165275 (Hartree/Particle) Sum of electronic and thermal Free Energies= -5664.906584 Hartree

Intermediate 3

С	-2.32104	1.77636	0.49452
С	-1.07643	0.90695	0.32507
С	-1.26627	-0.53456	0.4543
С	-2.50176	-1.06821	0.34027
С	-3.67387	-0.23559	0.10218
С	-3.60315	1.09846	0.09469
Ν	0.00711	1.54376	0.07573
С	1.28009	0.94929	0.04561
С	1.82719	0.30064	1.16141
С	3.122 -	0.20905	1.12297
С	3.87349	-0.07744	-0.03945

С	3.3542 0.57373 -1.15536
С	2.06804 1.09749 -1.1034
Br	5.65432 -0.78573 -0.10057
Br	-5.32024 -1.15127 -0.26435
Н	-2.63538 -2.1428 0.36398
Н	-4.4526 1.73608 -0.11229
Н	-2.3996 1.90887 1.59614
Н	1.65743 1.62251 -1.95744
Н	3.95027 0.67995 -2.05245
Н	3.53971 -0.70083 1.99196
Н	1.24596 0.21953 2.07269
Н	-0.39974 -1.17904 0.52203
0	-2.18895 3.02876 -0.12429
Н	-1.23188 3.14609 -0.24509

Zero-point correction= 0.179585 (Hartree/Particle)

Sum of electronic and thermal Free Energies= -5740.933188 Hartree

Product 4

С	1.46685 - 0.35164 0.48677
С	1.19715 0.98359 0.03888
С	3.58121 1.30465 -0.3873
С	3.80578 -0.02203 0.02187
С	2.75096 -0.83693 0.48562
С	-1.19736 0.98421 -0.0391
С	-1.46702 -0.35069 -0.48763
С	-2.75091 -0.83658 -0.4861
С	-3.80576 -0.022 -0.02192
С	-3.5813 1.30471 0.38738
С	-2.30429 1.80976 0.33885
Br	-5.54858 -0.70973 -0.00615
Br	5.54869 -0.70955 0.0064
Н	-2.96572 -1.82943 -0.85878
Н	-4.40993 1.91922 0.7132
Н	-2.09114 2.83137 0.62718
Н	4.40975 1.9194 -0.7129
Н	2.96604 -1.82973 0.85829
Н	0.67109 -0.95202 0.90707
Н	-0.67138 -0.95093 -0.90865
Ν	0.00004 1.5824 0.00014
Н	-0.22203 2.16013 -0.7853
С	2.30407 1.80941 -0.33877
0	2.22316 3.06983 -0.65208
Н	2.91291 3.55815 -0.19667

Zero-point correction= 0.181103 (Hartree/Particle)

Sum of electronic and thermal Free Energies= -5740.973898 Hartree