OPEN ACCESS International Journal of Molecular Sciences ISSN 1422-0067 www.mdpi.com/journal/ijms

Article

# Effects of Inflorescence Stem Structure and Cell Wall Components on the Mechanical Strength of Inflorescence Stem in Herbaceous Peony

Daqiu Zhao <sup>1,2,†</sup>, Chenxia Han <sup>1,†</sup>, Jun Tao <sup>1,2,\*</sup>, Jing Wang <sup>1</sup>, Zhaojun Hao <sup>1</sup>, Qingping Geng <sup>1</sup> and Bei Du <sup>1</sup>

- <sup>1</sup> College of Horticulture and Plant Protection, Yangzhou University, Yangzhou 225009, China; E-Mails: daqiuzhao@126.com (D.Z.); hanchenxia@163.com (C.H.); wangjing3586@126.com (J.W.); haozhaojunko@126.com (Z.H.); qpgeng08@163.com (Q.G.); beiduyz@163.com (B.D.)
- <sup>2</sup> Jiangsu Key Laboratory of Crop Genetics and Physiology, Yangzhou University, Yangzhou 225009, China
- <sup>†</sup> These authors contributed equally to this work.
- \* Author to whom correspondence should be addressed; E-Mail: taojun@yzu.edu.cn; Tel.: +86-514-87997219; Fax: +86-514-87347537.

Received: 5 March 2012; in revised form: 31 March 2012 / Accepted: 5 April 2012 / Published: 19 April 2012

**Abstract:** Herbaceous peony (*Paeonia lactiflora* Pall.) is a traditional famous flower, but its poor inflorescence stem quality seriously constrains the development of the cut flower. Mechanical strength is an important characteristic of stems, which not only affects plant lodging, but also plays an important role in stem bend or break. In this paper, the mechanical strength, morphological indices and microstructure of *P. lactiflora* development inflorescence stems were measured and observed. The results showed that the mechanical strength of inflorescence stems gradually increased, and that the diameter of inflorescence stem was a direct indicator in estimating mechanical strength. Simultaneously, with the development of inflorescence stem, the number of vascular bundles increased, the vascular bundle was arranged more densely, the sclerenchyma cell wall thickened, and the proportion of vascular bundle and pith also increased. On this basis, cellulose and lignin contents were determined, *PlCesA3*, *PlCesA6* and *PlCCoAOMT* were isolated and their expression patterns were examined including *PlPAL*. The results showed that cellulose was not strictly correlated with the mechanical strength of

inflorescence stem, and lignin had a significant impact on it. In addition, *PlCesA3* and *PlCesA6* were not key members in cellulose synthesis of *P. lactiflora* and their functions were also different, but *PlPAL* and *PlCCoAOMT* regulated the lignin synthesis of *P. lactiflora*. These data indicated that *PlPAL* and *PlCCoAOMT* could be applied to improve the mechanical strength of *P. lactiflora* inflorescence stem in genetic engineering.

Keywords: Paeonia lactiflora; mechanical strength; cloning; gene expression

#### 1. Introduction

Herbaceous peony (*Paeonia lactiflora* Pall.) is a traditional famous flower with a cultivation history of more than 4000 years in China, which has shared the name "the king and minister of flowers" with tree peony [1]. Due to its huge flowers, bright flower colors, beautiful flower types and strong flower fragrances, it is loved by all people around the world, and expanded from the first garden cultivation to the cut flower cultivation. In Europe and the United States, herbaceous peony, known as the "wedding flower", is a high-grade cut flower for weddings and other festive occasions, so its market prospect is very broad [2,3]. In the production practice, we find that the *P. lactiflora* inflorescence stem is easy to bend or break and can not support flower weight, which seriously affects the quality of the cut flower. Previous research reveal that mechanical strength is an important characteristic of stem, which not only affects plant lodging, but also plays an important role in the inflorescence stem bend or break [4,5]. Therefore, it is crucial to identify factors that influence mechanical strength of *P. lactiflora* inflorescence stem and study how these factors can be manipulated.

The plant cell wall, composed of cellulose, hemicellulose, lignin, polysaccharides, and proteins, is a strong fibrillar network which provides mechanical support to cells, tissues and the whole plant [6,7]. According to cell type, cellulose usually accounts for 20% to 30% of the dry weight of the primary cell wall, and constitutes 40% to 90% of the secondary wall [8]. After cellulose, lignin is the second major biopolymer component of the plant cell wall [5]. As a result, the relationship of these two components and stem mechanical strength have been popular research topics, which have been studied thoroughly in the Gramineae. For example, both culm brittleness of rice mutants (BC1, 3, 5, 7, 10) and barley mutants are caused by decreased cellulose content [6,9–14]. In addition, decreased lignin content reduced culm mechanical strength of rice flexible culm1 mutant (fc1) [5]. However, to our knowledge, there are few reports regarding ornamental plants.

Cellulose synthase (CesA) is a key enzyme of plant cellulose biosynthesis, which can catalyze the formation of  $\beta$ -(1,4)-linkages [12]. Even though the CesA complexes were first discovered in the plasma membrane of *Oocystis apiculata* in 1976 [15], it was not until 1996 that the first *CesA* gene was isolated in higher plant [16]. Since then, *CesA* has been identified from many plants, such as *Arabidopsis thaliana* [17], *Oryza sativa* [18], *Hordeum vulgare* [19], *Physcomitrella patens* [20] and so on. Research show that activity of *CesA* is closely related to cellulose content [13,14,21], such as in rice mutant BC7, reduced cellulose content is caused by an abnormal *CesA* gene [11]. On the other hand, a great deal of enzyme genes involved in the lignin biosynthetic pathway, among which, L-phenylalanine ammonia-lyase (PAL) and caffeoyl-CoA 3-*O*-methyltransferase (CCoAOMT) are two

key enzyme genes. The former is the first gene of the phenylpropanoid pathway which catalyzes the formation of cinnamic acid from L-phenylalanine, and the latter catalyzes the formation of feruloyl-CoA and sinapoyl-CoA using caffeoyl-CoA and 5-hydroxyferuloyl-CoA as substrates, respectively. Moreover, transcript levels of these two genes directly affect lignin biosynthesis [22–24], which has become a hot topic in the field of lignin genetic engineering.


In this study, in order to identify factors that influence mechanical strength of *P. lactiflora* inflorescence stem and their regulatory mechanism, mechanical strength, morphological indices, cellulose and lignin contents, microstructure of inflorescence stem were measured and observed. In addition, related genes involved in cellulose and lignin biosynthetic pathway including *PlCesA3*, *PlCesA6* and *PlCCoAOMT* were isolated, and expression patterns of these isolated genes and *PlPAL* were investigated. These results could provide a theoretical basis for improving the quality of *P. lactiflora* cut flowers.

# 2. Results

#### 2.1. Mechanical Strength and Morphological Indices

Inflorescence stems of four development stages were used as materials to study impact factors of the mechanical strength of *P. lactiflora* (Figure 1A). Determination using 3-point bending-tests showed that their mechanical strength increased from S1 to S4, and S4 was 4.8 times higher than S1, but the difference between S3 and S4 was not significant (Figure 1B).

Figure 1. Plant phenotype and mechanical strength of inflorescence stem. (A) Plant phenotype of four development stages; (B) Mechanical strength of inflorescence stem. Different letters including a, b and c indicate significant difference at the 0.05 level. Bar = 2 cm.



Morphological indices of plant developmental stages were shown in Table 1. All indices showed an increasing trend and reached their maximum in S4. Plant height, diameter and fresh weight of flower all reached a significant level between each stage. However, the other indices, *i.e.*, diameter and fresh weight of inflorescence stem were almost identical in S3 and S4. Correlation analysis between

morphological indices and mechanical strength revealed that these five indicators showed they were positively correlated with mechanical strength, and significant level was reached by plant height, diameter of inflorescence stem, diameter of flower and fresh weight of flower. Moreover, the highest correlation was diameter of inflorescence stem (Table 2).

Development Stages	<b>S1</b>	S2	<b>S</b> 3	<b>S4</b>
Plant height (cm)	$49.63 \pm 0.40^{\text{ d}}$	$59.34 \pm 0.13$ <sup>c</sup>	$64.93 \pm 0.09$ <sup>b</sup>	$67.64 \pm 0.09$ <sup>a</sup>
Diameter of inflorescence stem (cm)	$0.28 \pm 0.01$ <sup>c</sup>	$0.47 \pm 0.00$ <sup>b</sup>	$0.63 \pm 0.00^{a}$	$0.64 \pm 0.00^{a}$
Fresh weight of inflorescence stem (g)	$0.49 \pm 0.08$ <sup>c</sup>	$0.78 \pm 0.00$ <sup>b</sup>	$0.86 \pm 0.00^{a}$	$0.86 \pm 0.01$ <sup>a</sup>
Diameter of flower (cm)	$1.19 \pm 0.02^{\text{ d}}$	$2.00 \pm 0.01$ <sup>c</sup>	$9.47 \pm 0.10^{b}$	$12.61 \pm 0.05$ <sup>a</sup>
Fresh weight of flower (g)	$0.69 \pm 0.03^{\text{ d}}$	$3.45 \pm 0.08$ °	$18.65 \pm 0.20$ <sup>b</sup>	$25.82 \pm 0.04$ <sup>a</sup>

Table 1. Morphological indices of development Paeonia lactiflora.

Data mean values  $\pm$  SE. <sup>a,b,c,d</sup> indicate significant difference at the 0.05 level.

Table 2. Correlation of morphological indices and mechanical strength of inflorescence stem.

Morphological Indices	<b>R</b> (Correlation Coefficient)
Plant height (cm)	0.95 *
Diameter of inflorescence stem (cm)	0.98 *
Fresh weight of inflorescence stem (g)	0.88
Diameter of flower (cm)	0.96 *
Fresh weight of flower (g)	0.96 *

\* indicates significant difference at the 0.05 level.

# 2.2. Microstructure

Microstructure of inflorescence stem was observed by optical microscope. The results showed that both the number of vascular bundles and the proportion of vascular bundle as well as pith presented an increasing trend, but a significant difference between each stage, especially S3 and S4 was not observed (Table 3).

<b>Development Stages</b>	<b>S1</b>	<b>S2</b>	<b>S</b> 3	<b>S4</b>
Number of vascular bundle	$14.67 \pm 1.53$ <sup>c</sup>	$25.33 \pm 1.15$ <sup>b</sup>	$36.67 \pm 1.53^{a}$	$38.33 \pm 1.53^{a}$
Vascular bundle (%)	$22.40 \pm 0.75$ <sup>b</sup>	$32.19 \pm 0.48$ <sup>a</sup>	$39.09 \pm 1.39^{a}$	$41.35 \pm 2.33^{a}$
Pith (%)	$6.95 \pm 1.07$ <sup>b</sup>	$7.82 \pm 0.18$ <sup>b</sup>	$12.06 \pm 1.26^{a}$	$14.91 \pm 2.13^{a}$


Table 3. Microstructure of inflorescence stem.

Data mean values  $\pm$  SE. <sup>a,b,c</sup> indicate significant difference at the 0.05 level.

In order to more intuitively observe microstructure changes of inflorescence stem, environmental scanning electron microscope was applied. Figure 2A–D showed the photographs of four development stages of inflorescence stems with a magnification of 200 times, and Figure 2E–H showed the partial enlargement of Figure 2A–D marked by an arrow. As shown in Figure 2, inflorescence stem had formed various parts in the initial stage, *i.e.*, epidermis, cortex and vascular cylinder, moreover, vascular bundles were cylindrical and close each other. With the development of the inflorescence stem, inner

vascular bundles began to emerge, the cell was more closely arranged and the sclerenchyma cell wall thickened.


**Figure 2.** Observation of inflorescence stem microstructure with scanning electron microscope. (**A**–**D**) Photographs of development inflorescence stem with a magnification of 200 times; (**E**–**H**) Photographs of partial enlargement in A–D marked by the arrow.



# 2.3. Cellulose and Lignin Contents

As the major components of plant cell wall that play a role in mechanical support, cellulose and lignin contents were determined in these inflorescence stems. As shown in Figure 3, cellulose content had been declining from S1 to S4, but the difference between the last three stages was not significant. Its correlation coefficient with mechanical strength was -0.85. In contrast, lignin content increased gradually with the development of inflorescence stem, and S4 was 4.3 times as high as S1. This trend was the same as mechanical strength. Meanwhile, a highly significant positive correlation between them (R = 0.99 \*\*) was observed.


Figure 3. Cellulose and lignin contents of inflorescence stem. (A) Cellulose content of inflorescence stem; (B) Lignin content of inflorescence stem. <sup>a,b</sup> indicate significant difference at the 0.05 level.



#### 2.4. Isolation and Sequence Analysis


In order to clarify the synthesis of cellulose and lignin, we aimed to isolated key biosynthetic genes. The 3'-ends of two *CesA* were obtained by 3'-RACE and were 2300 and 2015 nucleotides long. On the basis of the partial sequence, 5'-RACE was carried out to isolate the 5'-ends, which obtained a 2500 and 1800-bp fragment, respectively. Sequence splicing showed that the full-length cDNA sequence of *CesA1* was 3939 bp, and contained a whole open reading frame (ORF) of 3246 bp, an untranslated region (UTR) in 5' end of 447 bp, a 3'-UTR of 246 bp and a complete poly A tail. *CesA2* was 3846 bp in length which contained an ORF of 3265 bp, an UTR of 410 bp in 5' end, a 3'-UTR of 171 bp and a full poly A tail. Gene-specific primers were used for RACE of *CCoAOMT* gene, which resulted in an approximate 410 and 640-bp band of 3' and 5' cDNA ends, respectively. The spliced results showed that 1004 bp *CCoAOMT* cDNA contained an UTR of 57 bp in 5' end, a 744 bp ORF, a 3'-UTR of 203 bp and a poly (A) tail.


**Figure 4.** Phylogenetic tree of *PlCesA3*, *PlCesA6* and *CesA* from some other plants. The amino acid sequences were obtained from GenBank: *Arabidopsis thaliana3* (NP\_196136); *Bambusa oldhamii3* (AAY43225); *Glycine max3* (XP\_003533898); *Gossypium barbadense3* (ADZ16119); *Gossypium herbaceum3* (ADZ16120); *Gossypium raimondii3* (ADZ16121); *Vitis vinifera3* (XP\_002278997); *Arabidopsis thaliana6* (NP\_201279); *Bambusa oldhamii6* (AAY43223); *Brachypodium distachyon6* (XP\_003557327); *Glycine max6* (XP\_003525098); *Physcomitrella patens6* (ABI78959); *Ricinus communis6* (XP\_002524299); *Vitis vinifera6* (XP\_002265955).



*CesA1* and *CesA2* encoded 1087 and 1081 amino acids, respectively, which were 68% identical. Multiple alignment analysis indicated that *CesA1* and *CesA2* had a high homology to *CesA* from other plants, such as 88% and 67% identity with *Betula luminifera CesA* (ACJ38667), 85% and 67% identity with *Populus ussuriensis CesA* (ADV58936), 79% and 66% identity with *Hordeum vulgare CesA* (AAR29964), respectively. The phylogenetic tree that was constructed using the neighbor-joining method revealed *CesA* in these plants was divided into two categories, *CesA1* and *CesA2* in *P. lactiflora* belonged to *CesA3* and *CesA6*, respectively (Figure 4). Therefore, these two genes were designated as *PlCesA3* and *PlCesA6* with accession number JQ728998 and JQ728999, respectively. For *CCoAOMT* in *P. lactiflora*, a blast analysis showed that this protein shared 90–94% identity and 95–98% similarity with *CCoAOMT* from *Vitis vinifera* (XP\_002282867), *Populus tremuloides* (AAA80651), *Broussonetia papyrifera* (AAT37172), *Populus trichocarpa* (ACC63876), *Codonopsis lanceolata* (BAE48788) and *Solanum tuberosum* (BAC23054). Amino acid sequence alignment of *CCoAOMT* in *Paeonia lactiflora* and *Bambusa oldhamii*, *Nicotiana tabacum*, *Oryza sativa*, *Picea abies* and *Zea mays* was performed, the result showed *PlCCoAOMT* had conserved sequence elements of the *CCoAOMT* gene, namely A, B, C, D, E, F, G and H (Figure 5A). Among them, A, B and C were commonly found in the plant methyltransferase gene, and D, E, F, G and H were unique in the *CCoAOMT* gene. Meanwhile, their phylogenetic tree displayed *CCoAOMT* in these plants was divided into two categories. Dicot and monocotyledons, and *Nicotiana tabacum* was the one most similar to *P. lactiflora* (Figure 5B). This coincides with the traditional plant taxonomy. Additionally, this sequence had been submitted to GenBank with the accession numbers JQ684014.

**Figure 5.** Sequence alignment and phylogenetic tree of *CCoAOMT* from *Paeonia lactiflora* other plants. (**A**) Sequence alignment; (**B**) Phylogenetic tree. The amino acid sequences were obtained from GenBank: *Bambusa oldhamii* (EF028662); *Nicotiana tabacum* (AF022775); *Oryza sativa* (AY644636); *Picea abies* (AM262870); *Zea mays* (AJ242981). Color indicates homology level, black = 100%, pink  $\geq$ 75%, blue  $\geq$ 50%. A, B and C are popular conserved sequence elements in plant methyltransferase; D, E, F, G and H are signature sequences of *CCoAOMT*.








# 2.5. Expression Analysis

To examine whether cellulose and lignin contents in different developmental inflorescence stems could be related to the expression of related biosynthetic genes, transcript levels of three genes isolated in this paper, *PlCesA3*, *PlCesA6* and *PlCCoAOMT*, together with *PlPAL* (JQ070801) we had isolated from *P. lactiflora*, were analyzed by real-time quantitative polymerase chain reaction (Q-PCR). This is a highly sensitive, accurate, rapid and high-throughput technique [25]. We found that the expressions of these genes could be detected in all tissues, but the expression levels were different (Figure 6). During the developmental stages of inflorescence stems, the transcript levels of *PlCesA3* and *PlCesA6* almost showed an upward trend, but the expression levels of *PlPSY* and *PlCcoAOMT* trended similarly which increased from S1 to S3, and with a little decrease in S4. In different organs, transcript levels of *PlPSY* and *PlCcoAOMT*, the expression patterns were identical, their highest levels of transcription occurred in stems which were 156.76% and 433.25% more than those of leaves, respectively.

Figure 6. Expression levels of cellulose and lignin biosynthetic genes in tissues. (A) Gene expression levels in developmental inflorescence stems; (B) Gene expression levels in different organs.







#### 3. Discussion

Stem mechanical strength is related to the morphological indices of a plant, *i.e.*, plant height, diameter and dry weight of stem *etc*. Therefore, varieties with short plants and sturdy stems are chosen in lodging resistance breeding of crops [26,27]. In this study, we found that the correlation between mechanical strength and fresh weight of inflorescence stem did not reach a significant level, which indicated that the fresh weight of an inflorescence stem could not accurately reflect the texture density of an inflorescence stem, and could not be used as an indicator to estimate mechanical strength. In contrast, a significant level was reached by plant height, diameter of inflorescence stem, diameter of flower and fresh weight of flower. Moreover, the highest correlation was diameter of inflorescence stem. These results indicate that diameter of inflorescence stem was a direct indicator in estimating mechanical strength, and other morphological indicators also influenced it. In addition, with the development of *P. lactiflora* inflorescence stem, the number of vascular bundles increased, vascular bundles were arranged more densely, the sclerenchyma cell wall thickened, and the proportion of vascular bundle and pith also increased, which were consistent with previous studies [12,28–30].

Cellulose is the main component of the cell wall skeleton, its basic unit is microfibril, which can maintain the cell shape and enhance the mechanical strength of the plant, and therefore the cellulose content is directly related to the mechanical tissues [31]. On the other hand, lignin, which distributes in the cell wall of plant lignified mechanical and conducting tissues can increase cell wall strength, cell wall impermeability and stem mechanical strength [32]. In rice [6,9–12], wheat [4], barley [13,14], rape [33], maize [34] and other plants, their mechanical strengths are correlated with cellulose, lignin or neither of them. This indicates that the factors that influence stem mechanical strength are different for different plants, or even different mutants in the same plants. Besides cellulose and lignin, some other chemical components affect mechanical strength. For example, glucose and xylulose are positively related to the lodging resistance in rice [35,36]. In *P. lactiflora*, cellulose content decreased

while the lignin content increased, but the cellulose content was much higher than the lignin. We speculated that cellulose was not strictly correlated with mechanical strength of *P. lactiflora* inflorescence stem, and lignin had a significant impact on it. Combined with microstructure of inflorescence stem, there might be other increased chemical components in the cell wall. Further study is needed.

Functional studies of CesA showed that it was a super gene family. The enzymes involved in cellulose synthesis were not the same in different development stages of plant cell walls [37]. In the CesA gene family of Arabidopsis thaliana, CesA1, CesA3, and CesA6 played an irreplaceable role in the synthesis of the primary cell wall [38]. CesA4, CesA7 and CesA8 had a direct relationship with the formation of secondary cell wall [39,40]. In this study, two isolated gene members were confirmed as CesA3 and CesA6 in P. lactiflora, their expression levels were inconsistent with cellulose contents in development inflorescence stems, and their expression patterns in different organs were not the same, which indicated that these two genes were not key members in cellulose synthesis of P. lactiflora and their functions were also different. For PAL and CCoAOMT in P. lactiflora, their expression patterns were identical in all tissues. Their expression levels were greatly increased from S1 to S2 of inflorescence stem and decreased in the last stage. However, lignin content increased and a tremendous increase occurred from S2 to S3, which suggested that these two genes regulated lignin synthesis, but their transcript levels and lignin synthesis were out of sync. These results coincided with report about elephant grass [41]. These results indicated that *PlPAL* and *PlCCoAOMT* could be used to improve the mechanical strength of *P. lactiflora* inflorescence stems, which provide a basis for using genetic engineering means to improve the quality of *P. lactiflora* cut flowers.

# 4. Experimental Section

#### 4.1. Plant Materials

Four development stages inflorescence stems of *P. lactiflora* cultivar "Hongyanzhenghui" were taken from the germplasm repository of Horticulture and Plant Protection College, Yangzhou University, Jiangsu Province, China ( $32^{\circ}30'$  N,  $119^{\circ}25'$  E). After determination of mechanical strength and morphological indices in 5 cm of top inflorescence stem, one part was fixed in 3% glutaraldehyde using for microstructure observation, and the other was immediately frozen in liquid nitrogen, and then stored at -80 °C until analysis

#### 4.2. Morphological Indices and Mechanical Strength Determination

Plant height was measured by meter stick (Zhejiang Yuyao Sanxin Measuring Tools Co., Ltd., Yuyao, China), fresh weight and diameter of inflorescence stem and flower were measured by balance (Gandg Testing Instrument Factory, Changshou, China) and micrometer scale (Taizhou Xinshangliang Measuring Tools Co., Ltd., Taizhou, China), respectively. In addition, mechanical strength of inflorescence stem was tested with a universal NK-2 digital force testing device (Zhejiang Hui'er Instrument & Equipment Co., Ltd., Hangzhou, China).

#### 4.3. Microstructure Observation

For paraffin section, inflorescence stem fixed in 3% glutaraldehyde was washed 3 times with 0.1 mol/L phosphate buffer, and dehydrated using 30%, 50%, 70%, 85%, 95% and 100% gradient ethanol. Moreover, they passed through transparence, infiltration paraffin, embedment, section at 10  $\mu$ m (Leica, Wetzlar, Germany), dewaxing and staining, and were then observed with the Zeiss the Primo Star 176045 microscope (Zeiss, Oberkochen, Germany).

For observation of scanning electron microscope, the fixed inflorescence stem was dehydrated in a gradient ethanol solution and treated with the mixtures of acetone: anhydrous alcohol (1:1, 2:1, 1:0, v/v), acetone: isoamyl acetate (1:1, 1:2, v/v), and pure isoamyl acetate. After drying and spraying gold (EIKO IB-3, Hitachi, Japan), the sample was observed by environmental scanning electron microscope (Philips XL-30 ESEM, Amsterdam, Holand).

#### 4.4. Cell Wall Materials Fractionation, Cellulose and Lignin Contents Determination

The cell wall materials were fractioned according to the method of Rose *et al.* [42] with some modifications. Briefly, mature inflorescence stem of herbaceous peony was ground into fine powder in liquid nitrogen and extracted with 95% alcohol, and then washed twice with boiling alcohol and methyl alcohol:chlorination (1:1, v/v), respectively. Then, the cell wall residues were dried overnight at 30 °C. Cellulose content was measured by the anthrone [43], and lignin content was determined following the method of Müsel *et al.* [44].

#### 4.5. RNA Extraction and Primers Design

Total RNA was extracted according to a modified CTAB extraction protocol used in our laboratory [45]. Prior to reverse-transcription, RNA samples were treated with DNase using DNase I kit (TaKaRa, Kyoto, Japan) according to the manufacturer's guidelines.

3' rapid-amplification of cDNA ends (RACE) primers were designed according to the retrieved *CesA* and *CCoAOMT* cDNA sequences of other plants from GenBank. And then on the basis of the 3' cDNA sequences, 5' RACE primers were designed. In gene expression analysis, the *P. lactiflora Actin* (GenBank Accession No. JN105299) was used as an internal control, and the expression analysis primers were designed according to the full-length cDNAs of isolated *PlCesA*, *PlCCoAOMT* and *PlPAL* (JQ070801). All mentioned primers were together listed in Table 4, which were all designed using DNAMAN 5.0 (Lynnon Corporation: Quebec, Canada, 1994) and Primer Premier 5.0 (Premier Biosoft International: Palo Alto, CA, USA, 2004), and synthesized by Shanghai Sangon Biological Engineering Technology & Services Co., Ltd. (Shanghai, China).

Primer	Oligonucleotide Sequence (5'-3')	Application
CA3-1	GAGCTGCTATGTGTCTGATGA	1st of 3' RACE
CA3-2	GAGTTTGCAAGGAGATGGGT	2nd of 3' RACE
CA3-3	CCCCTCCTCTATATCCTCCAGGCTGAA	5' RACE
CA6-1	TTGTGAAAGAACGGAGGG	1st of 3' RACE
CA6-2	TGCCAAGGCTCAAAAGGT	2nd of 3' RACE

Table 4. Primers used for genes isolation and expression pattern.

Primer	Oligonucleotide sequence (5'-3')	Application	
СА6-3	TTCTTGTTGGTGGCTTCT	1st of 5' RACE	
CA6-4	TCATACTCTCTCTTCATTGCCC	2nd of 5' RACE	
CCoAOMT1	TTGTGAAAGAACGGAGGG	1st of 3' RACE	
CCoAOMT2	TGCCAAGGCTCAAAAGGT	2nd of 3' RACE	
CCoAOMT3	CCCATTCCATAGGGTGTTGTCGTAGCC	5' RACE	
$Actin_F$	GCAGTGTTCCCCAGTATT		
$Actin_R$	TCTTTTCCATGTCATCCC	expression pattern analysis	
$CA3_F$	GTTGCCTCTACGCTTATG		
$CA3_R$	CACTTCCCCACTCTGATT		
$CA6_F$	GGGTTATTGAAGGTTTTAGC		
$CA6_R$	TATCAGCAGTGTAGTCGGA		
$PAL_F$	ACATTCTCGCCACTACCA		
$PAL_R$	CTTCCGAAATTCCTCCAC		
$CCoAOMT_F$	GCGTGAAGTAACAGCAAAAC		
$CCoAOMT_R$	AGAGCAGTAGCAAGGAGAGA		

Table 4. Cont.

# 4.6. Isolation of the Full-length cDNA Sequence

Isolation of cDNA was performed by 3' full RACE Core Set Ver. 2.0 (TaKaRa, Kyoto, Japan), 5' full RACE Core Set Ver. 2.0 (TaKaRa, Kyoto, Japan) and SMARTer<sup>TM</sup> RACE cDNA Amplification Kit (Clontech, Mountain View, CA, USA), the specific operations were performed according to the manufacture's guidelines. The first strand cDNA was synthesized from total RNA, and then the 3' and 5' ends of cDNAs were amplified with the designed gene-specific primers and the universal primers provided by the kits. In addition, PCR conditions were in accordance with request of kits and the annealing temperature of primers.

# 4.7. Gene Expression Analysis

Q-PCR was performed on a BIO-RAD CFX96<sup>TM</sup> Real-Time System (C1000<sup>TM</sup> Thermal Cycler) (Bio-Rad, Hercules, CA, USA). The RNA samples were quantified by spectrophotometer (Eppendorf, Hamburg, Germany) at the wavelength of 260 nm. The cDNA was synthesized from 1 µg RNA using PrimeScript<sup>®</sup> RT reagent Kit With gDNA Eraser (TaKaRa, Kyoto, Japan). Q-PCR was carried out using the SYBR<sup>®</sup> Premix Ex Taq<sup>TM</sup> (Perfect Real Time) (TaKaRa, Kyoto, Japan) and contained  $2 \times$  SYBR Premix Ex Taq<sup>TM</sup> 12.5 µL, 50 × ROX Reference Dye II 0.5 µL, 2 µL cDNA solution as a template, 1 µL mix solution of target gene primers and 9 µL ddH<sub>2</sub>O in a final volume of 25 µL. The amplification was carried out under the following conditions: 50 °C for 2 min followed by an initial denaturation step at 95 °C for 5 min, 40 cycles at 95 °C for 15 s, 51 °C for 15 s, and 72°C for 40 s. Gene relative expression levels were calculated by the  $2^{-\Delta\Delta Ct}$  comparative threshold cycle (*C*t) method. The *C*t values of the triplicate reactions were gathered using the Bio-Rad CFX Manager V1.6.541.1028 software (Bio-Rad, Hercules, CA, USA).

### 4.8. Sequence and Statistical Analysis

Sequence retrieve was using the GenBank BLAST [46]. Sequence alignment and the phylogenetic tree were constructed by DNAMAN 5.0 and MEGA 5.05 [47], respectively. All data were means of three replicates at least with standard deviations. The results were analyzed for variance using the SAS/STAT statistical analysis package (version 6.12, SAS Institute, Cary, NC, USA, 1997). The difference between the means was tested by least significant difference at  $P_{0.05}$  (LSD<sub>0.05</sub>). Figures were drawn by SigmaPlot 10.0 (SPSS Inc.: Chicago, IL, USA, 1999).

# Acknowledgments

This work was financially supported by Agricultural Science & Technology Independent Innovation Fund of Jiangsu Province (CX[10]114, CX[11]3015, CX[11]1017), Agricultural Science & Technology Support Project of Jiangsu Province (BE2011325), the Priority Academic Program Development from Jiangsu Government and 2010 College Academic Science and Technology Innovation Fund of Yangzhou University for student.

# References

- 1. Qing, K.J. The Origin and History. In *Illustration of One Hundred Ornamental Flowers Bonsai—The Herbaceous Peony*; Qing, K.J., Ed.; China Forestry Publishing House: Beijing, China, 2004; pp. 12–19.
- Stevens, S.; Stevens, A.B.; Gast, K.L.B.; O'Mara, J.A.; Tisserat, N.A.; Bauernfeind, R. Commercial specialty cut flower production, peonies. *Cooperative Extension Service, Kansas State University, Manhattan, Kansas* 1993. Available online: http://www.oznet.ksu.edu/library/hort2/mf1083.pdf (accessed on 1 March 2012).
- 3. Yu, X.; Guo, P.; Lu, G.; Zhang, Q. Optimum harvesting time of herbaceous peony buds for cutting flowers. *J. For. Res.* **2011**, *22*, 137–140.
- 4. Wang, J.; Zhu, J.; Lin, Q.; Li, X.; Teng, N.; Li, Z.; Li, B.; Zhang, A.; Lin, J. Effects of stem structure and cell wall components on bending strength in wheat. *Chin. Sci. Bull.* **2006**, *51*, 815–823.
- Li, X.; Yang, Y.; Yao, J.; Chen, G.; Li, X.; Zhang, Q.; Wu, C. *FLEXIBLE CULM 1* encoding a cinnamyl-alcohol dehydrogenase controls culm mechanical strength in rice. *Plant Mol. Biol.* 2009, 69, 685–697.
- Li, Y.; Qian, Q.; Zhou, Y.; Yan, M.; Sun, L.; Zhang, M.; Fu, Z.; Wang, Y.; Han, B.; Pang, X.; *et al. BRITTLE CULM1*, which encodes a COBRA-like protein, affects the mechanical properties of rice plants. *Plant Cell* **2003**, *15*, 2020–2031.
- 7. Gilbert, H.J. The biochemistry and structural biology of plant cell wall deconstruction. *Plant Physiol.* **2010**, *153*, 444–455.
- Taylor, N.G.; Scheible, W.; Cutler, S.; Somerville, C.R.; Turner, S.R. The irregular xylem3 locus of *Arabidopsis* encodes a cellulose synthase required for secondary cell wall synthesis. *Plant Cell* 1999, *11*, 769–779.

- Hirano, K.; Kotake, T.; Kamihara, K.; Tsuna, K.; Aohara, T; Kaneko, Y.; Takatsuji, H.; Tsumuraya, Y.; Kawasaki, S. Rice *BRITTLE CULM 3* (BC3) encodes a classical dynamin OsDRP2B essential for proper secondary cell wall synthesis. *Planta* 2010, 232, 95–108.
- 10. Aohara, T.; Kotake, T.; Kaneko, Y.; Takatsuji, H.; Tsumuraya, Y.; Kawasaki S. Rice *BRITTLE CULM 5* (BRITTLE NODE) is involved in secondary cell wall formation in the sclerenchyma tissue of nodes. *Plant Cell Physiol.* **2009**, *50*, 1886–1897.
- 11. Yan, C.; Yan, S.; Zeng, X.; Zhang, Z.; Gu, M. Fine mapping and isolation of *Bc7(t)*, allelic to *OsCesA4. J. Genet. Genomics* **2007**, *34*, 1019–1027.
- Zhou, Y.; Li, S.; Qian, Q.; Zeng, D.; Zhang, M.; Guo, L.; Liu, X.; Zhang, B.; Deng, L.; Liu, X.; *et al.* BC10, a DUF266-containing and Golgi-located type II membrane protein, is required for cell-wall biosynthesis in rice (*Oryza sativa* L.). *Plant J.* **2009**, *57*, 446–462.
- Kokubo, A.; Sakurai, N.; Kuraishi, S.; Takeda, K. Culm brittleness of barley (*Hordeum vulgare* L.) mutants is caused by smaller number of cellulose molecules in cell wall. *Plant Physiol.* 1991, 97, 509–514.
- Burton, R.A.; Ma, G.; Baumann, U.; Harvey, A.J.; Shirley, N.J.; Taylor, J.; Pettolino, F.; Bacic, A.; Beatty, M.; Simmons, C.R.; *et al.* A customized gene expression microarray reveals that the brittle stem phenotype *fs2* of barley is attributable to a retroelement in the *HvCesA4* cellulose synthase gene. *Plant Physiol.* **2010**, *153*, 1716–1728.
- 15. Brown, R.M.J.; Montezinos, D. Cellulose microfibrils: Visualization of biosynthetic and orienting complexes in association with the plasma membrane. *Proc. Natl. Acad. Sci. USA* **1976**, *73*, 143–147.
- Pear, J.R.; Kawagoe, Y.; Schreckengost, W.E.; Delmer, D.P.; Stalker, D.M. Higher plants contain homologs of the bacterial *celA* genes encoding the catalytic subunit of cellulose synthase. *Proc. Natl. Acad. Sci. USA* 1996, 93, 12637–12642.
- 17. Richmond, T.A.; Somerville, C.R. The cellulose synthase superfamily. *Plant Physiol.* **2000**, *124*, 495–498.
- Hazen, S.P.; Scott-Craig, J.S.; Walton, J.D. Cellulose synthase-like genes of rice. *Plant Physiol.* 2002, *12*, 336–340.
- 19. Burton, R.A.; Shirley, N.J.; King, B.J.; Harvey, A.J.; Fincher, G.B. The *CesA* gene family of barley. Quantitative analysis of transcripts reveals two groups of co-expressed genes. *Plant Physiol.* **2004**, *134*, 224–236.
- 20. Wise, H.Z.; Saxena, I.M.; Brown, R.M.J. Isolation and characterization of the cellulose synthase genes *PpCesA6* and *PpCesA7* in *Physcomitrella patens*. *Cellulose* **2011**, *18*, 371–384.
- 21. Kokubo, A.; Kuraishi, S.; Sakurai, N. Culm strength of barley: Correlation among maximum bending stress, cell wall dimensions, and cellulose content. *Plant Physiol.* **1989**, *91*, 876–882.
- 22. Howles, P.A.; Sewalt, V.J.H.; Paiva, N.L.; Elkind, Y.; Bate, N.J.; Lamb, C.; Dixon, R.A. Overexpression of L-phenylalanine ammonia-lyase in transgenic tobacco plants reveals control points for flux into phenylpropanoid biosynthesis. *Plant Physiol.* **1996**, *112*, 1617–1624.
- 23. Zhong, R.; Morrison, W.H.; Negrel, J.; Ye, Z.H. Dual methylation pathways in lignin biosynthesis. *Plant Cell* **1998**, *10*, 2033–2045.
- 24. Wagner, A.; Tobimatsu, Y.; Phillips, L.; Heather, F.; Kirk, T.; Lloyd, D.; Lana, P.; John, R. *CCoAOMT* suppression modifies lignin composition in *Pinus radiata*. *Plant J.* **2011**, *67*, 119–129.

- Qi, J.; Yu, S.; Zhang, F.; Shen, X.; Zhao, X.; Yu, Y.; Zhang, D. Reference gene selection for real-time quantitative polymerase chain reaction of mRNA transcript levels in Chinese cabbage (*Brassica rapa* L. ssp. pekinensis). *Plant Mol. Biol. Report.* 2010, 28, 597–604.
- 26. Yang, H.; Yang, R.; Li, Y.; Jiang, Z.; Zheng, J. Relationship between culm traits and lodging resistance of rice cultivars. *Fujian J. Agric. Sci.* **2000**, *15*, 1–7.
- 27. Shen, G.; Shi, Y.; Huang, Y.; Shi, Y.; Wang, W.; Zhang, C.; Chen, D. Study on rice lodging resistance character and correlation between the culm traits and lodging resistance traits. *Chin. Agric. Sci. Bull.* **2007**, *23*, 58–62.
- 28. Mo, Y.S.; Yang, Q.Q.; Liu, P.Q.; He, L.S.; Wang, A.Q.; Fan, Y.S.; Zhao, X.Y. Relationship of tall and tough rice resistance and stalk structure. *Crops* **2007**, *2*, 40–42.
- 29. Su, Y.; Yan, C.; Wang, X.; Zhao, G. Analysis of cell wall components and ultrastructure for brittleness mutation rice. *Acta Agrestia Sin.* **2008**, *16*, 594–599.
- 30. Wei, C.; Xie, P.; Zhou, W.; Chen, Y.; Yan, C. Anatomical structure and chemical features of leaf in brittle mutant of rice. *Acta Agron. Sin.* **2008**, *34*, 1417–1423.
- 31. Xu, S.X.; Xu, X.B. *Morphology and Anatomy of Rice*; Agriculture Press: Beijing, China, 1984; pp. 12–30.
- 32. Baucher, M.; Monties, B.; van Montagu, M.; Boerjan, W. Biosynthesis and genetic engineer in lignin. *Crit. Rev. Plant Sci.* **1998**, *17*, 125–197.
- 33. Zhang, J.; Chen, J.; Tang, Z.; Wang, R. Study on the physico-chemical properties of stem as related to lodging in rape. *J. Southwest Agric. Univ. (Nat. Sci.)* **2006**, *28*, 763–765.
- 34. Sindhu, A.; Langewisch, T.; Olek, A.; Multani, D.S.; McCann, M.C.; Vermerris, W.; Carpita, N.C.; Johal, G. Maize *brittle stalk2* encodes a COBRA-Like protein expressed in early organ development but required for tissue flexibility at maturity. *Plant Physiol.* **2007**, *145*, 1444–1459.
- 35. Wu, N.; Zhang, T.T.; Zhou, H.P.; Fan, J.H. Impact of inter-planting different rice varieties on the chemical components of rice stem. *J. Yunnan Agric. Univ.* **2008**, *23*, 184–188, 194.
- 36. Ookawa, T.; Ishihara, K.V. Difference of the cell wall components affecting the ding stress of the culm in relating to the lodging resistance in paddy rice. *Jpn. J. Crop Sci.* **1993**, *62*, 378–384.
- 37. Saxena, I.M.; Lin, F.C.; Brown, R.M.J. Identification of a new gene in an operon for cellulose biosynthesis in *Acetobacter xylinum*. *Plant Mol. Biol.* **1991**, *16*, 947–954.
- 38. Robert, S.; Mouille, G.; Höfte, H. The mechanism and regulation of cellulose synthesis in primary walls: Lessons from cellulose deficient *Arabidopsis* mutants. *Cellulose* **2004**, *11*, 351–364.
- 39. Taylor, N.G.; Gardiner, J.C.; Whiteman, R.; Turner, S.R. Cellulose synthesis in the *Arabidopsis* secondary cell wall. Cellulose: Molecular and Structural Biology. *Cellulose* **2004**, *11*, 329–338.
- 40. Somerville, C. Cellulose synthesis in higher plants. Annu. Rev. Cell Dev. Biol. 2006, 22, 53-78.
- 41. Xie, X.M.; Zhao, Y.H.; Huo, S.; Chen, H. Dynamic changes of enzyme activities related to lignin biosynthesis for elephant grass cultivars. *Acta Agrestia Sin.* **2010**, *18*, 523–527.
- 42. Rose, J.K.; Hadfield, K.A.; Labavitch, J.M.; Bennet, A.B. Temporal sequence of cell wall disassembly in rapidly ripening melon fruit. *Plant Physiol.* **1998**, *117*, 345–361.
- 43. Updegraff, D.M. Semimicro determination of cellulose inbiological materials. *Anal. Biochem.* **1969**, *32*, 420–424.

- 44. Müsel, G.; Schindler, T.; Bergfeld, R.; Ruel, K.; Jacquet, G.; Lapierre, C.; Speth, V.; Schopfer, P. Structure and distribution of lignin in primary and secondary cell walls of maize coleoptiles analyzed by chemical and immunological probes. *Planta* **1997**, *201*, 146–159.
- Zhao, D.Q.; Zhou, C.H.; Tao, J. Carotenoid accumulation and carotenogenic genes expression during two types of persimmon fruit (*Diospyros kaki* L.) development. *Plant Mol. Biol. Report.* 2011, 29, 646–654.
- 46. NCBI/BLAST-Basic Logic Alignment Search Tool. National Center for Biotechnology Information (NCBI): Bethesda, MD, USA, 2011. Available online: http://blast.ncbi.nlm.nih.gov/Blast.cgi (accessed on 1 March 2012).
- 47. Tamura, K.; Peterson, D.; Peterson, N.; Stecher, G.; Nei, M.; Kumar, S. MEGA5: Molecular evolutionary genetics analysis using maximum likelihood, evolutionary distance, and maximum parsimony methods. *Mol. Biol. Evol.* **2011**, *28*, 2731–2739.

© 2012 by the authors; licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution license (http://creativecommons.org/licenses/by/3.0/).