



Article Olive Performance under the Soil Application of Humic Acid and the Spraying of Titanium and Zinc Nanoparticles under Soil Salinity Stress

Adel M. Al-Saif^{1,*}, Lidia Sas-Paszt² and Walid F. A. Mosa³

- ¹ Department of Plant Production, College of Food and Agriculture Sciences, King Saud University, P.O. Box 2460, Riyadh 11451, Saudi Arabia
- ² The National Institute of Horticultural Research, Konstytucji 3 Maja 1/3, 96-100 Skierniewice, Poland
- ³ Plant Production Department (Horticulture-Pomology), Faculty of Agriculture, Saba Basha, Alexandria
 - University, Alexandria 21531, Egypt
- * Correspondence: adelsaif@ksu.edu.sa

Abstract: Salinity is a major social, economic, and environmental menace in climates with low rainfall and high evapotranspiration, and it influences plant growth and causes restriction to crop production in the world. Additionally, under salinity stress, numerous physiological processes such as photosynthesis, biomass accumulation, and photosynthate transfer are also harshly lessened, and it also limits the absorption of adequate water by plants and leads to a dimension in plant water status. Therefore, the current study was conducted to investigate the soil application of humic acid (HA) at 0, 0.5, 1 and 2 kg/tree alone or in combination with the foliar spraying of 0 mg ZnO₂ + 0 mg TiO₂, 200 mg ZnO₂ + 60 mg TiO₂ and/or 300 mg ZnO₂ + 80 mg TiO₂ through the two successive seasons 2022 and 2023. The results demonstrated that the use of HA alone or in combination with the spraying of TiO₂ and ZnO₂ greatly improved the leaf chlorophyll, flower number, fruit set percentages, fruit yields in kg or in ton per hectare, fruit weight, fruit size, and fruit firmness. Additionally, the same used treatments greatly improved the fruit content from TSS and oil percentage and also the leaf mineral content from N, P and K, while they minimized the fruit drop percentage and fruit moisture content as compared to control. The most positive influence was observed with the soil implementation of 2 kg HA combined with 300 mg ZnO₂ + 80 mg TiO₂ in the two experimental seasons.

Keywords: Olea europaea; yield; biostimulants; nano fertilizers; oil percentages

1. Introduction

Salinity stress is the most minatory stress that has an extreme impact on plant growth and progress, reducing the plant performance, productivity and physiochemical characteristics in desert and semi-desert areas [1–4] by reducing the absorption of essential nutrients such as Ca^{+2} and K^+ [5]. Moreover, salinity affects physiological and metabolic processes by reducing water and essential nutrient absorption through plant roots and increasing the rates of Na⁺ and Cl⁻ ions, which can reach toxic concentrations and inhibit photosynthesis and growth [6–9].

Applying humic substances to saline soils can ameliorate sodium leaching and minimize each exchangeable sodium percentage and soil salinity [10]. Humic substances markedly increased plant growth by raising the rates of respiration, photosynthesis, oxygen and phosphorus absorption and improving the root cell development [11,12]. Additionally, HA has an important role in stimulating plant development, and it can encourage the plant's primary and secondary metabolism related to the tolerance of abiotic stress, consequently resulting in improving the plant growth [13,14]. Humic acid applied externally increased the dry weight of the shoots and roots [15], strengthened the cell membrane, maintained water absorption under osmotic stress, enhanced potassium absorption, enhanced protein and hormone synthesis, and alleviated root cell prolongation [16].



Citation: Al-Saif, A.M.; Sas-Paszt, L.; Mosa, W.F.A. Olive Performance under the Soil Application of Humic Acid and the Spraying of Titanium and Zinc Nanoparticles under Soil Salinity Stress. *Horticulturae* 2024, 10, 295. https://doi.org/10.3390/ horticulturae10030295

Academic Editors: Eleonora Cataldo and Giovan Battista Mattii

Received: 6 February 2024 Revised: 11 March 2024 Accepted: 15 March 2024 Published: 19 March 2024

Correction Statement: This article has been republished with a minor change. The change does not affect the scientific content of the article and further details are available within the backmatter of the website version of this article.



Copyright: © 2024 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https:// creativecommons.org/licenses/by/ 4.0/). It was documented that TiO₂ NPs are helpful for the physiological, morphological, and biochemical parameters of different crops [17]. Despite being a scarce nutrient, titanium (Ti) is used as a biostimulant in plant cultivation, where it improves and speeds up biochemical processes that lead to crop growth [18]. Moreover, it is considered advantageous for plant growth, especially in raising the photosynthesis process by enhancing pollen development, iron ion activity, and plant nutrient absorption [19]. Additionally, by enhancing enzyme activity, the process of photosynthesis, nutrient intake, and stress tolerance against conditions like cold and drought, which can have a detrimental impact on crop output and quality, the utilization of Ti by little amounts via roots or leaves has improved crop performance [20]. Additionally, the usage of Ti positively affects numerous crop phonological processes including root elongation, vegetative growth, development, and resilience to biotic and abiotic stresses, which result in improving the crop properties [21].

Zinc (Zn) is a crucial element that has a paramount effect in organizing many physiological plant processes such as the synthesis of gibberellin, auxin, cytokinin, and abscisic acid, as well as the synthesis of chlorophyll, chloroplast progress, and stability of cell membrane and its structure [22]. Additionally, ZnO₂ NPs contribute to the enhancement of various crops' growth traits, photosynthesis, and yield, as well as the efficiency and nutrient content of edible plant portions and the synthesis of sugar and protein [23,24]. Additionally, Zn NPs can improve soil fertility, plant growth and crop productivity as well as relieve undesirable stresses [25–27]. It has been documented that ZnO₂ NPs can mitigate stress in mango trees [28] by improving the chlorophyll pigments, and balance of elements in cells and preserving the cell membrane solidity. Therefore, the present study was conducted to investigate the effect of the addition of HA to soil solely or in combination with the spraying of TiO₂ and ZnO₂ nano particles on improving the performance of olive trees under soil salinity stress.

2. Materials and Methods

The current study was conducted during 2022 and 2023 on ten-year-old Picual olive trees planted in the Wady El Natron region, located at a latitude of 0.371345 and longitude 30.360996 at Beheira Governorate, Egypt, at a distance of 4×4 m in sandy soil under a drip irrigation system. The physical and chemical characteristics of the experimental soil are shown in Table 1 [29].

Table 1. Chemical and physical properties of the experimental soil before and after the addition of humic acid.

Parameter	Sam	ıple						
Μ	echanical Analys	sis		Macronutrients				
	Before	After		Before	After			
Soil depth	0–60 cm	0–60 cm	Ν	83 ppm	105 ppm			
Sand	95.7%	95.7%	Р	8.6 ppm	10.6 ppm			
Silt	2%	2%	К	104 ppm	223 ppm			
Clay	2.3%	2.3%	Micronutrients					
Textural class	Sand	Sand	Fe	1.63 ppm	1.88 ppm			
pН	8.52	7.95	Zn	1.58 ppm	1.83 ppm			
EC	4.12 ds/m	3.4 ds/m	Mn	3.54 ppm	3.64 ppm			
			Cu	0.37 ppm	0.67 ppm			
	Soluble Cations			Soluble anions				
Na ⁺	16.75 Meq/L	11.43 Meq/L	Cl-	20.5 Meq/L	14.5 Meq/L			
K ⁺	9.14 Meq/L	10.44 Meq/L	HCO_3^-	12.4 Meq/L	10.4 Meq/L			

Parameter	Sam	ıple			
M	echanical Analy	sis		Macronutrients	
Ca ⁺	8.0 Meq/L	6.8 Meq/L	CO3 ²⁻	0.0 Meq/L	0.0 Meq/L
Mg ⁺	7.2 Meq/L	4.5 Meq/L	SO_4^{2-}	8.19 Meq/L	9.19 Meq/L

Table 1. Cont.

To perform this experiment, seventy-two trees similar in size and growth strength were chosen and subjected to the used agricultural practices followed in the orchard. The trees were fertilized with humic acid (HA), 100% water-soluble humic acid (Qingdao Hibong Industrial Technology Co., Ltd., Qingdao City, Shandong, China), at 0, 0.5, 1 and 2 kg/tree in March 2022 and 2023 seasons, where it was added to the soil around the trees and after then covered well with the soil of the experiment. After that, the olive trees were sprayed with nanoparticles from titanium (TiO₂) at 0, 60, and 80 mg/L Ti and Zinc (ZnO₂) at 0, 200 and 300 mg/L in April (start of the season), mid-May (full bloom) and three weeks later, comparing to untreated trees (control). The design of the experiment is a Split Plot that contains two factors: the main factor is a soil application with humic acid and the submain factor is the foliar spraying of nano fertilizers (nano zinc and nano titanium). The control treatment is zero humic acid and zero $ZnO_2 + zero TiO_2$. The abovementioned applied treatments were investigated by studying their influence on the following parameters.

2.1. Leaf Total Chlorophyll (SPAD)

It was measured in the fresh leaves by a Minolta chlorophyll meter (SPAD-502; Konica Minolta, Osaka, Japan) by taking 10 readings from the mature leaves in the middle part of the shoots around the trees. The flower number per m^2 was accounted for.

2.2. Flower Number, Fruit Set and Fruit Drop Percentages

To account for the fruit set and fruit drop percentages, five branches from each side of each replicate (tree) were chosen and labelled carefully, accounting for the number of flowers, and then the fruit set % was calculated according to Equation (1).

Fruit set% =
$$\frac{\text{No. of fruitlets}}{\text{No. of perfect flowers}} \times 100$$
 (1)

Fruit drop (%) was estimated by calculating the difference between the number of set fruits and the dropped fruits using Equation (2).

Fruit drop(%) =
$$\frac{\text{No. of dropped fruits}}{\text{No. of set fruits}} \times 100$$
 (2)

2.3. Fruit Yield

In October (2022–2023), the yield of each tree was estimated as fruit weight in kg and was then estimated for hectares in a ton by multiplying the yield of each tree \times number of trees.

2.4. Fruit Quality Attributes

Forty fruits from each tree/replicate were collected immediately after harvesting and transported to the lab to determine the fruits' physical and chemical characteristics.

2.4.1. Fruit Physical Characteristics

Fruit fresh weight, flesh weight, and seed weight were estimated by calculating the average weight of 40 fruits from each tree/replicate. Average fruit length and diameter were measured using a Digital Vernier Caliper (Suzhou Sunrix Precision Tools Co., Ltd., Suzhou, Jiangsu, China). Fruit firmness was estimated by using a Magness and Taylor pressure

tester with a 7/18-inch plunger (mod. FT 02 (0-2 Lb., Via Reale, 63-48011 Alfonsine, Italy). The fruit moisture content was determined by measuring the fresh weight of 50 fruits, and they were dried until a constant weight, and the moisture content was the difference between the two fresh and dry weights of fruits.

2.4.2. Fruit Chemical Characteristics

Total soluble solids from the fresh-cut olive fruits were measured using a handheld digital refractometer (ATAGO Co., Ltd., Tokyo, Japan).

Oil content: Samples from the flesh fruit were dried and then ground, and 2 g was weighed, filtered and placed in the Soxhlet apparatus using petroleum ether [30]. The oil percentage was calculated using Equation (3):

$$Oil\% = \frac{\text{weight of extracted oil}}{\text{weight of sample}} \times 100$$
(3)

2.5. Leaf Minerals Status

After harvesting the fruits in the 2022 and 2023 seasons, 40 leaves from the middle part of the shoots were harvested from each tree/replicate. The leaves were washed very well with tap water and then distilled water. They were dried at 70 °C until constant weight and then ground and digested using H_2SO_4 and H_2O_2 until the solution became clear. The nitrogen content (N) was determined using the micro Kjeldahl method [31]. The phosphorus content (P) was measured using the vanadomolybdo method [32]. The potassium content (K) was determined using a flame photometer [33].

2.6. Statistical Analysis

The results were obtained using statistical analysis with Split Plot Design using CoHort Software 6.311 (Pacific Grove, CA, USA), and the least significant difference (LSD) at 0.05% was used to compare the means of treatments [34].

3. Results

3.1. Leaf Total Chlorophyll, Flower Number and Fruit Set Percentage

The soil application of HA combined with the folia spraying of TiO₂ and ZnO₂ greatly increased the leaf chlorophyll content compared to the control. Additionally, the soil application of HA at 2 kg per tree combined with 300 mg ZnO₂ + 80 mg TiO₂ gave the highest increments (27.24 and 32.1%) in the first and second seasons (Table 2). It was also improved by the application of 2 kg HA combined with 200 mg ZnO₂ + 60 mg TiO₂ (27 and 29.94%) as well as by 1 kg HA combined with 300 mg ZnO₂ + 80 mg TiO₂ (25.51 and 28.34%) in the first and second seasons. The flower number was notably increased by the soil implementation of 2 kg HA combined with the spraying of 300 mg ZnO₂ + 80 mg TiO₂ (31.44 and 32.72%) or 200 mg ZnO₂ + 60 mg TiO₂ (29.75 and 28.85%) compared with control. Moreover, it was also enhanced using 1 kg HA combined with 300 mg ZnO₂ + 80 mg TiO₂ (29.44 and 31.05%) compared to control. Additionally, the highest fruit set percentages were markedly better by the use of 2 kg HA in combination with the spraying of 300 mg ZnO₂ + 60 mg TiO₂ (31.33 and 27.54%) and also by 2 kg HA combined with 300 mg ZnO₂ + 80 mg TiO₂ (29.87 and 36.13) compared to untreated trees.

3.2. Fruit Drop Percentage, and Fruit Yield in kg or in Ton

The soil application of 2 kg HA combined with 300 mg $ZnO_2 + 80$ mg TiO₂ (5.18 and 4.20%) and 200 mg $ZnO_2 + 60$ mg TiO₂ (3.74 and 2.67%) and the soil application of 2 kg per tree HA with 300 mg $ZnO_2 + 80$ mg TiO₂ (3.13 and 3.04%) significantly reduced the fruit drop percentages compared to the control (Table 3). Fruit yields in kg per tree and in ton per hectare were considerably increased by the use of combined application of 2 kg

Table 2. The combined application of HA soil application with the spraying of TiO_2 and ZnO_2 nanoparticles on the leaf total chlorophyll, flower number and fruit set percentages of olive during the 2022 and 2023 seasons.

	Treatments	Leaf Chloro	phyll (SPAD)	Flower	Number	Fruit	Set %
HA	Fertilizers	2022	2023	2022	2023	2022	2023
	$0 \text{ mg } ZnO_2 + 0 \text{ mg } TiO_2$ (Control)	54.75 d ± 2.99	55.00 f ± 1.82	785.00 c ± 55.07	832.50 b ± 69.94	3.31 d ± 0.25	$\begin{array}{c} 3.50 \text{ d} \\ \pm \ 0.14 \end{array}$
0 (Control)	$200 \text{ mg } ZnO_2 + 60 \text{ mg } TiO_2$	$\begin{array}{c} 61.00 \text{ c} \\ \pm 4.08 \end{array}$	61.75 e ± 4.64	795.00 c ± 45.09	$\begin{array}{c} 846.50 \text{ b} \\ \pm 46.71 \end{array}$	$3.45 ext{ cd} \pm 0.13$	$\begin{array}{c} 3.62 \text{ d} \\ \pm 0.2 \end{array}$
	$300 \text{ mg ZnO}_2 + 80 \text{ mg TiO}_2$	63.75 bc ± 3.30	$65.00 ext{ de} \\ \pm 2.16$	822.50 c ± 33.04	$\begin{array}{c} 875.00 \text{ b} \\ \pm 55.68 \end{array}$	3.59 cd ± 0.16	3.57 d ± 0.1
	$0 \text{ mg ZnO}_2 + 0 \text{ mg TiO}_2$	65.50 b ± 1.73	$\begin{array}{c} 68.00 \text{ d} \\ \pm 2.16 \end{array}$	845.00 c ± 73.26	$\begin{array}{c} 892.50 \text{ b} \\ \pm 42.72 \end{array}$	$3.60 ext{ cd} \pm 0.1$	3.69 d ± 0.14
0.5 kg	$200 \text{ mg ZnO}_2 + 60 \text{ mg TiO}_2$	65.50 b ± 1.00	$69.00 ext{ cd} \pm 2.94$	903.75 bc ± 18.87	$\begin{array}{c} 927.50 \text{ b} \\ \pm 17.08 \end{array}$	$3.55 ext{ cd} \pm 0.1$	$\begin{array}{c} 3.78 \text{ d} \\ \pm 0.4 \end{array}$
	$300 \text{ mg } \text{ZnO}_2 + 80 \text{ mg } \text{TiO}_2$	66.25 b ± 2.63	$74.00~ m bc$ ± 2.71	997.50 ab ± 59.09	1112.50 a ± 85.39	3.60 cd ± 0.16	$\begin{array}{c} 4.09 \text{ d} \\ \pm 0.2 \end{array}$
	$0 \text{ mg ZnO}_2 + 0 \text{ mg TiO}_2$	71.75 a ± 2.06	74.25 bc ± 2.87	$\begin{array}{c} 1052.50 \text{ a} \\ \pm 61.85 \end{array}$	1137.50 a ± 62.91	3.62 cd ± 0.12	$\begin{array}{c} 4.00 \text{ d} \\ \pm 0.14 \end{array}$
1 kg	$200 \text{ mg } ZnO_2 + 60 \text{ mgTi}O_2$	73.75 a ± 2.22	$73.50 \text{ bc} \\ \pm 1.29$	$\begin{array}{c} 1087.50 \text{ a} \\ \pm 85.39 \end{array}$	$1165.00 \text{ a} \pm 44.35$	3.91 cd ± 0.28	$\begin{array}{c} 4.81 \text{ c} \\ \pm \ 0.5 \end{array}$
	$300 \text{ mg } ZnO_2 + 80 \text{ mg } TiO_2$	73.50 a ± 1.29	76.75 ab ± 0.96	$\begin{array}{c} 1112.50 \text{ a} \\ \pm 103.08 \end{array}$	$\begin{array}{c} 1207.50 \text{ a} \\ \pm 57.37 \end{array}$	$\begin{array}{c} 4.72 \text{ b} \\ \pm \ 0.22 \end{array}$	$\begin{array}{c} 5.48 \text{ b} \\ \pm 0.2 \end{array}$
	$0 \text{ mg } \text{ZnO}_2 + 0 \text{ mg } \text{TiO}_2$	73.00 a ± 2.16	$74.75~\mathrm{b}$ $\pm~0.22$	1060.00 a ± 77.89	1167.50 a ± 106.89	3.95 c ± 0.21	$\begin{array}{c} 3.80 \text{ d} \\ \pm \ 0.3 \end{array}$
2 kg	$200 \text{ mg } \text{ZnO}_2 + 60 \text{ mg } \text{TiO}_2$	$\begin{array}{c} 75.00 \text{ a} \\ \pm \ 0.82 \end{array}$	78.50 ab ± 2.65	$\begin{array}{c} 1117.50 \text{ a} \\ \pm 103.72 \end{array}$	$\begin{array}{c} 1170.00 \text{ a} \\ \pm \ 67.82 \end{array}$	$\begin{array}{c} 4.82 \text{ b} \\ \pm \ 0.32 \end{array}$	$egin{array}{c} 4.83\ { m c} \pm 0.4 \end{array}$
	$300 \text{ mg } \text{ZnO}_2 + 80 \text{ mg } \text{TiO}_2$	75.25 a ± 2.22	$81.00 ext{ a} \pm 1.15$	$\begin{array}{c} 1145.00 \text{ a} \\ \pm 42.03 \end{array}$	1237.50 a ± 75	5.39 a ± 0.60	6.07 a ± 0.3
LSD _{0.05}		3.08	3.97	109.08	98.96	0.38	0.42

Means marked with the same letters do not differ significantly at 0.05.

Table 3. The combined application of HA soil application with the spraying of TiO_2 and ZnO_2 nanoparticles on fruit drop percentages, fruit yield in kg per tree or in ton per hectare of olive during the 2022 and 2023 seasons.

Treatments		Fruit	Drop %	Fruit Yield (kg/Tree)		Yield (Ton/H)	
HA	Fertilizers	2022	2023	2022	2023	2022	2023
0 (Control)	$\begin{array}{c} 0 \text{ mg } ZnO_2 + 0 \text{ mg } TiO_2 \\ \text{(Control)} \end{array}$	97.64 a ± 0.28	95.90 a ± 0.69	39.00 e ± 2.58	41.25 d ± 1.5	23.40 e ± 1.55	$\begin{array}{c} 24.75 \text{ d} \\ \pm 0.90 \end{array}$
	200 mg ZnO ₂ + 60 mg TiO ₂	97.41 ab ± 0.59	$95.16 ext{ b} \pm 0.58$	40.00 de ± 1.63	$\begin{array}{c} 42.50 \text{ d} \\ \pm 2.08 \end{array}$	24.00 de ± 0.98	25.50 d ± 1.25
	$300 \text{ mg ZnO}_2 + 80 \text{ mg TiO}_2$	$96.33 \text{ bc} \\ \pm 0.43$	$\begin{array}{c} 94.44 \text{ b-d} \\ \pm 0.34 \end{array}$	41.25 с–е ± 1.50	$\begin{array}{c} 43.00 \text{ cd} \\ \pm 2.58 \end{array}$	24.75 с–е ± 0.90	25.80 cd ± 1.55

	Treatments	Fruit	Drop %	Fruit Yield	(kg/Tree)	Yield (Ton/H)
HA	Fertilizers	2022	2023	2022	2023	2022	2023
	$0 \text{ mg } Zn\Omega_2 + 0 \text{ mg } Ti\Omega_2$	96.60 a–c	94.92 bc	43.00 b-е	44.25 cd	25.65 b–е	26.55 cd
		± 0.67	± 0.62	± 0.42	± 1.70	± 0.75	± 1.02
$0.5 \mathrm{kg}$	$200 \text{ mg} \text{ ZnO}_2 + 60 \text{ mg} \text{ TiO}_2$	96.59 a–c	94.89 bc	43.50 b-е	45.75 cd	26.10 b-е	27.45 cd
0.0 Kg	$200 \operatorname{Ing} 2102 + 00 \operatorname{Ing} 1102$	± 0.32	± 0.41	\pm 1.29	\pm 1.71	± 0.77	± 1.02
	$200 \text{ m} \approx 7 \text{ m} \Omega + 80 \text{ m} \approx \text{Ti} \Omega$	95.51 cd	93.38 e	44.00 b-е	51.00 b	26.40 b–е	30.60 b
	$300 \text{ mg } 2\text{nO}_2 + 80 \text{ mg } 11\text{O}_2$	± 0.31	± 0.41	± 0.82	± 2.94	± 0.49	\pm 1.77
		95.50 cd	94.40 b–d	42.75 b–е	47.50 bc	25.80 b–е	28.50 bc
	$0 \text{ mg } \Sigma nO_2 + 0 \text{ mg } 11O_2$	± 0.50	± 0.17	\pm 1.26	± 2.08	± 0.49	\pm 1.70
1 ka	$200 \text{ mg ZnO}_2 + 60 \text{ mgTiO}_2$	94.58 de	93.67 de	45.00 b-d	50.75 b	27.00 b–d	30.45 b
I Kg		± 0.48	± 0.1	± 1.15	1.71	± 0.69	± 1.02
	$200 \text{ m} \approx 7 \text{m} \Omega + 80 \text{ m} \approx \text{Ti} \Omega$	94.34 e	92.98 e	45.75 bc	52.00 b	27.45 bc	31.20 b
	$300 \text{ mg} 2\text{nO}_2 + 80 \text{ mg} 1\text{nO}_2$	± 0.53	± 0.33	\pm 1.71	± 2.83	\pm 1.02	± 1.70
		95.74 c	94.17 cd	43.00 bc-e	50.00 b	25.80 b–е	30.00 b
	$0 \text{ mg } 2 \text{nO}_2 + 0 \text{ mg } 1 \text{O}_2$	± 0.75	± 0.37	\pm 1.41	± 2.45	± 0.85	\pm 1.47
2 kg		93.99 e	93.34 e	47.75 b	52.50 b	28.65 b	31.50 b
2 Kg	$200 \text{ mg} 2\text{nO}_2 + 60 \text{ mg} 1\text{nO}_2$	± 0.89	± 0.59	\pm 1.71	± 2.08	± 0.57	± 1.35
		92.58 f	91.87 f	54.25 a	58.75 a	32.55 a	35.25 a
	$300 \text{ mg } 2\text{nO}_2 + 80 \text{ mg } 1\text{O}_2$	± 0.67	± 0.82	\pm 6.24	± 5.19	\pm 3.74	\pm 3.11
LSD _{0.05}		0.84	0.60	3.45	3.44	2.02	2.06

Table 3. Cont.

Means marked with the same letters do not differ significantly at 0.05.

3.3. Fruit Quality

The data in Table 4 showed that the fruit weight and fruit flesh weight were markedly increased by the addition of 2 kg HA to the soil with the combination of 300 mg ZnO₂ + 80 mg TiO₂ (22.81 and 27.94%) (25.12 and 33.04%) and with 200 mg ZnO₂ + 60 mg TiO₂ (23.29 and 27.94%) (26.19 and 31.53%) compared to the control, respectively. The differences between the effect of the soil application of 1 or 0.5 kg from HA in combination with the spraying of 200 mg ZnO₂ + 60 mgTiO₂ and 300 mg ZnO₂ + 80 mg TiO₂ and with the usage of 2 or 1 kg per tree on the fruit or the flesh weights were insignificant in the two seasons. All the applied treatments, even the soil application of HA at 2, 1 and 0.5 kg only or in combination with the foliar spraying of 300 mg ZnO₂ + 80 mg TiO₂ or 200 mg ZnO₂ + 60 mg TiO₂, did not have a notable impact on the seed weight compared to control.

The data in Table 5 demonstrated that the effect of the applied treatments on the ratio between flesh and fruit weight was insignificant during the two experimental seasons. The combination of the soil utilization of HA at 0.5, 1 and 2 kg/tree only or in combination with the spraying of 200 mg ZnO₂ + 60 mg TiO₂ or 300 mg ZnO₂ + 80 mg TiO₂ improved the fruit length and fruit diameter in both experimental seasons. Moreover, the highest increments were obtained with the usage of 2 kg HA combined with the spraying of 200 mg ZnO₂ + 60 mg TiO₂ or 300 mg ZnO₂ + 80 mg TiO₂ in the two seasons. The fruit firmness was greatly ameliorated by the soil utilization of 0.5, 1 and 2 kg from HA alone or after the combination with 300 mg ZnO₂ + 80 mg TiO₂ (29.22 and 25.40%) and 200 mg ZnO₂ + 60 mg TiO₂ (23.59 and 18.93%). The treatment that gave the highest value from the fruit firmness was the usage of 2 kg HA in combination with the spraying of 300 mg ZnO₂ + 80 mg TiO₂.

The listed data in Table 6 cleared that TSS percentages were improved by the addition of HA at 0.5, 1 and 2 kg alone or with the combination of the spraying of 200 mg $ZnO_2 + 60$ mg TiO₂ and with 300 mg $ZnO_2 + 80$ mg TiO₂. The best increments in the fruit content from the TSS % resulted from the utilization of 2 kg HA combined with 300 ZnO₂ + 80 mg TiO₂ (18.43 and 17.36%), respectively, in the first and the second seasons.

The oil percentage was greatly increased by the addition of 2 kg HA in combination with the spraying of 200 mg $ZnO_2 + 60$ mg TiO₂ (14.80 and 15.05%) or with 300 mg $ZnO_2 + 80$ mg TiO₂ (20.39 and 21.94%) and also by the application of 1 kg HA with 300 mg $ZnO_2 + 80$ mg TiO₂ (13.33 and 15.05%) or with 200 mg $ZnO_2 + 60$ mg TiO₂ (11.77 and 11.13%) in the first and second seasons, respectively. The results proved that there is a converse relation between the fruit oil content and the moisture content, where the highest percentage of the moisture content in the fruit was high with control treatment, while it was remarkably reduced by the addition of 0.5, 1 or 2 kg from HA alone or after combination with the spraying of 300 mg $ZnO_2 + 80$ mg TiO₂ and 200 mg $ZnO_2 + 60$ mg TiO₂. The lowest percentage for the moisture content was obtained with the addition of 2 kg HA combined with the spraying of 300 mg $ZnO_2 + 80$ mg TiO₂ (29.75 and 29.32%) in the first and second seasons.

	Treatments	Fruit W	eight (g)	Flesh W	eight (g)	Seed Weight (g)	
HA	Fertilizers	2022	2023	2022	2023	2022	2023
	$0 \text{ mg } ZnO_2 + 0 \text{ mg } TiO_2$ (Control)	$\begin{array}{c} ext{2.47 b} \\ \pm ext{ 0.1} \end{array}$	$2.45 ext{ d} \pm 0.06$	1.55 cd ± 0.13	1.52 f ± 0.09	$\begin{array}{c} 0.92 \ \mathrm{a} \\ \pm \ 0.1 \end{array}$	$\begin{array}{c} 0.92 \ \mathrm{a} \\ \pm \ 0.1 \end{array}$
0 (Control)	200 mg ZnO ₂ + 60 mg TiO ₂	$\begin{array}{c} 2.47 \text{ b} \\ \pm \ 0.05 \end{array}$	$2.60 ext{ cd} \pm 0.08$	$\begin{array}{c} 1.50 \text{ d} \\ \pm \ 0.08 \end{array}$	1.67 ef ± 0.12	$\begin{array}{c} 0.97 \ \mathrm{a} \\ \pm \ 0.1 \end{array}$	$\begin{array}{c} 0.92 \ \mathrm{a} \\ \pm \ 0.12 \end{array}$
	300 mg ZnO ₂ + 80 mg TiO ₂	2.65 b ± 0.13	2.95 b 0.25	1.55 cd ± 0.13	1.77~ m de $\pm~0.17$	$egin{array}{c} 1.10 \ { m a} \ \pm 0.16 \end{array}$	$egin{array}{c} 1.17 \ { m a} \ \pm 0.21 \end{array}$
	$0 \text{ mg ZnO}_2 + 0 \text{ mg TiO}_2$	2.62 b ± 0.1	2.85 bc ± 0.19	1.72 b–d ± 0.19	1.87 с–е ± 0.15	$\begin{array}{c} 0.90 ext{ a} \\ \pm ext{ 0.27} \end{array}$	$\begin{array}{c} 0.97 \mathrm{~a} \\ \pm \ 0.17 \end{array}$
0.5 kg	200 mg ZnO ₂ + 60 mg TiO ₂	2.77 ab ± 0.26	$\begin{array}{c} 3.10 \text{ ab} \\ \pm \ 0.08 \end{array}$	1.62 cd ± 0.12	1.92 cd ± 0.09	$1.15~\mathrm{a}$ $\pm~0.35$	$1.17 \mathrm{~a} \pm 0.05$
	$300 \text{ mg ZnO}_2 + 80 \text{ mg TiO}_2$	2.97 ab ± 0.24	$\begin{array}{c} 3.00 \text{ ab} \\ \pm \ 0.29 \end{array}$	$egin{array}{c} 1.85 ext{ a-c} \ \pm 0.21 \end{array}$	2.10 a–c ± 0.18	$1.12 ext{ a} \pm 0.34$	$\begin{array}{c} 0.90 ext{ a} \\ \pm ext{ 0.14} \end{array}$
	$0 \text{ mg ZnO}_2 + 0 \text{ mg TiO}_2$	2.70 ab ± 0.24	3.12 ab ± 0.09	1.70 b–d ± 0.16	2.02 a–d \pm 0.17	$1.00 ext{ a} \pm 0.42$	$1.10~\mathrm{a}$ $\pm~0.11$
1 kg	$200 \text{ mg } \text{ZnO}_2 + 60 \text{ mg } \text{TiO}_2$	2.90 ab ± 0.11	$3.07 ext{ ab} \pm 0.30$	1.87 a–c ± 0.15	2.02 a–d \pm 0.12	$1.02 ext{ a} \pm 0.12$	$1.05 \mathrm{~a} \pm 0.24$
	$300 \text{ mg ZnO}_2 + 80 \text{ mg TiO}_2$	2.97 ab ± 0.39	$3.17~\mathrm{ab}$ $\pm~0.22$	$1.97~\mathrm{ab}$ $\pm~0.09$	$egin{array}{c} 1.97 \ ext{b-d} \\ \pm \ 0.22 \end{array}$	$1.00 \mathrm{~a} \pm 0.39$	$1.20 ext{ a} \pm 0.22$
	$0 \text{ mg ZnO}_2 + 0 \text{ mg TiO}_2$	$2.82 \text{ ab} \pm 0.27$	$3.12 ext{ ab} \pm 0.19$	1.70 bcd ± 0.16	$2.05 ext{ a-d} \pm 0.06$	$1.12 ext{ a} \pm 0.30$	$1.07~\mathrm{a}$ $\pm~0.12$
2 kg	$200 \text{ mg ZnO}_2 + 60 \text{ mg TiO}_2$	$3.22 ext{ a} \pm 0.17$	$3.40 ext{ a} \pm 0.27$	$2.10~\mathrm{a}$ $\pm~0.08$	2.22 ab ± 0.09	$1.12~\mathrm{a}$ $\pm~0.15$	$1.17~\mathrm{a}$ $\pm~0.19$
	$300 \text{ mg ZnO}_2 + 80 \text{ mg TiO}_2$	3.20 a ± 0.28	3.40 a ± 0.22	$2.07 ext{ a} \pm 0.15$	2.27 a ± 0.12	1.12 a ± 0.15	1.12 a ± 0.15
LSD _{0.05}		0.34	0.26	0.22	0.18	0.41	0.22

Table 4. The combined application of HA soil application with the spraying of TiO_2 and ZnO_2 nanoparticles on the fruit, flesh and seed weights of olive during the 2022 and 2023 seasons.

Means marked with the same letters do not differ significantly at 0.05.

3.4. Leaf Mineral Content from Macronutrients

Table 7 showed that the leaf mineral content including N, P and K was markedly increased by the soil addition of HA at 0.5, 1 and 2 HA only or with the combination of 200 mg ZnO₂ + 60 mg TiO₂ and 300 mg ZnO₂ + 80 mg TiO₂ in both experimental seasons. The treatment that gave the highest values from these nutrients was obtained from the soil addition of HA at 2 kg combined with the spraying of 300 mg ZnO₂ + 80 mg TiO₂ where it gave increments in N % (17.61 and 17.88%), P (39.1 and 31.43%) and K (23.62 and 17.69%) in both experimental seasons.

Table 5. The combined application of HA soil application with the spraying of TiO_2 and ZnO_2
nanoparticles on the flesh/fruit ratio, fruit length, diameter, and firmness of olive during the 2022
and 2023 seasons.

Treatments		Flesh/Fru (uit Weight g)	Fruit Length (cm)		Fruit Diameter (cm)		Fruit Firmness (Ib/inch ²)	
HA	Fertilizers	2022	2023	2022	2023	2022	2023	2022	2023
	0 mg ZnO ₂ + 0 mg TiO ₂ (Control)	$\begin{array}{c} 0.62 \ \mathrm{a} \\ \pm \ 0.04 \end{array}$	$\begin{array}{c} 0.62 \text{ ab} \\ \pm \ 0.04 \end{array}$	2.03 d ± 0.03	2.11 e ± 0.03	$\begin{array}{c} 1.26 \text{ b} \\ \pm 0.12 \end{array}$	$\begin{array}{c} 1.40 \text{ e} \\ \pm \ 0.08 \end{array}$	$\begin{array}{c} 11.82 \text{ f} \\ \pm \ 0.4 \end{array}$	$\begin{array}{c} 12.42 \text{ f} \\ \pm \ 0.3 \end{array}$
0 (Control)	$\frac{200 \text{ mg } \text{ZnO}_2 + 60 \text{ mg}}{\text{TiO}_2}$	$\begin{array}{c} 0.60 \ \mathrm{a} \\ \pm \ 0.03 \end{array}$	$\begin{array}{c} 0.64 ext{ ab} \ \pm ext{ 0.05} \end{array}$	2.06 d ± 0.01	2.11 e 0.03	$\begin{array}{c} 1.42 \text{ ab} \\ \pm \ 0.09 \end{array}$	$\begin{array}{c} 1.44 \text{ de} \\ \pm \ 0.05 \end{array}$	$\begin{array}{c} 11.95 \text{ f} \\ \pm \ 0.5 \end{array}$	12.65 ef ± 0.4
	300 mg ZnO ₂ + 80 mg TiO ₂	$\begin{array}{c} 0.58 \ \mathrm{a} \\ \pm \ 0.05 \end{array}$	$\begin{array}{c} 0.60 \text{ b} \\ \pm 0.03 \end{array}$	2.11 cd ± 0.06	2.22 de ± 0.06	$1.50 \text{ a} \pm 0.08$	1.58 bcd ± 0.10	$\begin{array}{c} 13.30 \text{ d} \\ \pm \ 0.2 \end{array}$	$13.80 \text{ d} \\ \pm 0.4$
0.5 kg	$0 \text{ mg ZnO}_2 + 0 \text{ mg TiO}_2$	0.66 a ± 0.09	0.66 ab ± 0.09	2.03 d ± 0.05	2.21 de ± 0.06	$\begin{array}{c} 1.42 \text{ ab} \\ \pm \ 0.09 \end{array}$	1.52 cde ± 0.09	$\begin{array}{c} 12.42 \text{ e} \\ \pm \ 0.2 \end{array}$	$\begin{array}{c} 13.40 \text{ de} \\ \pm \ 0.3 \end{array}$
	200 mg ZnO ₂ + 60 mg TiO ₂	0.59 a ± 0.09	$\begin{array}{c} 0.62 \text{ ab} \\ \pm \ 0.08 \end{array}$	2.17 cd ± 0.17	2.23 de ± 0.05	$1.50 \text{ a} \pm 0.08$	1.57 bcd ± 0.09	12.72 e ± 0.5	$\begin{array}{c} 13.30 \text{ de} \\ \pm \ 0.2 \end{array}$
	300 mg ZnO ₂ + 80 mg TiO ₂	$\begin{array}{c} 0.62 \ \mathrm{a} \\ \pm \ 0.08 \end{array}$	$\begin{array}{c} 0.70 ext{ a} \\ \pm ext{ 0.02} \end{array}$	2.19 bcd ± 0.08	2.28 cd ± 0.03	1.62 a ± 0.09	1.57 bcd ± 0.05	$\begin{array}{c} 13.72 \text{ d} \\ \pm \ 0.3 \end{array}$	$14.00 ext{ cd}$ ± 0.3
	$0 \text{ mg ZnO}_2 + 0 \text{ mg TiO}_2$	$\begin{array}{c} 0.64 \text{ a} \\ \pm \ 0.11 \end{array}$	$\begin{array}{c} 0.65 \ \mathrm{ab} \\ \pm \ 0.03 \end{array}$	2.20 bcd ± 0.18	2.31 cd ± 0.08	$\begin{array}{c} 1.52 \text{ a} \\ \pm \ 0.09 \end{array}$	1.52 cde ± 0.09	12.75 e ± 0.3	$\begin{array}{c} 13.50 \text{ de} \\ \pm \ 0.4 \end{array}$
1 kg	$200 \text{ mg } ZnO_2 + 60 \text{ mg}$ TiO_2	$\begin{array}{c} 0.65 \ \mathrm{a} \\ \pm \ 0.04 \end{array}$	0.66 ab ± 0.09	2.14 cd ± 0.05	2.37 bc ± 0.09	$1.62 \text{ a} \pm 0.17$	1.72 ab ± 0.05	$\begin{array}{c} 14.42 \text{ c} \\ \pm \ 0.1 \end{array}$	$14.67 ext{ bc} \pm 0.4$
	300 mg ZnO ₂ + 80 mg TiO ₂	$\begin{array}{c} 0.67 \mathrm{~a} \\ \pm \ 0.09 \end{array}$	$\begin{array}{c} 0.62 \ \mathrm{ab} \\ \pm \ 0.01 \end{array}$	2.24 bc ± 0.06	$\begin{array}{c} 2.40 \text{ bc} \\ \pm 0.08 \end{array}$	$1.52 \text{ a} \pm 0.12$	$1.70~\mathrm{ab}$ $\pm~0.08$	$\begin{array}{c} 14.77 \text{ c} \\ \pm \ 0.5 \end{array}$	$\begin{array}{c} 15.00 \text{ b} \\ \pm \ 0.6 \end{array}$
	$0 \text{ mg ZnO}_2 + 0 \text{ mg TiO}_2$	$\begin{array}{c} 0.61 \text{ a} \\ \pm \ 0.08 \end{array}$	$\begin{array}{c} 0.66 \text{ ab} \\ \pm 0.03 \end{array}$	$\begin{array}{c} ext{2.25 bc} \\ \pm ext{ 0.19} \end{array}$	2.21 de ± 0.06	$\begin{array}{c} 1.52 \text{ a} \\ \pm \ 0.09 \end{array}$	1.60 bcd ± 0.03	$\begin{array}{c} 14.40 \text{ c} \\ \pm \ 0.2 \end{array}$	$\begin{array}{c} 14.10 \text{ cd} \\ \pm \ 0.4 \end{array}$
2 kg	$\frac{200 \text{ mg } \text{ZnO}_2 + 60 \text{ mg}}{\text{TiO}_2}$	$\begin{array}{c} 0.65 \ \mathrm{a} \\ \pm \ 0.03 \end{array}$	0.66 ab ± 0.05	$2.35 \text{ b} \pm 0.13$	$\begin{array}{c} 2.47 \text{ b} \\ \pm \ 0.09 \end{array}$	1.67 a ± 0.09	1.67 abc ± 0.09	$\begin{array}{c} 15.47 \text{ b} \\ \pm \ 0.1 \end{array}$	$\begin{array}{c} 15.32 \text{ b} \\ \pm \ 0.5 \end{array}$
	$\frac{300 \text{ mg ZnO}_2 + 80 \text{ mg}}{\text{TiO}_2}$	$\begin{array}{c} 0.65 \ \mathrm{a} \\ \pm \ 0.02 \end{array}$	$\begin{array}{c} 0.67 \text{ ab} \\ \pm 0.03 \end{array}$	$2.60 \mathrm{~a} \pm 0.14$	2.60 a ± 0.08	$\begin{array}{c} 1.67 \text{ a} \\ \pm \ 0.15 \end{array}$	$1.80~\mathrm{a}$ $\pm~0.08$	$16.70 ext{ a} \pm 0.4$	16.65 a ± 0.5
LSD _{0.05}		0.11	0.05	0.11	0.10	0.15	0.10	0.44	0.65

Means marked with the same letters do not differ significantly at 0.05.

Table 6. The combined application of HA soil application with the spraying of TiO_2 and ZnO_2 nanoparticles on fruit content from TSS %, oil % and moisture content of olive during the 2022 and 2023 seasons.

Treatments		TS	S%	Oi	1%	Moisture Content%	
HA	Fertilizers	2022	2023	2022	2023	2022	2023
0 (Control)	$0 \text{ mg } ZnO_2 + 0 \text{ mg } TiO_2$ (Control)	$\begin{array}{c} 14.07~\mathrm{f} \\ \pm~0.22 \end{array}$	$\begin{array}{c} 14.42 \text{ e} \\ \pm \ 0.22 \end{array}$	$\begin{array}{c} 16.12 \text{ e} \\ \pm \ 0.38 \end{array}$	16.37 f ± 0.33	$74.05 \text{ a} \pm 1.45$	71.27 a ± 2.33
	$200 \text{ mg ZnO}_2 + 60 \text{ mg TiO}_2$	14.55 e ± 0.17	14.35 e ± 0.26	$\begin{array}{c} 16.40 \text{ e} \\ \pm \ 0.41 \end{array}$	$\begin{array}{c} 16.47~\mathrm{f} \\ \pm ~0.36 \end{array}$	$70.95 ext{ b} \pm 2.07$	$66.32 ext{ b} \\ \pm 1.48$
	300 mg ZnO ₂ + 80 mg TiO ₂	14.97 d ± 0.29	$15.17 \text{ d} \pm 0.40$	$16.90 ext{ de} \pm 0.26$	$\begin{array}{c} 17.42 \text{ de} \\ \pm \ 0.29 \end{array}$	$70.32 \text{ b} \\ \pm 1.44$	$66.90 ext{ b} \\ \pm 1.15$
	$0 \text{ mg ZnO}_2 + 0 \text{ mg TiO}_2$	$\begin{array}{c} 15.20 \text{ d} \\ \pm \ 0.32 \end{array}$	$15.15 d \pm 0.51$	$\begin{array}{c} 17.00 \text{ de} \\ \pm \ 0.29 \end{array}$	16.90 ef ± 0.26	$69.43 ext{ bc} \pm 2.04$	63.55 c ± 1.30
0.5 kg	$200 \text{ mg ZnO}_2 + 60 \text{ mg TiO}_2$	$\begin{array}{c} 15.40 \text{ d} \\ \pm \ 0.32 \end{array}$	15.80 c ± 0.45	$\begin{array}{c} 17.10 \text{ de} \\ \pm \ 0.42 \end{array}$	$17.22 ext{ de} \pm 0.45$	$69.02 ext{ bc} \pm 2.34$	63.27 c ± 0.07
	$300 \text{ mg ZnO}_2 + 80 \text{ mg TiO}_2$	$\begin{array}{c} 16.22 \text{ bc} \\ \pm 0.31 \end{array}$	$\begin{array}{c} 16.47 \text{ b} \\ \pm \ 0.17 \end{array}$	$\begin{array}{c} 17.40 \text{ cd} \\ \pm 0.42 \end{array}$	17.67 cde ± 0.17	65.50 cd ± 1.18	61.60 cd ± 1.22

Treatments		TS	ΓSS% Oil%		i1%	Moisture Content%		
HA	Fertilizers	2022	2023	2022	2023	2022	2023	
1 kg	$0 \text{ mg ZnO}_2 + 0 \text{ mg TiO}_2$	15.47 d ± 0.22	15.75 c ± 0.33	17.60 cd ± 0.35	17.72 cde ± 0.24	$\begin{array}{c} 68.11 \text{ bc} \\ \pm 2.41 \end{array}$	62.80 cd 0.28	
	$200 \text{ mg } ZnO_2 + 60 \text{ mg } TiO_2$	$\begin{array}{c} 16.55 \text{ b} \\ \pm \ 0.13 \end{array}$	$\begin{array}{c} 16.45 \text{ b} \\ \pm \ 0.10 \end{array}$	$\begin{array}{c} 18.27 \text{ bc} \\ \pm \ 0.39 \end{array}$	$\begin{array}{c} 18.42 \text{ c} \\ \pm \ 0.42 \end{array}$	62.97 de ± 2.03	60.68 d ± 0.16	
	$300 \text{ mg ZnO}_2 + 80 \text{ mg TiO}_2$	$\begin{array}{c} 16.42 \text{ b} \\ \pm \ 0.17 \end{array}$	$\begin{array}{c} 16.60 \text{ b} \\ \pm 0.22 \end{array}$	$\begin{array}{c} 18.60 \text{ b} \\ \pm \ 0.63 \end{array}$	$\begin{array}{c} 19.27 \text{ b} \\ \pm \ 0.19 \end{array}$	60.62 ef ± 2.94	58.44 e ± 2.21	
	$0 \text{ mg ZnO}_2 + 0 \text{ mg TiO}_2$	15.92 c ± 0.30	$\begin{array}{c} 16.17 \text{ bc} \\ \pm 0.21 \end{array}$	17.70 cd ± 0.39	17.85 cd ± 0.21	66.26 cd ± 3.11	63.02 cd ± 1.31	
2 kg	$200 \text{ mg ZnO}_2 + 60 \text{ mg TiO}_2$	$\begin{array}{c} 16.72 \text{ b} \\ \pm 0.1 \end{array}$	$\begin{array}{c} 16.70 \text{ b} \\ \pm \ 0.24 \end{array}$	$\begin{array}{c} 18.92 \text{ b} \\ \pm \ 0.50 \end{array}$	$\begin{array}{c} 19.27 \text{ b} \\ \pm \ 0.19 \end{array}$	59.02 fg ± 3.07	56.90 ef ± 0.56	
	300 mg ZnO ₂ + 80 mg TiO ₂	17.25 a ± 0.31	17.45 a ± 0.13	$20.25 ext{ a} \pm 0.51$	20.97 a ± 0.89	57.07 g ± 3.60	55.11 f ± 2.33	
LSD _{0.05}		0.38	0.44	0.69	0.59	2.78	1.81	

Table 6. Cont.

Means marked with the same letters do not differ significantly at 0.05.

Table 7. The combined application of HA soil application with the spraying of TiO_2 and ZnO_2 nanoparticles on leaf mineral content from N, P and K percentages of olive during 2022 and 2023 seasons.

	Treatments	N	%]	Р%	K	%
HA	Fertilizers	2022	2023	2022	2023	2022	2023
	$0 \text{ mg } ZnO_2 + 0 \text{ mg } TiO_2$ (Control)	$\begin{array}{c} 1.45 \text{ e} \\ \pm \ 0.02 \end{array}$	$\begin{array}{c} 1.47 \text{ e} \\ \pm \ 0.02 \end{array}$	0.39 d ± 0.03	0.48 f ± 0.03	$\begin{array}{c} 0.97 \text{ d} \\ \pm \ 0.05 \end{array}$	1.07 e ± 0.02
0 (Control)	$200 \text{ mg } ZnO_2 + 60 \text{ mg } TiO_2$	1.46 e ± 0.02	$\begin{array}{c} 1.48 \text{ e} \\ \pm \ 0.02 \end{array}$	$\begin{array}{c} 0.40 \text{ d} \\ \pm \ 0.02 \end{array}$	$\begin{array}{c} 0.48~\mathrm{f} \\ \pm~0.02 \end{array}$	$\begin{array}{c} 1.00 \text{ d} \\ \pm \ 0.04 \end{array}$	$\begin{array}{c} 1.10 \text{ de} \\ \pm \ 0.03 \end{array}$
	$300 \text{ mg ZnO}_2 + 80 \text{ mg TiO}_2$	$\begin{array}{c} 1.49 \text{ e} \\ \pm \ 0.03 \end{array}$	1.50 e ± 0.01	$\begin{array}{c} 0.42 \text{ d} \\ \pm \ 0.02 \end{array}$	0.49 ef ± 0.03	$egin{array}{c} 1.07\ { m c} \pm 0.01 \end{array}$	$\begin{array}{c} 1.13 \text{ d} \\ \pm \ 0.02 \end{array}$
	$0 \text{ mg ZnO}_2 + 0 \text{ mg TiO}_2$	$\begin{array}{c} 1.54 \text{ d} \\ \pm \ 0.01 \end{array}$	1.56 d ± 0.04	$\begin{array}{c} 0.47 \text{ c} \\ \pm 0.04 \end{array}$	0.51 def ± 0.02	$1.07 ext{ c}$ ± 0.03	1.13 d ± 0.03
0.5 kg	200 mg ZnO ₂ + 60 mg TiO ₂	1.59 d ± 0.02	$\begin{array}{c} 1.60 \ \mathrm{cd} \\ \pm \ 0.03 \end{array}$	$\begin{array}{c} 0.47 \text{ c} \\ \pm 0.03 \end{array}$	0.54 cde ± 0.03	$1.07 ext{ c}$ ± 0.03	$\begin{array}{c} 1.14 \text{ d} \\ \pm \ 0.01 \end{array}$
	$300 \text{ mg ZnO}_2 + 80 \text{ mg TiO}_2$	$\begin{array}{c} 1.62 \text{ c} \\ \pm \ 0.04 \end{array}$	$\begin{array}{c} 1.63 \text{ c} \\ \pm \ 0.02 \end{array}$	$\begin{array}{c} 0.51 \text{ c} \\ \pm \ 0.02 \end{array}$	$\begin{array}{c} 0.60 \text{ b} \\ \pm \ 0.02 \end{array}$	$\begin{array}{c} 1.13 \text{ c} \\ \pm \ 0.02 \end{array}$	$\begin{array}{c} 1.18 \text{ c} \\ \pm \ 0.02 \end{array}$
	$0 \text{ mg ZnO}_2 + 0 \text{ mg TiO}_2$	1.56 d ± 0.02	$1.59 ext{ cd}$ ± 0.05	$\begin{array}{c} 0.47 \text{ c} \\ \pm 0.04 \end{array}$	$0.55 ext{ cd}$ ± 0.02	$\begin{array}{c} 1.09 \text{ c} \\ \pm \ 0.03 \end{array}$	1.13 d ± 0.03
1 kg	$200 \text{ mg } \text{ZnO}_2 + 60 \text{ mg } \text{TiO}_2$	$\begin{array}{c} 1.65 \text{ c} \\ \pm 0.01 \end{array}$	$\begin{array}{c} 1.65 \text{ c} \\ \pm 0.01 \end{array}$	$\begin{array}{c} 0.55 \text{ b} \\ \pm \ 0.02 \end{array}$	$\begin{array}{c} 0.62 \text{ b} \\ \pm 0.03 \end{array}$	$\begin{array}{c} 1.14 \text{ c} \\ \pm \ 0.02 \end{array}$	1.19 c ± 0.03
	300 mg ZnO ₂ + 80 mg TiO ₂	1.66 c ± 0.02	$\begin{array}{c} 1.69 \text{ b} \\ \pm \ 0.03 \end{array}$	$\begin{array}{c} 0.56 \text{ b} \\ \pm \ 0.02 \end{array}$	$\begin{array}{c} 0.65 \ \mathrm{b} \\ \pm \ 0.03 \end{array}$	$\begin{array}{c} 1.21 \text{ b} \\ \pm \ 0.04 \end{array}$	$\begin{array}{c} 1.23 \text{ b} \\ \pm \ 0.02 \end{array}$
	$0 \text{ mg ZnO}_2 + 0 \text{ mg TiO}_2$	$\begin{array}{c} 1.58 \text{ d} \\ \pm 0.02 \end{array}$	$1.60 ext{ cd} \pm 0.04$	$\begin{array}{c} 0.48 \text{ c} \\ \pm 0.01 \end{array}$	$\begin{array}{c} 0.56 \text{ c} \\ \pm \ 0.01 \end{array}$	1.10 c 0.03	$\begin{array}{c} 1.14 \text{ d} \\ \pm \ 0.03 \end{array}$
2 kg	$200 \text{ mg } \text{ZnO}_2 + 60 \text{ mg } \text{TiO}_2$	$\begin{array}{c} 1.71 \text{ b} \\ \pm \ 0.03 \end{array}$	$\begin{array}{c} 1.73 \text{ b} \\ \pm \ 0.02 \end{array}$	$0.61 \text{ a} \pm 0.03$	0.63 b ± 0.03	1.24 ab 0.03	1.25 b ± 0.03
	300 mg ZnO ₂ + 80 mg TiO ₂	$1.76 \mathrm{~a} \pm 0.03$	1.79 a ± 0.04	$\begin{array}{c} 0.64 \ \mathrm{a} \\ \pm \ 0.03 \end{array}$	$\begin{array}{c} 0.70 \ \mathrm{a} \\ \pm \ 0.04 \end{array}$	$egin{array}{c} 1.27 \ { m a} \\ \pm \ 0.03 \end{array}$	$egin{array}{c} 1.30 \ { m a} \ \pm 0.04 \end{array}$
LSD _{0.05}		0.03	0.04	0.04	0.03	0.05	0.03

Means marked with the same letters do not differ significantly at 0.05.

4. Discussion

From the comparison between the composition of the soil before and after the addition of humic aid, it was observed that the electrical conductivity and the concentrations of Na⁺, K⁺, Ca⁺ and Mg⁺ as well as the concentrations of the anions Cl⁻, HCO_3^{-} , CO_3^{2-} and SO_4^{2-} were decreased, which was probably because humic acid raises the soil's capacity to hold water. Additionally, from the same table, it was also observed that the pH was decreased, which is reflected in the increased availability of nutrients from macronutrients such as N, P and K or micronutrients like Fe, Zn, Mn, and Cu, which ultimately improved the vegetative growth and productivity. From this comparison, there is a clear influence of the application of humic acid in improving soil fertility. These results were formerly clarified by a lot of authors, where humic substances improve soil fertility by raising the water-holding ability [35], changing the soil's physical, chemical, and biological structure [36], improving the permeability of plant membranes, and encouraging the absorption of elements under salinity [37]. HA raises the availability of important elements for the plant's vegetative growth such as nitrogen, phosphorous and potassium [38] and raises the soil's water-holding capability through high water absorption [39]. Applying HA may lead to minimizing the chlorophyll decay and boosting the leaf chlorophyll content under salinity conditions by increasing the cell membrane stability and boosting the absorption of nutrients such as nitrogen which is related to the chlorophyll synthesis [40], and it can improve the leaf water content under osmotic stress [13]. Furthermore, HA is an organic fertilizer that can positively impact plant growth and enhance the uptake of nutrients such as calcium, magnesium, phosphorous, potassium, nitrogen, and potassium [41]. The soil addition of HA as potassium humate at 75, 100, 125 and 150 on cv. Red Delicious apple trees greatly raised the percentages of fruit set and retention as well as fruit yield and leaf mineral content from macro and micronutrients, and greatly minimized the fruit drop percentages [42]. The addition of HA at 0 and 75 g per tree to olive trees markedly enhanced the fruit productivity, soluble solids, total carbohydrates and oil percentage in the fruits [43]. Similarly, applying HA on lime trees at 10, 20 or 30 mL tree⁻¹ remarkably increased the available nutrients in the soil such as N, P, K, Ca, Mg, Fe, Mn, Zn, Cu, and b. Moreover, it also improved the soil microbial activity, vegetative growth, tree canopy, leaf chlorophyll, number and weight of fruits and, consequently, the final productivity, as well as the fruit content from juice and soluble solids [44].

Exo spraying of TiO_2 increased the uptake of macro- and micro-nutrients and improved the plant height, leaf photosynthesis rate and leaf number, while it reduced the undesirable impacts of salinity [45]. Additionally, the application of TiO_2 NPs treatments might raise the plant nitrogen content [46,47]. Furthermore, under salinity, it was noticed that some plant species treated with TiO2 NPs ameliorated the photosynthetic rates, chlorophyll fluorescence, and soluble sugars [17,48] and promoted crop productivity and oil production [49]. Additionally, TiO_2 has been shown to facilitate the absorption of essential nutrients, including iron, potassium, calcium, magnesium, and nitrogen [50]. Additionally, the application of TiO_2 NPs stimulated the photosynthesis process in plants, and growth parameters are also positively related to the absorption of essential elements in the treated plants under salinity conditions [9,45]. Spraying mango cv. Keitt with TiO₂ at 40, 60 and 80 mg/L improved the number, length, and thickness of shoots, leaf area surface, and leaf chlorophyll compared to untreated trees. Moreover, the applied treatments also ameliorated the fruit set percentages, fruit yields, fruit weight, size, length, and diameter. Additionally, the sprayed trees gave fruit with a high content from soluble solids, VC, carotene content, total and reduced sugars, as well as high nutritional content from nitrogen, potassium and phosphorous [51].

Concerning the influence of the spraying of Zn, it was stated that Zn is also an essential micronutrient for all the plants that participate in the synthesis of chlorophyll and participates in many cellular processes and the synthesis of phytohormones like auxin, cytokinin, and gibberellin [52]. ZnO₂ NPs affect fruit quality and tryptophan synthesis to modulate the effects of auxin [53,54]. Since Zn is necessary for the production of protein,

chlorophyll, and indole acetic acid as well as for maintaining the integrity of the cell membrane by preventing the plant from absorbing too much Na+ and Cl, the exo spraying of ZnO₂ NPs enhanced the growth and physiological parameters of the plants under NaCl stress [55]. ZnO₂ NPs also play a crucial role in enhancing chlorophyll formation and photosynthetic activity [56,57] and mitigating salt stress in plants [58]. Moreover, ZnO₂ NPs are involved in improving the growth attributes, photosynthesis, yield, biomass production, nutrient uptake efficacy, sugar, and total nitrogen in numerous crops [23,59]. Spraying of peach cv. Florida prince with Zn NPs at 2.5, 5 and 7.5 mg/L notably increased the shoot diameter, leaf area surface, leaf total chlorophyll, flower percentage, fruit productivity, fruit weight, length, diameter, size, and firmness. Additionally, the sprayed Zn NPs notably raised the fruit content from soluble solids, total, reduced and non-reduced sugar percentages, anthocyanin and vitamin C, while they minimized the fruit content from acidity compared to untreated trees [60]. Treating pomegranate cv. Wonderful by ZnO_2 NPs at 500 and 1000 ppm enhanced the shoot length, leaf chlorophyll, leaf area, leaf number per shoot, leaf content from N, P, K, Ca, Zn, and B, fruit set and fruit preservation percentages as well as the fruit yield compared to the control [61].

5. Conclusions

From the obtained results, it could be concluded that the use of HA has a functional influence on reducing the undesirable effect of salinity because it improves soil fertility and increases the nutrients in the soil. Additionally, the spraying of TiO_2 and ZnO_2 has a great influence on reducing the side effects of salinity. The merged effect of the soil addition of 2 kg per tree HA combined with the spraying of 300 mg $ZnO_2 + 80$ mg TiO_2 significantly improved the vegetative growth, productivity, and fruit quality attributes as well as leaf mineral content from macronutrients rather than the other applied treatments. Moreover, more genetic studies should be performed to define the genes that are responsible for increasing the tolerance of olive trees to salinity.

Author Contributions: Conceptualization, W.F.A.M. and L.S.-P.; methodology, W.F.A.M.; software, W.F.A.M. and A.M.A.-S.; validation, A.M.A.-S. and L.S.-P.; formal analysis, W.F.A.M. and A.M.A.-S.; investigation, W.F.A.M. and A.M.A.-S. resources, W.F.A.M., A.M.A.-S. and L.S.-P.; data curation, W.F.A.M. and L.S.-P.; writing—original draft preparation, W.F.A.M., A.M.A.-S. and L.S.-P.; writing—review and editing, W.F.A.M., A.M.A.-S. and L.S.-P.; supervision, W.F.A.M., A.M.A.-S. and L.S.-P. All authors have read and agreed to the published version of the manuscript.

Funding: This research was funded by Researchers Supporting Project number (RSP2024R334), King Saud University, Riyadh, Saudi Arabia.

Data Availability Statement: All the required data are inserted in the manuscript.

Acknowledgments: The authors extend their appreciation to the Researchers Supporting Project number (RSP2024R334), King Saud University, Riyadh, Saudi Arabia.

Conflicts of Interest: The authors have no conflicts of interest to declare.

References

- Shah, T.; Latif, S.; Saeed, F.; Ali, I.; Ullah, S.; Alsahli, A.A.; Jan, S.; Ahmad, P. Seed priming with titanium dioxide nanoparticles enhances seed vigor, leaf water status, and antioxidant enzyme activities in maize (*Zea mays* L.) under salinity stress. *J. King Saud Univ. Sci.* 2021, 33, 101207. [CrossRef]
- Ali, A.Y.A.; Ibrahim, M.E.H.; Zhou, G.; Nimir, N.E.A.; Elsiddig, A.M.I.; Jiao, X.; Zhu, G.; Salih, E.G.I.; Suliman, M.S.E.S.; Elradi, S.B.M. Gibberellic acid and nitrogen efficiently protect early seedlings growth stage from salt stress damage in Sorghum. *Sci. Rep.* 2021, 11, 6672. [CrossRef] [PubMed]
- Alam, M.S.; Tester, M.; Fiene, G.; Mousa, M.A.A. Early growth stage characterization and the biochemical responses for salinity stress in tomato. *Plants* 2021, 10, 712. [CrossRef] [PubMed]
- Azzam, C.R.; Zaki, S.-n.S.; Bamagoos, A.A.; Rady, M.M.; Alharby, H.F. Soaking maize seeds in zeatin-type cytokinin biostimulators improves salt tolerance by enhancing the antioxidant system and photosynthetic efficiency. *Plants* 2022, *11*, 1004. [CrossRef] [PubMed]

- 5. Farhangi-Abriz, S.; Ghassemi-Golezani, K. How can salicylic acid and jasmonic acid mitigate salt toxicity in soybean plants? *Ecotoxicol. Environ. Saf.* **2018**, *147*, 1010–1016. [CrossRef] [PubMed]
- Altaf, M.; Shahid, R.; Ren, M.; Naz, S.; Altaf, M.; Qadir, A.; Anwar, M.; Shakoor, A.; Hayat, F. Exogenous melatonin enhances salt stress tolerance in tomato seedlings. *Biol. Plant.* 2020, 64, 604–615. [CrossRef]
- Abou-Sreea, A.I.; Azzam, C.R.; Al-Taweel, S.K.; Abdel-Aziz, R.M.; Belal, H.E.; Rady, M.M.; Abdel-Kader, A.A.; Majrashi, A.; Khaled, K.A. Natural biostimulant attenuates salinity stress effects in chili pepper by remodeling antioxidant, ion, and phytohormone balances, and augments gene expression. *Plants* 2021, *10*, 2316. [CrossRef]
- 8. Sarkar, R.D.; Kalita, M.C. Alleviation of salt stress complications in plants by nanoparticles and the associated mechanisms: An overview. *Plant Stress* 2023, 7, 100134. [CrossRef]
- Sheikhalipour, M.; Esmaielpour, B.; Behnamian, M.; Gohari, G.; Giglou, M.T.; Vachova, P.; Rastogi, A.; Brestic, M.; Skalicky, M. Chitosan–selenium nanoparticle (Cs–Se NP) foliar spray alleviates salt stress in bitter melon. *Nanomaterials* 2021, *11*, 684. [CrossRef]
- 10. Wang, L.; Sun, X.; Li, S.; Zhang, T.; Zhang, W.; Zhai, P. Application of organic amendments to a coastal saline soil in North China: Effects on soil physical and chemical properties and tree growth. *PLoS ONE* **2014**, *9*, e89185. [CrossRef]
- 11. Gulser, F.; Sonmez, F.; Boysan, S. Effects of calcium nitrate and humic acid on pepper seedling growth under saline condition. *J. Environ. Biol.* **2010**, *31*, 873.
- 12. Pizzeghello, D.; Francioso, O.; Ertani, A.; Muscolo, A.; Nardi, S. Isopentenyladenosine and cytokinin-like activity of different humic substances. *J. Geochem. Explor.* 2013, 129, 70–75. [CrossRef]
- Canellas, L.P.; da Silva, S.F.; Olk, D.C.; Olivares, F.L. Foliar application of plant growth-promoting bacteria and humic acid increase maize yields. J. Food Agric. Environ. 2015, 13, 131–138.
- Canellas, L.P.; Olivares, F.L. Physiological responses to humic substances as plant growth promoter. *Chem. Biol. Technol. Agric.* 2014, 1, 3. [CrossRef]
- 15. Rose, M.T.; Patti, A.F.; Little, K.R.; Brown, A.L.; Jackson, W.R.; Cavagnaro, T.R. A meta-analysis and review of plant-growth response to humic substances: Practical implications for agriculture. *Adv. Agron.* **2014**, *124*, 37–89.
- 16. Calvo, P.; Nelson, L.; Kloepper, J.W. Agricultural uses of plant biostimulants. *Plant Soil* 2014, 383, 3–41. [CrossRef]
- Gohari, G.; Mohammadi, A.; Akbari, A.; Panahirad, S.; Dadpour, M.R.; Fotopoulos, V.; Kimura, S. Titanium dioxide nanoparticles (TiO₂ NPs) promote growth and ameliorate salinity stress effects on essential oil profile and biochemical attributes of *Dracocephalum moldavica. Sci. Rep.* 2020, *10*, 912. [CrossRef] [PubMed]
- 18. Radkowski, A.; Radkowska, I. Effect of foliar application of growth biostimulant on quality and nutritive value of meadow sward. *Ecol. Chem. Eng. A* **2013**, *20*, 1205–1211.
- Gómez-Merino, F.C.; Trejo-Téllez, L.I. The role of beneficial elements in triggering adaptive responses to environmental stressors and improving plant performance. In *Biotic Abiotic Stress Tolerance Plants*; Springer: Berlin/Heidelberg, Germany, 2018; pp. 137–172.
- Lyu, S.; Wei, X.; Chen, J.; Wang, C.; Wang, X.; Pan, D. Titanium as a beneficial element for crop production. *Front. Plant Sci.* 2017, 8, 597. [CrossRef]
- Bacilieri, F.S.; Pereira de Vasconcelos, A.C.; Quintao Lana, R.M.; Mageste, J.G.; Torres, J.L.R. Titanium (Ti) in plant nutrition-A review. Aust. J. Crop Sci. 2017, 11, 382–386. [CrossRef]
- 22. Zulfiqar, U.; Hussain, S.; Maqsood, M.; Ishfaq, M.; Ali, N. Zinc nutrition to enhance rice productivity, zinc use efficiency, and grain biofortification under different production systems. *Crop Sci.* **2021**, *61*, 739–749. [CrossRef]
- 23. Faizan, M.; Faraz, A.; Yusuf, M.; Khan, S.; Hayat, S. Zinc oxide nanoparticle-mediated changes in photosynthetic efficiency and antioxidant system of tomato plants. *Photosynthetica* 2018, *56*, 678–686. [CrossRef]
- 24. Zhang, T.; Sun, H.; Lv, Z.; Cui, L.; Mao, H.; Kopittke, P.M. Using synchrotron-based approaches to examine the foliar application of ZnSO₄ and ZnO nanoparticles for field-grown winter wheat. *J. Agric. Food Chem.* **2017**, *66*, 2572–2579. [CrossRef]
- Rossi, L.; Fedenia, L.N.; Sharifan, H.; Ma, X.; Lombardini, L. Effects of foliar application of zinc sulfate and zinc nanoparticles in coffee (*Coffea arabica* L.) plants. *Plant Physiol. Biochem.* 2019, 135, 160–166. [CrossRef]
- 26. Esper Neto, M.; Britt, D.W.; Lara, L.M.; Cartwright, A.; dos Santos, R.F.; Inoue, T.T.; Batista, M.A. Initial development of corn seedlings after seed priming with nanoscale synthetic zinc oxide. *Agronomy* **2020**, *10*, 307. [CrossRef]
- Salim, N.; Raza, A. Nutrient use efficiency (NUE) for sustainable wheat production: A review. J. Plant Nutr. 2020, 43, 297–315. [CrossRef]
- Elsheery, N.I.; Helaly, M.N.; El-Hoseiny, H.M.; Alam-Eldein, S.M. Zinc oxide and silicone nanoparticles to improve the resistance mechanism and annual productivity of salt-stressed mango trees. *Agronomy* 2020, 10, 558. [CrossRef]
- 29. Sparks, D.L.; Page, A.L.; Helmke, P.A.; Loeppert, R.H. *Methods of Soil Analysis, Part 3: Chemical Methods*; John Wiley & Sons: Hoboken, NJ, USA, 2020; Volume 14.
- 30. Kumar, S.J.; Prasad, S.R.; Banerjee, R.; Agarwal, D.K.; Kulkarni, K.S.; Ramesh, K. Green solvents and technologies for oil extraction from oilseeds. *Chem. Cent. J.* 2017, 11, 9. [CrossRef]
- 31. Wang, H.; Pampati, N.; McCormick, W.M.; Bhattacharyya, L. Protein nitrogen determination by kjeldahl digestion and ion chromatography. J. Pharm. Sci. 2016, 105, 1851–1857. [CrossRef] [PubMed]
- 32. Wieczorek, D.; Żyszka-Haberecht, B.; Kafka, A.; Lipok, J. Determination of phosphorus compounds in plant tissues: From colourimetry to advanced instrumental analytical chemistry. *Plant Methods* **2022**, *18*, 22. [CrossRef] [PubMed]

- Asch, J.; Johnson, K.; Mondal, S.; Asch, F. Comprehensive assessment of extraction methods for plant tissue samples for determining sodium and potassium via flame photometer and chloride via automated flow analysis. *J. Plant Nutr. Soil Sci.* 2022, 185, 308–316. [CrossRef]
- 34. Snedecor, G.W.; Cochran, W.G. Statistical Methods, 6th ed.; Iowa State University Press: Ames, IA, USA, 1990; p. 507.
- Khaleda, L.; Park, H.J.; Yun, D.-J.; Jeon, J.-R.; Kim, M.G.; Cha, J.-Y.; Kim, W.-Y. Humic acid confers high-affinity K⁺ transporter 1-mediated salinity stress tolerance in Arabidopsis. *Mol. Cells* 2017, 40, 966.
- 36. Hatami, E.; Shokouhian, A.A.; Ghanbari, A.R.; Naseri, L.A. Alleviating salt stress in almond rootstocks using of humic acid. *Sci. Hortic.* **2018**, 237, 296–302. [CrossRef]
- Nardi, S.; Schiavon, M.; Francioso, O. Chemical structure and biological activity of humic substances define their role as plant growth promoters. *Mol.* 2021, 26, 2256. [CrossRef] [PubMed]
- 38. Suh, H.Y.; Yoo, K.S.; Suh, S.G. Effect of foliar application of fulvic acid on plant growth and fruit quality of tomato (*Lycopersicon esculentum* L.). *Hortic. Environ. Biotechnol.* **2014**, *55*, 455–461. [CrossRef]
- Fahramand, M.; Moradi, H.; Noori, M.; Sobhkhizi, A.; Adibian, M.; Abdollahi, S.; Rigi, K. Influence of humic acid on increase yield of plants and soil properties. *Int. J. Farm. Alli. Sci.* 2014, *3*, 339–341.
- 40. Ahmed, A.H.; Darwish, E.; Hamoda, S.; Alobaidy, M. Effect of putrescine and humic acid on growth, yield and chemical composition of cotton plants grown under saline soil conditions. *Am.-Eurasian J. Agric. Environ. Sci.* **2013**, *13*, 479–497.
- 41. Elmongy, M.S.; Zhou, H.; Cao, Y.; Liu, B.; Xia, Y. The effect of humic acid on endogenous hormone levels and antioxidant enzyme activity during in vitro rooting of evergreen azalea. *Sci. Hortic.* **2018**, 227, 234–243. [CrossRef]
- 42. Khan, A.; Ahmed, N.; Shah, S.A. Effect of humic acid on fruit yield attributes, yield and leaf nutrient accumulation of apple trees under calcareous soil. *Indian J. Sci. Technol.* **2018**, *15*, 1–8. [CrossRef]
- 43. AL-Barwari, B.J.T.; AL-A'araji, J.M.A. Effect of nitrogen and humic acid on fruit yield and qualitative characteristics of olive trees (*Olea europaea* L.) CV. Kistawy. *Plant Arch.* 2020, 20, 8716–8720.
- Ennab, H.A.; Mohamed, A.H.; El-Hoseiny, H.M.; Omar, A.A.; Hassan, I.F.; Gaballah, M.S.; Khalil, S.E.; Mira, A.M.; Abd El-Khalek, A.F.; Alam-Eldein, S.M. Humic acid improves the resilience to salinity stress of drip-irrigated mexican lime trees in saline clay soils. *Agronomy* 2023, 13, 1680. [CrossRef]
- 45. Rahneshan, Z.; Nasibi, F.; Moghadam, A.A. Effects of salinity stress on some growth, physiological, biochemical parameters and nutrients in two pistachio (*Pistacia vera* L.) rootstocks. *J. Plant Interact.* **2018**, *13*, 73–82. [CrossRef]
- 46. Zahedi, S.M.; Hosseini, M.S.; Meybodi, N.D.H.; da Silva, J.A.T. Foliar application of selenium and nano-selenium affects pomegranate (*Punica granatum* cv. Malase Saveh) fruit yield and quality. *S Afr. J. Bot.* **2019**, *124*, 350–358. [CrossRef]
- 47. Yuan, S.-J.; Chen, J.-J.; Lin, Z.-Q.; Li, W.-W.; Sheng, G.-P.; Yu, H.-Q. Nitrate formation from atmospheric nitrogen and oxygen photocatalysed by nano-sized titanium dioxide. *Nat. Commun.* **2013**, *4*, 2249. [CrossRef] [PubMed]
- Abdel Latef, A.A.H.; Srivastava, A.K.; El-sadek, M.S.A.; Kordrostami, M.; Tran, L.S.P. Titanium dioxide nanoparticles improve growth and enhance tolerance of broad bean plants under saline soil conditions. *Land Degrad Dev.* 2018, 29, 1065–1073. [CrossRef]
- Khan, M.N. Nano-titanium dioxide (nano-TiO₂) mitigates NaCl stress by enhancing antioxidative enzymes and accumulation of compatible solutes in tomato (*Lycopersicon esculentum* Mill.). J. Plant Sci. 2016, 11, 1–11. [CrossRef]
- 50. Kleiber, T.; Markiewicz, B. Application of "Tytanit" in greenhouse tomato growing. *Acta Sci. Pol. Hortorum Cultus* **2013**, *12*, 117–126.
- Almutairi, K.F.; Górnik, K.; Awad, R.M.; Ayoub, A.; Abada, H.S.; Mosa, W.F. Influence of Selenium, Titanium, and Silicon Nanoparticles on the Growth, Yield, and Fruit Quality of Mango under Drought Conditions. *Horticulturae* 2023, 9, 1231. [CrossRef]
- 52. Singh, A.; Singh, N.á.; Afzal, S.; Singh, T.; Hussain, I. Zinc oxide nanoparticles: A review of their biological synthesis, antimicrobial activity, uptake, translocation and biotransformation in plants. *J. Mater. Sci.* **2018**, *53*, 185–201. [CrossRef]
- 53. Narendhran, S.; Rajiv, P.; Sivaraj, R. Toxicity of ZnO nanoparticles on germinating *Sesamum indicum* (Co-1) and their antibacterial activity. *Bull. Mater. Sci.* 2016, 39, 415–421. [CrossRef]
- García-López, J.I.; Niño-Medina, G.; Olivares-Sáenz, E.; Lira-Saldivar, R.H.; Barriga-Castro, E.D.; Vázquez-Alvarado, R.; Rodríguez-Salinas, P.A.; Zavala-García, F. Foliar application of zinc oxide nanoparticles and zinc sulfate boosts the content of bioactive compounds in habanero peppers. *Plants* 2019, *8*, 254. [CrossRef]
- 55. Alabdallah, N.M.; Alzahrani, H.S. The potential mitigation effect of ZnO nanoparticles on (*Abelmoschus esculentus* L. Moench) metabolism under salt stress conditions. *Saudi J. Biol. Sci.* **2020**, *27*, 3132–3137. [CrossRef]
- Mahmoud, A.W.M.; Abdelaziz, S.M.; El-Mogy, M.M.; Abdeldaym, E.A. Effect of foliar zno and feo nanoparticles application on growth and nutritional quality of red radish and assessment of their accumulation on human health. *Agriculture* 2019, 65, 16–29. [CrossRef]
- 57. De Smedt, C.; Steppe, K.; Spanoghe, P. Beneficial effects of zeolites on plant photosynthesis. Adv. Mater. Sci. 2017, 2, 1–11.
- Jahangir, H.S.; Kumar, T.T.; Concelia, M.M.; Alamelu, R. Green synthesis, characterization and antibacterial studies of silver (Ag) and zinc oxide (ZnO) nanoparticles. J. Pure Appl. Microbiol. 2020, 14, 1999–2008. [CrossRef]
- 59. Khanm, H.; Vaishnavi, B.; Shankar, A. Raise of Nano-fertilizer ERA: Effect of nano scale zinc oxide particles on the germination, growth and yield of tomato (*Solanum lycopersicum*). *Int. J. Curr. Microbiol. Appl. Sci.* **2018**, *7*, 1861–1871. [CrossRef]

- 60. Mosa, W.F.; El-Shehawi, A.M.; Mackled, M.I.; Salem, M.Z.; Ghareeb, R.Y.; Hafez, E.E.; Behiry, S.I.; Abdelsalam, N.R. Productivity performance of peach trees, insecticidal and antibacterial bioactivities of leaf extracts as affected by nanofertilizers foliar application. *Sci. Rep.* **2021**, *11*, 10205. [CrossRef]
- 61. Abd El-wahed, N.; Khalifa, S.M.; Alqahtani, M.D.; Abd–Alrazik, A.M.; Abdel-Aziz, H.; Mancy, A.; Elnaggar, I.A.; Alharbi, B.M.; Hamdy, A.; Elkelish, A. Nano-enhanced growth and resilience strategies for pomegranate cv. Wonderful: Unveiling the impact of zinc and boron nanoparticles on fruit quality and abiotic stress management. J. Agric. Food Res. 2024, 15, 100908.

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.