

Synthesis, *in silico* and kinetics evaluation of *N*-(β -D-glucopyranosyl)-2-arylimidazole-4(5)-carboxamides and *N*-(β -D-glucopyranosyl)-4(5)-arylimidazole-2-carboxamides as glycogen phosphorylase inhibitors

Levente Homolya,^a Rachel T. Mathomes,^b Luca Varga,^c Tibor Docsa,^c László Juhász,^{*a}

Joseph M. Hayes,^{*b} and László Somsák^{*a}

^a Department of Organic Chemistry, University of Debrecen, POB 400, H-4002 Debrecen, Hungary

^b School of Pharmacy & Biomedical Sciences, University of Central Lancashire, Preston PR1 2HE, United Kingdom


^c Department of Medical Chemistry, University of Debrecen, Faculty of Medicine, University of Debrecen, 4032 Debrecen, Hungary



Table of Contents

Ethyl 2-phenyl-1 <i>H</i> -imidazole-4(5)-carboxylate (4a).....	3
Ethyl 2-(1-naphthyl)-1 <i>H</i> -imidazole-4(5)-carboxylate (4b).....	5
Ethyl 2-(2-naphthyl)-1 <i>H</i> -imidazole-4(5)-carboxylate (4c)	7
2-Phenyl-1 <i>H</i> -imidazole-4(5)-carboxylic acid (5a)	9
2-(1-Naphthyl)-1 <i>H</i> -imidazole-4(5)-carboxylic acid (5b)	11
2-(2-Naphthyl)-1 <i>H</i> -imidazole-4(5)-carboxylic acid (5c).....	13
Ethyl 4(5)-phenyl-1 <i>H</i> -imidazole-2-carboxylate (7a).....	15
Ethyl 4(5)-(1-naphthyl)-1 <i>H</i> -imidazole-2-carboxylate (7b)	16
Ethyl 4(5)-(2-naphthyl)-1 <i>H</i> -imidazole-2-carboxylate (7c)	18
4(5)-Phenyl-1 <i>H</i> -imidazole-2-carboxylic acid (8a)	20
4(5)-(1-Naphthyl)-1 <i>H</i> -imidazole-2-carboxylic acid (8b)	21
4(5)-(2-Naphthyl)-1 <i>H</i> -imidazole-2-carboxylic acid (8c).....	23
<i>N</i> -(2,3,4,6-Tetra- <i>O</i> -acetyl- β -D-glucopyranosyl)-2-phenyl-1 <i>H</i> -imidazole-4(5)-carboxamide (10a)	25
<i>N</i> -(2,3,4,6-Tetra- <i>O</i> -acetyl- β -D-glucopyranosyl)-2-(1-naphthyl)-1 <i>H</i> -imidazole-4(5)-carboxamide (10b)	28
<i>N</i> -(2,3,4,6-Tetra- <i>O</i> -acetyl- β -D-glucopyranosyl)-2-(2-naphthyl)-1 <i>H</i> -imidazole-4(5)-carboxamide (10c)	31



<i>N</i> -(2,3,4,6-Tetra- <i>O</i> -acetyl- β -D-glucopyranosyl)-4(5)-phenyl-1 <i>H</i> -imidazole-2-carboxamide (11a)	34
<i>N</i> -(2,3,4,6-Tetra- <i>O</i> -acetyl- β -D-glucopyranosyl)-4(5)-(1-naphthyl)-1 <i>H</i> -imidazole-2-carboxamide (11b)	37
<i>N</i> -(2,3,4,6-Tetra- <i>O</i> -acetyl- β -D-glucopyranosyl)-4(5)-(2-naphthyl)-1 <i>H</i> -imidazole-2-carboxamide (11c).....	40
<i>N</i> -(β -D-Glucopyranosyl)-2-phenyl-1 <i>H</i> -imidazole-4(5)-carboxamide (1a)	43
<i>N</i> -(β -D-Glucopyranosyl)-2-(1-naphthyl)-1 <i>H</i> -imidazole-4(5)-carboxamide (1b).....	46
<i>N</i> -(β -D-Glucopyranosyl)-2-(2-naphthyl)-1 <i>H</i> -imidazole-4(5)-carboxamide (1c)	49
<i>N</i> -(β -D-Glucopyranosyl)-4(5)-phenyl-1 <i>H</i> -imidazole-2-carboxamide (2a)	52
<i>N</i> -(β -D-Glucopyranosyl)-4(5)-(1-naphthyl)-1 <i>H</i> -imidazole-2-carboxamide (2b).....	55
<i>N</i> -(β -D-Glucopyranosyl)-4(5)-(2-naphthyl)-1 <i>H</i> -imidazole-2-carboxamide (2c)	58



Ethyl 2-phenyl-1*H*-imidazole-4(5)-carboxylate (4a**)**








Ethyl 2-(1-naphthyl)-1*H*-imidazole-4(5)-carboxylate (4b**)**









Ethyl 2-(2-naphthyl)-1*H*-imidazole-4(5)-carboxylate (4c**)**









2-Phenyl-1*H*-imidazole-4(5)-carboxylic acid (5a**)**








2-(1-Naphthyl)-1*H*-imidazole-4(5)-carboxylic acid (5b**)**






2-(2-Naphthyl)-1*H*-imidazole-4(5)-carboxylic acid (5c**)**








Ethyl 4(5)-phenyl-1*H*-imidazole-2-carboxylate (7a**)**






Ethyl 4(5)-(1-naphthyl)-1*H*-imidazole-2-carboxylate (7b**)**






Ethyl 4(5)-(2-naphthyl)-1*H*-imidazole-2-carboxylate (7c**)**








4(5)-Phenyl-1*H*-imidazole-2-carboxylic acid (8a**)**







4(5)-(1-Naphthyl)-1*H*-imidazole-2-carboxylic acid (8b**)**








4(5)-(2-Naphthyl)-1*H*-imidazole-2-carboxylic acid (8c)







N-(2,3,4,6-Tetra-O-acetyl- β -D-glucopyranosyl)-2-phenyl-1*H*-imidazole-4(5)-carboxamide (10a)











N-(2,3,4,6-Tetra-O-acetyl- β -D-glucopyranosyl)-2-(1-naphthyl)-1*H*-imidazole-4(5)-carboxamide (10b)










N-(2,3,4,6-Tetra-O-acetyl- β -D-glucopyranosyl)-2-(2-naphthyl)-1*H*-imidazole-4(5)-carboxamide (10c)










N-(2,3,4,6-Tetra-O-acetyl- β -D-glucopyranosyl)-4(5)-phenyl-1*H*-imidazole-2-carboxamide (11a)











N-(2,3,4,6-Tetra-O-acetyl- β -D-glucopyranosyl)-4(5)-(1-naphthyl)-1H-imidazole-2-carboxamide (11b)











N-(2,3,4,6-Tetra-O-acetyl- β -D-glucopyranosyl)-4(5)-(2-naphthyl)-1H-imidazole-2-carboxamide (11c)











N-(β -D-Glucopyranosyl)-2-phenyl-1*H*-imidazole-4(5)-carboxamide (1a**)**










N-(β -D-Glucopyranosyl)-2-(1-naphthyl)-1*H*-imidazole-4(5)-carboxamide (**1b**)












N-(β -D-Glucopyranosyl)-2-(2-naphthyl)-1*H*-imidazole-4(5)-carboxamide (**1c**)











N-(β -D-Glucopyranosyl)-4(5)-phenyl-1*H*-imidazole-2-carboxamide (2a**)**










N-(β -D-Glucopyranosyl)-4(5)-(1-naphthyl)-1*H*-imidazole-2-carboxamide (2b)







N-(β -D-Glucopyranosyl)-4(5)-(2-naphthyl)-1*H*-imidazole-2-carboxamide (2c)

