

**Table S1:** Crude associations between demographics and physical activity variables in the analytic sample (N=255)

Median (Q1, Q3)				
	n	Total walking (min/wk.)	Total PA (min/wk.)	Total MVPA (min/wk.)
<b>Sex</b>				
Male	67	90 (0, 180)	540 (330, 810)	15 (0, 100)
Female	188	90 (0, 200)	525 (325, 787.50)	5 (0, 97.50)
P (ANOVA)		0.78	0.82	0.58
<b>Race/ethnicity</b>				
African American/Black, non-Hispanic	7	70 (0, 150)	385 (360, 680)	0 (0, 50)
Asian, non-Hispanic	40	85 (0, 170)	465 (282.5, 765)	30 (0, 155)
Native American, non-Hispanic	1	225	1435	70
White, non-Hispanic	154	90 (0, 210)	540 (330, 825)	0 (0, 90)
Refused race, non-Hispanic	1	30	650	80
Latino/Hispanic ethnicity	49	90 (0, 155)	495 (315, 765)	30 (0, 90)
Two or more/mixed race	3	120 (0, 280)	1080 (455, 1275)	270 (0, 310)
P (ANOVA)		0.29	0.02**	0.11
<b>Education</b>				
Less than high school	6	90 (0, 280)	315 (255, 840)	15 (0, 380)
High school or equivalent	43	80 (20, 180)	555 (350, 765)	30 (0, 90)
College	131	90 (0, 210)	495 (290, 825)	0 (0, 90)
Post-graduate	74	82.50 (0, 175)	525 (360, 735)	5 (0, 100)
Other	1	180	765	120
P (ANOVA)		0.75	0.83	0.44
<b>Participant age group</b>				
<65 years old	78	90 (0, 180)	540 (360, 765)	30 (0, 120)
Older adults (≥ 65)	177	90 (0, 180)	525 (325, 805)	0 (0, 90)
P (ANOVA)		0.78	0.82	0.58
<b>Education</b>				
Less than high school	6	90 (0, 280)	315 (255, 840)	15 (0, 380)
High school or equivalent	43	80 (20, 180)	555 (350, 765)	30 (0, 90)
College	131	90 (0, 210)	495 (290, 825)	0 (0, 90)
Post-graduate	74	82.50 (0, 175)	525 (360, 735)	5 (0, 100)
Other	1	180	765	120
P (ANOVA)		0.75	0.83	0.44
<b>Housing site</b>				
Site A	14	50 (0, 180)	495 (270, 825)	25 (0, 150)
Site B	15	125 (30, 210)	810 (360, 900)	0 (0, 60)
Site C	21	150 (0, 240)	450 (300, 630)	0 (0, 60)

<i>Site D</i>	14	170 (0, 315)	547.50 (375, 795)	40 (0, 120)
<i>Site E</i>	16	75 (0, 245)	667.50 (502.5, 832.50)	0 (0, 35)
<i>Site F</i>	15	60 (0, 330)	495 (360, 795)	0 (0, 180)
<i>Site G</i>	35	80 (20, 175)	480 (290, 720)	20 (0, 120)
<i>Site H</i>	32	42.50 (0, 125)	457.50 (195, 750)	50 (0, 100)
<i>Site I</i>	47	75 (20, 120)	545 (360, 845)	10 (0, 120)
<i>Site J</i>	46	100 (20, 160)	480 (285, 960)	37 (0, 120)
<i>P (ANOVA)</i>		<i>0.31</i>	<i>0.44</i>	<i>0.91</i>
<b>Annual income</b>				
<\$5,000	2	60 (0, 120)	812.5 (765, 860)	92.5 (0, 185)
\$5,000-9,999	5	0 (0, 60)	270 (255, 315)	0 (0, 0)
\$10,000-14,999	17	150 (0, 210)	765 (510, 965)	50 (0, 210)
\$15,000-24,999	27	105 (20, 270)	525 (330, 850)	0 (0, 60)
\$25,000-34,999	14	82.5 (0, 210)	315 (240, 885)	0 (0, 120)
\$35,000-49,999	24	115 (35, 280)	630 (395, 865)	25 (0, 105)
\$50,000-74,999	29	10 (0, 135)	450 (345, 615)	0 (0, 45)
>\$75,000	79	100 (30, 190)	525 (330, 735)	30 (0, 100)
<i>Don't know or refused</i>	58	72.5 (20, 140)	490 (325, 735)	42 (0, 130)
<i>P(ANOVA)</i>		<i>0.11</i>	<i>0.66</i>	<i>0.26</i>

**Abbreviations:** PA = physical activity; MVPA = moderate-to-vigorous physical activity; BMI = body mass index.

**Table S2:** Descriptive statistics of PARA measures

	Site A	Site B	Site C	Site D	Site E	Site F	Site G	Site H	Site I	Site J
<b>Total PARs, n</b>	21	34	32	26	42	14	28	45	18	33
<i>Park, trail, or green space, n (%)</i>	5 (24)	7 (21)	5 (16)	4 (15)	8 (19)	4 (29)	5 (18)	10 (22)	7 (39)	6 (18)
<i>Sports facility or fitness club, n (%)</i>	0 (0)	0 (0)	1 (3)	2 (8)	3 (7)	3 (21)	8 (29)	1 (2)	1 (6)	8 (24)
<i>Community center, n (%)</i>	3 (14)	6 (29)	2 (6)	5 (19)	8 (19)	0 (0)	4 (14)	3 (7)	1 (6)	2 (6)
<i>Church, n (%)</i>	8 (38)	13 (62)	12 (38)	12 (46)	11 (26)	3 (21)	3 (11)	15 (33)	4 (22)	4 (12)
<i>School, n (%)</i>	2 (10)	4 (19)	10 (31)	1 (4)	8 (19)	2 (14)	3 (11)	14 (31)	3 (17)	9 (27)
<i>Plaza, n (%)</i>	2 (10)	0 (0)	1 (3)	1 (4)	2 (5)	0 (0)	1 (4)	0 (0)	0 (0)	0 (0)
<i>Combination<sup>a</sup>, n (%)</i>	1 (5)	4 (19)	1 (3)	1 (4)	2 (5)	2 (14)	4 (14)	2 (4)	2 (11)	2 (6)
<b>Normalized mean scores for PARs audited<sup>b</sup>, range 0 to 3</b>										
<i>Features</i>	0.49	0.45	0.49	0.60	0.45	0.53	0.57	0.53	0.59	0.71
<i>Amenities</i>	1.13	1.26	1.33	1.31	1.21	1.15	1.39	1.16	1.02	1.43
<i>Incivilities</i>	0.30	0.49	0.35	0.32	0.43	0.38	0.32	0.46	0.24	0.33
<b>Mean counts of PARA elements</b>										
<i>Features</i>	2.14	2.35	2.31	2.65	2.02	2.43	2.57	2.42	2.67	3.24
<i>Amenities</i>	5.48	6.62	6.19	6.04	5.52	5.36	6.29	5.82	4.67	6.94
<i>Incivilities</i>	2.19	3.35	2.63	2.46	2.62	2.50	2.21	2.89	1.61	2.36
<b>Averages of PA outcomes (min/week), median (IQR)</b>										
<i>Walking</i>	50 (0, 180)	125 (30, 210)	150 (0, 240)	170 (0, 315)	75 (0, 245)	60 (0, 330)	80 (20, 175)	42.5 (0, 125)	75 (20, 120)	100 (20, 160)
<i>Total PA</i>	495 (270, 825)	810 (360, 900)	450 (300, 630)	547.5 (375, 795)	667.5 (502.5, 832.5)	495 (360, 795)	480 (290, 720)	457.5 (195, 750)	545 (360, 845)	480 (285, 960)
<i>MVPA</i>	25 (0, 150)	0 (0, 60)	0 (0, 60)	40 (0, 120)	0 (0, 35)	0 (0, 180)	20 (0, 120)	50 (0, 100)	10 (0, 120)	37 (0, 120)

**Abbreviations:** PARA = Physical Activity Resource Assessment; PARs = Physical activity resources; PA = Physical activity; MVPA = Moderate-to-vigorous physical activity

<sup>a</sup> “Combination” is used to describe a PAR that has a combination of two or more of the listed resources.

<sup>b</sup> Normalized mean scores were calculated by first calculating the mean of the items in each domain for each PAR and averaging across all of the PARs in a site to get an overall mean for each PARA domain. This results in scores on a scale of 0 to 3 for each domain.