

Supplementary material

Figure S1. Risk of bias assessment of randomized clinical trials of the SURPASS program. The assessment was targeted to the primary outcome (mean HbA1c change from baseline for all trials) with an intention-to-treat effect.

| Trial name | Study ID    | Experimental               | Comparator                | Outcome                         | D1 | D2 | D3 | D4 | D5 | Overall |
|------------|-------------|----------------------------|---------------------------|---------------------------------|----|----|----|----|----|---------|
| SURPASS-1  | NCT03954834 | Tirzepatide                | Placebo                   | Mean HbA1c change from baseline |    |    |    |    |    |         |
| SURPASS-2  | NCT03987919 | Tirzepatide                | Semaglutide               | Mean HbA1c change from baseline |    |    |    |    |    |         |
| SURPASS-3  | NCT03882970 | Tirzepatide                | DegludecU100              | Mean HbA1c change from baseline |    |    |    |    |    |         |
| SURPASS-4  | NCT03730662 | Tirzepatide                | GlargineU100              | Mean HbA1c change from baseline |    |    |    |    |    |         |
| SURPASS-5  | NCT04039503 | Tirzepatide + GlargineU100 | Placebo + GlargineU100    | Mean HbA1c change from baseline |    |    |    |    |    |         |
| SURPASS-6  | NCT04537923 | Tirzepatide + GlargineU100 | LisproU100 + GlargineU100 | Mean HbA1c change from baseline |    |    |    |    |    |         |



Low risk



Some concerns



High risk

D1 Randomization process

D2 Deviations from the intended interventions

D3 Missing outcome data

D4 Measurement of the outcome

D5 Selection of the reported result


**Figure S2. Graphical representation of the risk of bias assessment of randomized clinical trials of the SURPASS program. The assessment was targeted to the primary outcome (mean HbA1c change from baseline for all trials) with an intention-to-treat effect.**

| Randomization process | Deviations from intended interventions | Missing outcome data | Measurement of the outcome | Selection of the reported result | Overall bias |
|-----------------------|--|----------------------|----------------------------|----------------------------------|--------------|
|-----------------------|--|----------------------|----------------------------|----------------------------------|--------------|

Assignment to intervention (the 'intention-to-treat' effect)

Total number of studies = 6

|               |     |     |     |    |     |    |
|---------------|-----|-----|-----|----|-----|----|
| Low risk      | 100 | 100 | 100 | 50 | 100 | 50 |
| Some concerns | 0   | 0   | 0   | 50 | 0   | 50 |
| High risk     | 0   | 0   | 0   | 0  | 0   | 0  |



**Table S1. Data sheet of the risk of bias assessment of randomized clinical trials of the SURPASS program.**

|   |   |                   |  |                 |   |
|---|---|-------------------|--|-----------------|---|
| <b>Unique ID</b>  | SURPASS-1   | <b>Study ID</b>   | NCT03954834  | <b>Assessor</b> | GL  |
| <b>Ref or Label</b>                                       |   | <b>Aim</b>        | assignment to intervention (the 'intention-to-treat' effect) |                 |   |
| <b>Experimental</b>                                       | Tirzepatide   | <b>Comparator</b> | Placebo  | <b>Source</b>   | Journal article(s); Trial protocol; Non-commercial trial registry record (e.g. ClinicalTrials.gov record) |
| <b>Outcome</b>  | Mean HbA1c change from baseline   | <b>Results</b>    |  | <b>Weight</b>   | 1   |
|   |   |                   |  |                 |   |
| <b>Bias arising from the randomization process</b>        | 1.1 Was the allocation sequence random?   |                   | Y  |                 |   |
|   | 1.2 Was the allocation sequence concealed until participants were enrolled and assigned to interventions?                           |                   | Y  |                 |   |
|   | 1.3 Did baseline differences between intervention groups suggest a problem with the randomization process?                          |                   | N  |                 |   |
|   | <b>Risk of bias judgement</b>   |                   | <b>Low</b>   |                 |   |
| <b>Bias due to deviations from intended interventions</b> | 2.1. Were participants aware of their assigned intervention during the trial?   |                   | N  |                 |   |
|   | 2.2. Were carers and people delivering the interventions aware of participants' assigned intervention during the trial?             |                   | N  |                 |   |
|   | 2.3. If Y/PY/NI to 2.1 or 2.2: Were there deviations from the intended intervention that arose because of the experimental context? |                   | NA   |                 |   |
|   | 2.4 If Y/PY to 2.3: Were these deviations likely to have affected the outcome?  |                   | NA   |                 |   |
|   | 2.5. If Y/PY/NI to 2.4: Were these deviations from intended intervention balanced between groups?                                   |                   | NA   |                 |   |

|   |   |            |  |
|---|---|------------|--|
|   | 2.6 Was an appropriate analysis used to estimate the effect of assignment to intervention?  | PY         |  |
|   | 2.7 If N/PN/NI to 2.6: Was there potential for a substantial impact (on the result) of the failure to analyse participants in the group to which they were randomized?              | NA         |  |
|   | <b>Risk of bias judgement</b>   | <b>Low</b> |  |
| <b>Bias due to missing outcome data</b>         | 3.1 Were data for this outcome available for all, or nearly all, participants randomized?   | Y          |  |
|   | 3.2 If N/PN/NI to 3.1: Is there evidence that result was not biased by missing outcome data?  | NA         |  |
|   | 3.3 If N/PN to 3.2: Could missingness in the outcome depend on its true value?  | NA         |  |
|   | 3.4 If Y/PY/NI to 3.3: Is it likely that missingness in the outcome depended on its true value?   | NA         |  |
|   | <b>Risk of bias judgement</b>   | <b>Low</b> |  |
| <b>Bias in measurement of the outcome</b>       | 4.1 Was the method of measuring the outcome inappropriate?  | N          |  |
|   | 4.2 Could measurement or ascertainment of the outcome have differed between intervention groups?  | N          |  |
|   | 4.3 Were outcome assessors aware of the intervention received by study participants?  | N          |  |
|   | 4.4 If Y/PY/NI to 4.3: Could assessment of the outcome have been influenced by knowledge of intervention received?  | NA         |  |
|   | 4.5 If Y/PY/NI to 4.4: Is it likely that assessment of the outcome was influenced by knowledge of intervention received?  | NA         |  |
|   | <b>Risk of bias judgement</b>   | <b>Low</b> |  |
| <b>Bias in selection of the reported result</b> | 5.1 Were the data that produced this result analysed in accordance with a pre-specified analysis plan that was finalized before unblinded outcome data were available for analysis? | Y          |  |

|                     |   |            |  |
|---------------------|---|------------|--|
|                     | 5.2 ... multiple eligible outcome measurements (e.g. scales, definitions, time points) within the outcome domain? | N          |  |
|                     | 5.3 ... multiple eligible analyses of the data?   | N          |  |
|                     | <b>Risk of bias judgement</b>   | <b>Low</b> |  |
| <b>Overall bias</b> | <b>Risk of bias judgement</b>   | <b>Low</b> |  |

|  |  |                   |  |                 |   |
|--|--|-------------------|--|-----------------|---|
| <b>Unique ID</b>                                   | SURPASS-2  | <b>Study ID</b>   | NCT03987919  | <b>Assessor</b> | GL  |
| <b>Ref or Label</b>                                |  | <b>Aim</b>        | assignment to intervention (the 'intention-to-treat' effect) |                 |   |
| <b>Experimental</b>                                | Tirzepatide  | <b>Comparator</b> | Semaglutide  | <b>Source</b>   | Journal article(s); Trial protocol; Non-commercial trial registry record (e.g. ClinicalTrials.gov record) |
| <b>Outcome</b>                                     | Mean HbA1c change from baseline  | <b>Results</b>    |  | <b>Weight</b>   | 1   |
|  |  |                   |  |                 |   |
| <b>Bias arising from the randomization process</b> | 1.1 Was the allocation sequence random?  |                   | Y  |                 |   |
|  | 1.2 Was the allocation sequence concealed until participants were enrolled and assigned to interventions?  |                   | Y  |                 |   |
|  | 1.3 Did baseline differences between intervention groups suggest a problem with the randomization process? |                   | N  |                 |   |
|  | <b>Risk of bias judgement</b>  |                   | <b>Low</b>   |                 |   |

|   |  |            |  |
|---|--|------------|--|
| <b>Bias due to deviations from intended interventions</b> | 2.1. Were participants aware of their assigned intervention during the trial?  | N          |  |
|   | 2.2. Were carers and people delivering the interventions aware of participants' assigned intervention during the trial?  | N          |  |
|   | 2.3. If Y/PY/NI to 2.1 or 2.2: Were there deviations from the intended intervention that arose because of the experimental context?                                    | NA         |  |
|   | 2.4 If Y/PY to 2.3: Were these deviations likely to have affected the outcome?   | NA         |  |
|   | 2.5. If Y/PY/NI to 2.4: Were these deviations from intended intervention balanced between groups?  | NA         |  |
|   | 2.6 Was an appropriate analysis used to estimate the effect of assignment to intervention?   | Y          |  |
|   | 2.7 If N/PN/NI to 2.6: Was there potential for a substantial impact (on the result) of the failure to analyse participants in the group to which they were randomized? | NA         |  |
|   | <b>Risk of bias judgement</b>  | <b>Low</b> |  |
| <b>Bias due to missing outcome data</b>                   | 3.1 Were data for this outcome available for all, or nearly all, participants randomized?  | Y          |  |
|   | 3.2 If N/PN/NI to 3.1: Is there evidence that result was not biased by missing outcome data?   | NA         |  |
|   | 3.3 If N/PN to 3.2: Could missingness in the outcome depend on its true value?   | NA         |  |
|   | 3.4 If Y/PY/NI to 3.3: Is it likely that missingness in the outcome depended on its true value?  | NA         |  |
|   | <b>Risk of bias judgement</b>  | <b>Low</b> |  |
| <b>Bias in measurement of the outcome</b>                 | 4.1 Was the method of measuring the outcome inappropriate?   | N          |  |
|   | 4.2 Could measurement or ascertainment of the outcome have differed between intervention groups?   | N          |  |

|   |   |            |  |
|---|---|------------|--|
|   | 4.3 Were outcome assessors aware of the intervention received by study participants?  | N          |  |
|   | 4.4 If Y/PY/NI to 4.3: Could assessment of the outcome have been influenced by knowledge of intervention received?  | NA         |  |
|   | 4.5 If Y/PY/NI to 4.4: Is it likely that assessment of the outcome was influenced by knowledge of intervention received?  | NA         |  |
|   | <b>Risk of bias judgement</b>   | <b>Low</b> |  |
| <b>Bias in selection of the reported result</b> | 5.1 Were the data that produced this result analysed in accordance with a pre-specified analysis plan that was finalized before unblinded outcome data were available for analysis? | Y          |  |
|   | 5.2 ... multiple eligible outcome measurements (e.g. scales, definitions, time points) within the outcome domain?   | N          |  |
|   | 5.3 ... multiple eligible analyses of the data?   | N          |  |
|   | <b>Risk of bias judgement</b>   | <b>Low</b> |  |
| <b>Overall bias</b>                             | <b>Risk of bias judgement</b>   | <b>Low</b> |  |

|                     |                                 |                   |  |                 |   |
|---------------------|---------------------------------|-------------------|--|-----------------|---|
| <b>Unique ID</b>    | SURPASS-3                       | <b>Study ID</b>   | NCT03882970  | <b>Assessor</b> | ADT, GL   |
| <b>Ref or Label</b> |                                 | <b>Aim</b>        | assignment to intervention (the 'intention-to-treat' effect) |                 |   |
| <b>Experimental</b> | Tirzepatide                     | <b>Comparator</b> | DegludecU100   | <b>Source</b>   | Journal article(s); Trial protocol; Non-commercial trial registry record (e.g. ClinicalTrials.gov record) |
| <b>Outcome</b>      | Mean HbA1c change from baseline | <b>Results</b>    |  | <b>Weight</b>   | 1   |

|   |  |            |  |
|---|--|------------|--|
|   |  |            |  |
| <b>Bias arising from the randomization process</b>        | 1.1 Was the allocation sequence random?  | Y          |  |
|   | 1.2 Was the allocation sequence concealed until participants were enrolled and assigned to interventions?  | PY         |  |
|   | 1.3 Did baseline differences between intervention groups suggest a problem with the randomization process?   | N          |  |
|   | <b>Risk of bias judgement</b>  | <b>Low</b> |  |
| <b>Bias due to deviations from intended interventions</b> | 2.1. Were participants aware of their assigned intervention during the trial?  | Y          |  |
|   | 2.2. Were carers and people delivering the interventions aware of participants' assigned intervention during the trial?  | Y          |  |
|   | 2.3. If Y/PY/NI to 2.1 or 2.2: Were there deviations from the intended intervention that arose because of the experimental context?                                    | PN         |  |
|   | 2.4 If Y/PY to 2.3: Were these deviations likely to have affected the outcome?   | NA         |  |
|   | 2.5. If Y/PY/NI to 2.4: Were these deviations from intended intervention balanced between groups?  | NA         |  |
|   | 2.6 Was an appropriate analysis used to estimate the effect of assignment to intervention?   | PY         |  |
|   | 2.7 If N/PN/NI to 2.6: Was there potential for a substantial impact (on the result) of the failure to analyse participants in the group to which they were randomized? | NA         |  |
|   | <b>Risk of bias judgement</b>  | <b>Low</b> |  |
| <b>Bias due to missing outcome data</b>                   | 3.1 Were data for this outcome available for all, or nearly all, participants randomized?  | Y          |  |
|   | 3.2 If N/PN/NI to 3.1: Is there evidence that result was not biased by missing outcome data?   | NA         |  |

|   |   |                      |  |
|---|---|----------------------|--|
|   | 3.3 If N/PN to 3.2: Could missingness in the outcome depend on its true value?  | NA                   |  |
|   | 3.4 If Y/PY/NI to 3.3: Is it likely that missingness in the outcome depended on its true value?   | NA                   |  |
|   | <b>Risk of bias judgement</b>   | <b>Low</b>           |  |
| <b>Bias in measurement of the outcome</b>       | 4.1 Was the method of measuring the outcome inappropriate?  | N                    |  |
|   | 4.2 Could measurement or ascertainment of the outcome have differed between intervention groups?  | N                    |  |
|   | 4.3 Were outcome assessors aware of the intervention received by study participants?  | Y                    |  |
|   | 4.4 If Y/PY/NI to 4.3: Could assessment of the outcome have been influenced by knowledge of intervention received?  | NI                   |  |
|   | 4.5 If Y/PY/NI to 4.4: Is it likely that assessment of the outcome was influenced by knowledge of intervention received?  | PN                   |  |
|   | <b>Risk of bias judgement</b>   | <b>Some concerns</b> |  |
| <b>Bias in selection of the reported result</b> | 5.1 Were the data that produced this result analysed in accordance with a pre-specified analysis plan that was finalized before unblinded outcome data were available for analysis? | Y                    |  |
|   | 5.2 ... multiple eligible outcome measurements (e.g. scales, definitions, time points) within the outcome domain?   | N                    |  |
|   | 5.3 ... multiple eligible analyses of the data?   | N                    |  |
|   | <b>Risk of bias judgement</b>   | <b>Low</b>           |  |
| <b>Overall bias</b>                             | <b>Risk of bias judgement</b>   | <b>Some concerns</b> |  |

|   |   |                   |  |                 |    |
|---|---|-------------------|--|-----------------|----|
| <b>Unique ID</b>  | SURPASS-4   | <b>Study ID</b>   | NCT03730662  | <b>Assessor</b> | GL |
| <b>Ref or Label</b>                                       |   | <b>Aim</b>        | assignment to intervention (the 'intention-to-treat' effect) |                 |    |
| <b>Experimental</b>                                       | Tirzepatide   | <b>Comparator</b> | GlargineU100   | <b>Source</b>   |    |
| <b>Outcome</b>  | Mean HbA1c change from baseline   | <b>Results</b>    |  | <b>Weight</b>   | 1  |
|   |   |                   |  |                 |    |
| <b>Bias arising from the randomization process</b>        | 1.1 Was the allocation sequence random?   |                   |  | Y               |    |
|   | 1.2 Was the allocation sequence concealed until participants were enrolled and assigned to interventions?                           |                   |  | Y               |    |
|   | 1.3 Did baseline differences between intervention groups suggest a problem with the randomization process?                          |                   |  | N               |    |
|   | <b>Risk of bias judgement</b>   |                   |  | <b>Low</b>      |    |
| <b>Bias due to deviations from intended interventions</b> | 2.1. Were participants aware of their assigned intervention during the trial?   |                   |  | Y               |    |
|   | 2.2. Were carers and people delivering the interventions aware of participants' assigned intervention during the trial?             |                   |  | Y               |    |
|   | 2.3. If Y/PY/NI to 2.1 or 2.2: Were there deviations from the intended intervention that arose because of the experimental context? |                   |  | PN              |    |
|   | 2.4 If Y/PY to 2.3: Were these deviations likely to have affected the outcome?  |                   |  | NA              |    |
|   | 2.5. If Y/PY/NI to 2.4: Were these deviations from intended intervention balanced between groups?                                   |                   |  | NA              |    |

|   |   |                      |  |
|---|---|----------------------|--|
|   | 2.6 Was an appropriate analysis used to estimate the effect of assignment to intervention?  | Y                    |  |
|   | 2.7 If N/PN/NI to 2.6: Was there potential for a substantial impact (on the result) of the failure to analyse participants in the group to which they were randomized?              | NA                   |  |
|   | <b>Risk of bias judgement</b>   | <b>Low</b>           |  |
| <b>Bias due to missing outcome data</b>         | 3.1 Were data for this outcome available for all, or nearly all, participants randomized?   | Y                    |  |
|   | 3.2 If N/PN/NI to 3.1: Is there evidence that result was not biased by missing outcome data?  | NA                   |  |
|   | 3.3 If N/PN to 3.2: Could missingness in the outcome depend on its true value?  | NA                   |  |
|   | 3.4 If Y/PY/NI to 3.3: Is it likely that missingness in the outcome depended on its true value?   | NA                   |  |
|   | <b>Risk of bias judgement</b>   | <b>Low</b>           |  |
| <b>Bias in measurement of the outcome</b>       | 4.1 Was the method of measuring the outcome inappropriate?  | N                    |  |
|   | 4.2 Could measurement or ascertainment of the outcome have differed between intervention groups?  | N                    |  |
|   | 4.3 Were outcome assessors aware of the intervention received by study participants?  | Y                    |  |
|   | 4.4 If Y/PY/NI to 4.3: Could assessment of the outcome have been influenced by knowledge of intervention received?  | NI                   |  |
|   | 4.5 If Y/PY/NI to 4.4: Is it likely that assessment of the outcome was influenced by knowledge of intervention received?  | PN                   |  |
|   | <b>Risk of bias judgement</b>   | <b>Some concerns</b> |  |
| <b>Bias in selection of the reported result</b> | 5.1 Were the data that produced this result analysed in accordance with a pre-specified analysis plan that was finalized before unblinded outcome data were available for analysis? | Y                    |  |

|                     |   |                      |  |
|---------------------|---|----------------------|--|
|                     | 5.2 ... multiple eligible outcome measurements (e.g. scales, definitions, time points) within the outcome domain? | N                    |  |
|                     | 5.3 ... multiple eligible analyses of the data?   | N                    |  |
|                     | <b>Risk of bias judgement</b>   | <b>Low</b>           |  |
| <b>Overall bias</b> | <b>Risk of bias judgement</b>   | <b>Some concerns</b> |  |

|  |  |                   |  |                 |   |
|--|--|-------------------|--|-----------------|---|
| <b>Unique ID</b>                                   | SURPASS-5  | <b>Study ID</b>   | NCT04039503  | <b>Assessor</b> | GL  |
| <b>Ref or Label</b>                                |  | <b>Aim</b>        | assignment to intervention (the 'intention-to-treat' effect) |                 |   |
| <b>Experimental</b>                                | Tirzepatide + GlargineU100   | <b>Comparator</b> | Placebo + GlargineU100                                       | <b>Source</b>   | Journal article(s); Trial protocol; Non-commercial trial registry record (e.g. ClinicalTrials.gov record) |
| <b>Outcome</b>                                     | Mean HbA1c change from baseline  | <b>Results</b>    |  | <b>Weight</b>   | 1   |
|  |  |                   |  |                 |   |
| <b>Bias arising from the randomization process</b> | 1.1 Was the allocation sequence random?  |                   | Y  |                 |   |
|  | 1.2 Was the allocation sequence concealed until participants were enrolled and assigned to interventions?  |                   | Y  |                 |   |
|  | 1.3 Did baseline differences between intervention groups suggest a problem with the randomization process? |                   | N  |                 |   |
|  | <b>Risk of bias judgement</b>  |                   | <b>Low</b>   |                 |   |

|   |  |            |  |
|---|--|------------|--|
| <b>Bias due to deviations from intended interventions</b> | 2.1. Were participants aware of their assigned intervention during the trial?  | N          |  |
|   | 2.2. Were carers and people delivering the interventions aware of participants' assigned intervention during the trial?  | N          |  |
|   | 2.3. If Y/PY/NI to 2.1 or 2.2: Were there deviations from the intended intervention that arose because of the experimental context?                                    | NA         |  |
|   | 2.4 If Y/PY to 2.3: Were these deviations likely to have affected the outcome?   | NA         |  |
|   | 2.5. If Y/PY/NI to 2.4: Were these deviations from intended intervention balanced between groups?  | NA         |  |
|   | 2.6 Was an appropriate analysis used to estimate the effect of assignment to intervention?   | Y          |  |
|   | 2.7 If N/PN/NI to 2.6: Was there potential for a substantial impact (on the result) of the failure to analyse participants in the group to which they were randomized? | NA         |  |
|   | <b>Risk of bias judgement</b>  | <b>Low</b> |  |
| <b>Bias due to missing outcome data</b>                   | 3.1 Were data for this outcome available for all, or nearly all, participants randomized?  | Y          |  |
|   | 3.2 If N/PN/NI to 3.1: Is there evidence that result was not biased by missing outcome data?   | NA         |  |
|   | 3.3 If N/PN to 3.2: Could missingness in the outcome depend on its true value?   | NA         |  |
|   | 3.4 If Y/PY/NI to 3.3: Is it likely that missingness in the outcome depended on its true value?  | NA         |  |
|   | <b>Risk of bias judgement</b>  | <b>Low</b> |  |
| <b>Bias in measurement of the outcome</b>                 | 4.1 Was the method of measuring the outcome inappropriate?   | N          |  |
|   | 4.2 Could measurement or ascertainment of the outcome have differed between intervention groups?   | N          |  |

|   |   |            |  |
|---|---|------------|--|
|   | 4.3 Were outcome assessors aware of the intervention received by study participants?  | N          |  |
|   | 4.4 If Y/PY/NI to 4.3: Could assessment of the outcome have been influenced by knowledge of intervention received?  | NA         |  |
|   | 4.5 If Y/PY/NI to 4.4: Is it likely that assessment of the outcome was influenced by knowledge of intervention received?  | NA         |  |
|   | <b>Risk of bias judgement</b>   | <b>Low</b> |  |
| <b>Bias in selection of the reported result</b> | 5.1 Were the data that produced this result analysed in accordance with a pre-specified analysis plan that was finalized before unblinded outcome data were available for analysis? | Y          |  |
|   | 5.2 ... multiple eligible outcome measurements (e.g. scales, definitions, time points) within the outcome domain?   | N          |  |
|   | 5.3 ... multiple eligible analyses of the data?   | N          |  |
|   | <b>Risk of bias judgement</b>   | <b>Low</b> |  |
| <b>Overall bias</b>                             | <b>Risk of bias judgement</b>   | <b>Low</b> |  |

|                     |                                 |                   |  |                 |  |
|---------------------|---------------------------------|-------------------|--|-----------------|--|
| <b>Unique ID</b>    | SURPASS-6                       | <b>Study ID</b>   | NCT04537923  | <b>Assessor</b> | ADT, GL  |
| <b>Ref or Label</b> |                                 | <b>Aim</b>        | assignment to intervention (the 'intention-to-treat' effect) |                 |  |
| <b>Experimental</b> | Tirzepatide                     | <b>Comparator</b> | LisproU100   | <b>Source</b>   | Journal article(s); Statistical analysis plan (SAP); Non-commercial trial registry record (e.g. ClinicalTrials.gov record) |
| <b>Outcome</b>      | Mean HbA1c change from baseline | <b>Results</b>    |  | <b>Weight</b>   | 1  |

|   |  |            |  |
|---|--|------------|--|
|   |  |            |  |
| <b>Bias arising from the randomization process</b>        | 1.1 Was the allocation sequence random?  | Y          |  |
|   | 1.2 Was the allocation sequence concealed until participants were enrolled and assigned to interventions?  | PY         |  |
|   | 1.3 Did baseline differences between intervention groups suggest a problem with the randomization process?   | N          |  |
|   | <b>Risk of bias judgement</b>  | <b>Low</b> |  |
| <b>Bias due to deviations from intended interventions</b> | 2.1. Were participants aware of their assigned intervention during the trial?  | Y          |  |
|   | 2.2. Were carers and people delivering the interventions aware of participants' assigned intervention during the trial?  | Y          |  |
|   | 2.3. If Y/PY/NI to 2.1 or 2.2: Were there deviations from the intended intervention that arose because of the experimental context?                                    | PN         |  |
|   | 2.4 If Y/PY to 2.3: Were these deviations likely to have affected the outcome?   | NA         |  |
|   | 2.5. If Y/PY/NI to 2.4: Were these deviations from intended intervention balanced between groups?  | NA         |  |
|   | 2.6 Was an appropriate analysis used to estimate the effect of assignment to intervention?   | Y          |  |
|   | 2.7 If N/PN/NI to 2.6: Was there potential for a substantial impact (on the result) of the failure to analyse participants in the group to which they were randomized? | NA         |  |
|   | <b>Risk of bias judgement</b>  | <b>Low</b> |  |
| <b>Bias due to missing outcome data</b>                   | 3.1 Were data for this outcome available for all, or nearly all, participants randomized?  | Y          |  |
|   | 3.2 If N/PN/NI to 3.1: Is there evidence that result was not biased by missing outcome data?   | NA         |  |

|   |   |                      |  |
|---|---|----------------------|--|
|   | 3.3 If N/PN to 3.2: Could missingness in the outcome depend on its true value?  | NA                   |  |
|   | 3.4 If Y/PY/NI to 3.3: Is it likely that missingness in the outcome depended on its true value?   | NA                   |  |
|   | <b>Risk of bias judgement</b>   | <b>Low</b>           |  |
| <b>Bias in measurement of the outcome</b>       | 4.1 Was the method of measuring the outcome inappropriate?  | N                    |  |
|   | 4.2 Could measurement or ascertainment of the outcome have differed between intervention groups?  | N                    |  |
|   | 4.3 Were outcome assessors aware of the intervention received by study participants?  | Y                    |  |
|   | 4.4 If Y/PY/NI to 4.3: Could assessment of the outcome have been influenced by knowledge of intervention received?  | NI                   |  |
|   | 4.5 If Y/PY/NI to 4.4: Is it likely that assessment of the outcome was influenced by knowledge of intervention received?  | PN                   |  |
|   | <b>Risk of bias judgement</b>   | <b>Some concerns</b> |  |
| <b>Bias in selection of the reported result</b> | 5.1 Were the data that produced this result analysed in accordance with a pre-specified analysis plan that was finalized before unblinded outcome data were available for analysis? | Y                    |  |
|   | 5.2 ... multiple eligible outcome measurements (e.g. scales, definitions, time points) within the outcome domain?   | N                    |  |
|   | 5.3 ... multiple eligible analyses of the data?   | N                    |  |
|   | <b>Risk of bias judgement</b>   | <b>Low</b>           |  |
| <b>Overall bias</b>                             | <b>Risk of bias judgement</b>   | <b>Some concerns</b> |  |