

CONSORT 2010 checklist of information to include when reporting a randomised trial*

Section/Topic	Item No	Checklist item	Reported on page No
Title and abstract			
	1a	Identification as a randomised trial in the title	1
	1b	Structured summary of trial design, methods, results, and conclusions (for specific guidance see CONSORT for abstracts)	1-2
Introduction			
Background and objectives	2a	Scientific background and explanation of rationale	2
	2b	Specific objectives or hypotheses	2
Methods			
Trial design	3a	Description of trial design (such as parallel, factorial) including allocation ratio	3
	3b	Important changes to methods after trial commencement (such as eligibility criteria), with reasons	3-4
Participants	4a	Eligibility criteria for participants	3
	4b	Settings and locations where the data were collected	3
Interventions	5	The interventions for each group with sufficient details to allow replication, including how and when they were administered	5
Outcomes	6a	Completely defined pre-specified primary and secondary outcome measures, including how and when they were assessed	6
	6b	Any changes to trial outcomes after the trial commenced, with reasons	5
Sample size	7a	How sample size was determined	4
	7b	When applicable, explanation of any interim analyses and stopping guidelines	-
Randomisation:			
Sequence generation	8a	Method used to generate the random allocation sequence	-
	8b	Type of randomisation; details of any restriction (such as blocking and block size)	-
Allocation concealment mechanism	9	Mechanism used to implement the random allocation sequence (such as sequentially numbered containers), describing any steps taken to conceal the sequence until interventions were assigned	-
Implementation	10	Who generated the random allocation sequence, who enrolled participants, and who assigned participants to interventions	-
Blinding	11a	If done, who was blinded after assignment to interventions (for example, participants, care providers, those assessing outcomes) and how	5
	11b	If relevant, description of the similarity of interventions	-
Statistical methods	12a	Statistical methods used to compare groups for primary and secondary outcomes	4
	12b	Methods for additional analyses, such as subgroup analyses and adjusted analyses	4
Results			

Participant flow (a diagram is strongly recommended)	13a	For each group, the numbers of participants who were randomly assigned, received intended treatment, and were analysed for the primary outcome	5
	13b	For each group, losses and exclusions after randomisation, together with reasons	5
Recruitment	14a	Dates defining the periods of recruitment and follow-up	5
	14b		
Baseline data	15	A table showing baseline demographic and clinical characteristics for each group	6
Numbers analysed	16	For each group, number of participants (denominator) included in each analysis and whether the analysis was by original assigned groups	4-5
Outcomes and estimation	17a	For each primary and secondary outcome, results for each group, and the estimated effect size and its precision (such as 95% confidence interval)	6-9
	17b	For binary outcomes, presentation of both absolute and relative effect sizes is recommended	-
Ancillary analyses	18	Results of any other analyses performed, including subgroup analyses and adjusted analyses, distinguishing pre-specified from exploratory	8-10
Harms	19	All important harms or unintended effects in each group (for specific guidance see CONSORT for harms)	-
Discussion			
Limitations	20	Trial limitations, addressing sources of potential bias, imprecision, and, if relevant, multiplicity of analyses	10
Generalisability	21	Generalisability (external validity, applicability) of the trial findings	10
Interpretation	22	Interpretation consistent with results, balancing benefits and harms, and considering other relevant evidence	10
Other information			
Registration	23	Registration number and name of trial registry	3
Protocol	24	Where the full trial protocol can be accessed, if available	related files
Funding	25	Sources of funding and other support (such as supply of drugs), role of funders	1

*Reference: www.consort-statement.org.

Supplement S1: Consort checklist

	non-VTI growth (n=17)	VTI growth (n=24)	p
Pre A (cm)	9.1 (7.7)	8.8 (5.3)	0.434
Pre S (cm)	12.2 (9.9)	13.9 (9.9)	0.275
Pre V (cm)	6.4 (4.3)	5.3 (4.5)	0.209

Pre D (cm)	8.6 (4.2)	13.3 (6.7)	0.026
Pre VTI ratio	1.01 (0.02)	0.59 (0.01)	0.098
Post A (cm)	8.5 (5.7)	9.8 (5.6)	0.239
Post S (cm)	14.6 (9.0)	12.4 (8.1)	0.22
Post V (cm)	6.9 (4.1)	7.5 (6.6)	0.375
Post D (cm)	10.1 (7.3)	10.1 (6.9)	0.425
Post VTI ratio	0.65 (0.03)	0.91 (0.03)	0.087
Delta A (cm)	-0.64 (0.01)	0.99 (0.05)	0.08
Delta S (cm)	2.5 (1.1)	-1.4 (0.02)	0.08
Delta V (cm)	-0.01 (0.01)	2.28 (1.2)	0.117
Delta D (cm)	1.3 (0.2)	-2.2 (1.2)	0.007
Delta VTI ratio	-0.35 (0.01)	0.31 (0.02)	0.002

Pre: Preoperative

Post: Postoperative

Supplement S2: Hepatic venous flow

	non-VTI growth (n=17)	VTI growth (n=24)	p	non-VTI growth (n=17)	VTI growth (n=24)	p
	Preoperative			Postoperative		
Creatinine (mmol/l)	83.2 (13.3)	85.5 (9.8)	0.381	78.1 (21.2)	93.5 (38.7)	0.07
BUN (umol/l)	5.9 (1.9)	6.3 (4.3)	0.235	4.75 (3.2)	6.4 (2.3)	0.02
AST (U/l)	22.1 (4.3)	34.1 (10.1)	0.135	55.6 (19.8)	47.5 (19.9)	0.297

ALT (U/l)	20.3 (11.1)	22.8 (4.9)	0.303	24.1 (10.1)	18.5 (8.9)	0.103
Bilirubin (umol/l)	11.04 (6.1)	11.07 (7.1)	0.462	11.3 (6.2)	11.1 (5.9)	0.368
GGT (U/l)	35.5 (11.1)	32.9 (13.2)	0.103	43.4 (9.1)	22.8 (8.9)	0.301
GFR (ml/min/1.73 m2)	71.2 (13.4)	65.3 (23.3)	0.112	74.4 (14.3)	55.1 (19.8)	0.001

BUN: blood urea nitrogen

GFR: glomerular filtration rate

AST: aspartate aminotransferase

ALT: alanine aminotransferase

GGT: gamma-glutamyl transferase

GFR: glomerular filtration rate

Supplement S3: Laboratory parameters (mean or median (IQR or SD))