

Correction

Correction: Chen et al. Hemodynamic Effects of Subaortic Stenosis on Blood Flow Characteristics of a Mechanical Heart Valve Based on OpenFOAM Simulation. *Bioengineering* 2023, 10, 312

Aolin Chen ¹, Adi Azriff Basri ², Norzian Bin Ismail ³ and Kamarul Arifin Ahmad ^{2,*}

¹ Department of Mechanical Engineering, Faculty of Engineering, University Putra Malaysia, Serdang 43400, Selangor, Malaysia

² Department of Aerospace Engineering, Faculty of Engineering, University Putra Malaysia, Serdang 43400, Selangor, Malaysia

³ Department of Medicine, Faculty of Medicine and Health Sciences, University Putra Malaysia, Serdang 43400, Selangor, Malaysia

* Correspondence: aekamarul@upm.edu.my

In the original publication [1], there was a mistake in relation to the cited Reference [16] (Vickers, N.J., 2017 [2]), which has been replaced by the work of Guivier et al., 2007 [3], and the order of references remains the same.

The authors state that the scientific conclusions are unaffected. This correction was approved by the Academic Editor. The original publication has also been updated.

References

1. Chen, A.; Azriff Basri, A.; Ismail, N.B.; Arifin Ahmad, K. Hemodynamic Effects of Subaortic Stenosis on Blood Flow Characteristics of a Mechanical Heart Valve Based on OpenFOAM Simulation. *Bioengineering* **2023**, *10*, 312. [[CrossRef](#)] [[PubMed](#)]
2. Vickers, N.J. Animal communication: When I'm calling you, will you answer too? *Curr. Biol.* **2017**, *27*, R713–R715. [[CrossRef](#)] [[PubMed](#)]
3. Guivier, C.; Deplano, V.; Pibarot, P. New insights into the assessment of the prosthetic valve performance in the presence of subaortic stenosis through a fluid–structure interaction model. *J. Biomech.* **2007**, *40*, 2283–2290. [[CrossRef](#)] [[PubMed](#)]

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.



Citation: Chen, A.; Azriff Basri, A.; Ismail, N.B.; Arifin Ahmad, K. Correction: Chen et al. Hemodynamic Effects of Subaortic Stenosis on Blood Flow Characteristics of a Mechanical Heart Valve Based on OpenFOAM Simulation. *Bioengineering* **2023**, *10*, 312. *Bioengineering* **2024**, *11*, 495. <https://doi.org/10.3390/bioengineering11050495>

Received: 8 March 2024

Accepted: 9 April 2024

Published: 16 May 2024



Copyright: © 2024 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).