


¹H-NMR spectroscopy for 3 β -Hydroxy-8 β -[4'-hydroxytigloyloxy]-costunolide.





Current Data Parameters
 NAME 120429-BF2
 EXPNO 1
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20120429
 Time 15.33
 INSTRUM spect
 PROBHD 5 mm PABBO BB-
 PULPROG zg
 TD 32768
 SOLVENT CDCl3
 NS 6
 DS 0
 SWH 6009.615 Hz
 FIDRES 0.183399 Hz
 AQ 2.7263477 sec
 RG 101
 DW 83.200 usec
 DE 6.00 usec
 TE 298.7 K
 D1 5.00000000 sec
 TDO 1

===== CHANNEL f1 =====
 NUC1 1H
 P1 14.50 usec
 PL1 3.50 dB
 SFO1 400.1326008 MHz

F2 - Processing parameters
 SI 16384
 SF 400.1300085 MHz
 WDW EM
 SSB 0
 LB 1.00 Hz
 GB 0
 PC 1.00

¹H-NMR spectroscopy for eupalinolide A.


¹H-NMR spectroscopy for eupalinolide B.

Current Data Parameters
 NAME 120429-BF-A5
 EXPNO 1
 PROCNO 1


F2 - Acquisition Parameters
 Date 20120429
 Time 15.48
 INSTRUM spect
 PROBHD 5 mm PABBO BB-
 PULPROG zg
 TD 32768
 SOLVENT CDCl3
 NS 6
 DS 0
 SWH 6009.615 Hz
 FIDRES 0.183399 Hz
 AQ 2.7263477 sec
 RG 45.2
 DW 83.200 usec
 DE 6.00 usec
 TE 298.6 K
 D1 5.0000000 sec
 TDO 1

===== CHANNEL f1 =====
 NUC1 1H
 P1 14.50 usec
 PLL 3.50 dB
 SFO1 400.1326008 MHz

F2 - Processing parameters
 SI 16384
 SF 400.1300000 MHz
 WDW EM
 SSB 0
 LB 1.00 Hz
 GB 0
 PC 1.00

Mass spectrogram for 3 β -Hydroxy-8 β -[4'-hydroxytigloyloxy]-costunolide.

Mass spectrogram for eupalinolide A.



Mass spectrogram for eupalinolide B.

