Supporting Information





Figure S2. ¹³C-NMR spectrum (125 MHz) of Davinvolunic acid A (1) in CDCl₃ and CD₃OD (10:1).





Figure S3. MALDI-TOF-MS spectrum of Davinvolunic acid A (1).



Figure S4. ¹H-NMR spectrum (500 MHz) of Davinvolunic acid B (2) in CDCl₃ and CD₃OD (10:1).







Figure S6. MALDI-TOF-MS spectrum of Davinvolunic acid B (2).



Figure S7. ¹H-NMR spectrum (400 MHz) of Davinvolunic acid C (3) in CDCl₃ and CD₃OD (10:1).



Figure S8. ¹³C-NMR spectrum (100 MHz) of Davinvolunic acid C (3) in CDCl₃ and CD₃OD (10:1).



Figure S9. MALDI-TOF-MS spectrum of Davinvolunic acid C (3).



Figure S10. ¹H-NMR spectrum (500 MHz) of Euscaphic acid (4) in C₅D₅N.



Figure S11. ¹³C-NMR spectrum (125 MHz) of Euscaphic acid (4) in C_5D_5N .



Figure S12. ¹H-NMR spectrum (500 MHz) of Myrianthic acid (5) in C_5D_5N .



Figure S13. ¹³C-NMR spectrum (125 MHz) of Myrianthic acid (5) in C_5D_5N .



Figure S14. ¹H-NMR spectrum (400 MHz) of Lupeol (6) in CDCl₃ and CD₃OD (10:1).



Figure S15. ¹³C-NMR spectrum (100 MHz) of Lupeol (6) in CDCl₃ and CD₃OD (10:1).



Figure S16. ¹H-NMR spectrum (400 MHz) of Betulin (7) in CDCl₃ and CD₃OD (10:1).



Figure S17. ¹³C-NMR spectrum (100 MHz) of Betulin (7) in CDCl₃ and CD₃OD (10:1).



Figure S18. ¹H-NMR spectrum (400 MHz) of Betulinic acid (8) in CDCl₃ and CD₃OD (10:1).



Figure S19. ¹³C-NMR spectrum (100 MHz) of Betulinic acid (8) in CDCl₃ and CD₃OD (10:1).



Figure S20. ¹H-NMR spectrum (500 MHz) of Plantanic acid (9) in CDCl₃ and CD₃OD (10:1).



Figure S21. ¹³C-NMR spectrum (125 MHz) of Plantanic acid (9) in CDCl₃ and CD₃OD (10:1).