

Supporting Information

Four New Glycosides from the Rhizoma of *Anemarrhena asphodeloides*

Bing-You Yang ^{1,†}, Xue-Yan Bi ^{2,†}, Yan Liu ¹, Guo-Yu Li ¹, Xin Yin ¹ and Hai-Xue Kuang ^{1,*}

¹ Key Laboratory of Chinese Materia Medica, Ministry of Education of Heilongjiang University of Chinese Medicine, Harbin 150040, China; ybywater@163.com (B.-Y.Y.); lifeliuyan@163.com (Y.L.);

Leegy@163.com (G.L.); yinxin110901@163.com (X.Y.)

² Heilongjiang Institute for Food and Drug Control, Harbin 150001, China; hljbixueyan@sina.cn

* Correspondence: hxkuang@hotmail.com; Tel.: +86-451-8219-7188

† Bing-You Yang and Xue-Yan Bi have contributed equally to this work.

Caption:

Fig.S1. ^1H -NMR Spectrum of Compound **1**

Fig.S2. ^{13}C -NMR Spectrum of Compound **1**

Fig.S3. ^1H -NMR Spectrum of Compound **2**

Fig.S4. ^{13}C -NMR Spectrum of Compound **2**

Fig.S5. ^1H -NMR Spectrum of Compound **3**

Fig.S6. ^{13}C -NMR Spectrum of Compound **3**

Fig.S7. ^1H -NMR Spectrum of Compound **4**

Fig.S8. ^{13}C -NMR Spectrum of Compound **4**

Fig.S1. ¹H-NMR Spectrum of Compound 1




Fig.S2. ^{13}C -NMR Spectrum of Compound **1**




Fig.S3. ¹H-NMR Spectrum of Compound 2




Fig.S4. ^{13}C -NMR Spectrum of Compound **2**




Fig.S5. ^1H -NMR Spectrum of Compound 3




Fig.S6. ^{13}C -NMR Spectrum of Compound 3




Fig.S7. ¹H-NMR Spectrum of Compound 4




Fig.S8. ^{13}C -NMR Spectrum of Compound 4

