Supporting Information

Synthesis and In Vitro Anti-influenza Virus Evaluation of Novel Sialic Acid (C-5 and C-9)-Pentacyclic Triterpene Derivatives

Xu Han ^{1,†}, Long-Long Si ^{1,†}, Yong-Ying Shi ¹, Zi-Bo Fan ¹, Shou-Xin Wang ^{1,3}, Zhen-Yu Tian ¹, Man Li ¹, Jia-Qi Sun ¹, Ping-Xuan Jiao ¹, Fu-Xiang Ran ¹, Yong-Min Zhang ², De-Min Zhou ¹, Su-Long Xiao ^{1,*}

- ^{1.} State Key Laboratory of Natural and Biomimetic Drugs, School of Pharmaceutical Sciences, Peking University, Beijing 100191, China; E-Mails: ax_han@126.com (X. H.); silonglong@bjmu.edu.cn (L.-L S.); sygne24501@sina.com (Y.-Y. S); fancyfzb@163.com (Z.-B. F.); shouxinwang@126.com (S.-X. W.); fashankc@163.com (Z.-Y.T.), 18811711762@163.com (M.L.), jiaqi.sun@pku.edu.cn (J.-Q.S.); 15022326072@163.com (P.-X.J.); rfx@bjmu.edu.cn (F.-X. R); Deminzhou@bjmu.edu.cn (D.-M. Z)
- Institut Parisien de Chimie Moléculaire, CNRS UMR 8232, Université Pierre & Marie Curie-Paris 6, 4 Place Jussieu, 75005 Paris, France; yongmin.zhang@upmc.fr (Y.-M. Z)
- 3. School of Pharmacy, Jining Medical University, Rizhao 276826, China
- 1. **Table S1**. The cytotoxicity of compounds **26** and **42** against HL-60, Hela and A549 cell lines. Selected ¹H, ¹³C NMR and HRMS spectra.

| , | | | |
|-------------------------------------------|------|--|--|
| NMR or HRMS | Page | | |
| ¹ H NMR of compound 9 | S4 | | |
| ¹³ C NMR of compound 9 | S4 | | |
| HRMS of compound 9 | S5 | | |
| ¹ H NMR of compound 18 | S5 | | |
| ¹³ C NMR of compound 18 | S6 | | |
| HRMS of compound 18 | S6 | | |
| ¹ H NMR of compound 19 | S7 | | |
| ¹³ C NMR of compound 19 | S7 | | |
| HRMS of compound 19 | S8 | | |
| ¹ H NMR of compound 20 | S8 | | |
| ¹³ C NMR of compound 20 | S9 | | |
| HRMS of compound 20 | S9 | | |
| ¹ H NMR of compound 21 | S10 | | |
| ¹³ C NMR of compound 21 | S10 | | |

| HRMS of compound 21 | S11 |
|-------------------------------------------|-----|
| ¹ H NMR of compound 22 | S11 |
| ¹³ C NMR of compound 22 | S12 |
| HRMS of compound 22 | S12 |
| ¹ H NMR of compound 23 | S13 |
| ¹³ C NMR of compound 23 | S13 |
| HRMS of compound 23 | S14 |
| ¹ H NMR of compound 24 | S14 |
| ¹³ C NMR of compound 24 | S15 |
| HRMS of compound 24 | S15 |
| ¹ H NMR of compound 25 | S16 |
| ¹³ C NMR of compound 25 | S16 |
| HRMS of compound 25 | S17 |
| ¹ H NMR of compound 26 | S17 |
| ¹³ C NMR of compound 26 | S18 |
| | |

| HRMS of compound 26 | S18 |
|-------------------------------------------|-----|
| ¹ H NMR of compound 28 | S19 |
| ¹³ C NMR of compound 28 | S19 |
| HRMS of compound 28 | S20 |
| ¹ H NMR of compound 29 | S20 |
| ¹³ C NMR of compound 29 | S21 |
| HRMS of compound 29 | S21 |
| ¹ H NMR of compound 30 | S22 |
| ¹³ C NMR of compound 30 | S22 |
| HRMS of compound 30 | S23 |
| ¹ H NMR of compound 34 | S23 |
| ¹³ C NMR of compound 34 | S24 |
| HRMS of compound 34 | S24 |
| ¹ H NMR of compound 35 | S25 |
| ¹³ C NMR of compound 35 | S25 |
| HRMS of compound 35 | S26 |
| ¹ H NMR of compound 36 | S26 |
| ¹³ C NMR of compound 36 | S27 |
| HRMS of compound 36 | S27 |
| ¹ H NMR of compound 37 | S28 |
| ¹³ C NMR of compound 37 | S28 |
| HRMS of compound 37 | S29 |
| ¹ H NMR of compound 38 | S29 |


| ¹³ C NMR of compound 38 | S30 |
|-------------------------------------------|-----|
| HRMS of compound 38 | S30 |
| ¹ H NMR of compound 39 | S31 |
| ¹³ C NMR of compound 39 | S32 |
| HRMS of compound 39 | S32 |
| ¹ H NMR of compound 40 | S33 |
| ¹³ C NMR of compound 40 | S33 |
| HRMS of compound 40 | S34 |
| ¹ H NMR of compound 41 | S34 |
| ¹³ C NMR of compound 41 | S35 |
| HRMS of compound 41 | S35 |
| ¹ H NMR of compound 42 | S36 |
| ¹³ C NMR of compound 42 | S36 |
| HRMS of compound 42 | S37 |
| ¹ H NMR of compound 44 | S37 |
| ¹³ C NMR of compound 44 | S38 |
| HRMS of compound 44 | S38 |
| ¹ H NMR of compound 45 | S39 |
| ¹³ C NMR of compound 45 | S39 |
| HRMS of compound 45 | S40 |
| ¹ H NMR of compound 46 | S40 |
| ¹³ C NMR of compound 46 | S41 |
| HRMS of compound 46 | S41 |


1. Table S1. The cytotoxicity of compounds 26 and 42 against HL-60, Hela and A549 cell lines.

| Compounds | Cell lines | 0.1 μΜ 1 μΜ | | 10 μΜ |
|-----------|------------|-------------|--------|-------|
| | HL-60 | 3.52 | 4.01 | 2.33 |
| 26 | Hela | -3.34 | 6.6 | 9.46 |
| | A549 | 2.16 | 5.23 | 0.21 |
| | HL-60 | -2 | 13.6 | 53 |
| 42 | Hela | 1.18 | 20.13 | 6.04 |
| | A549 | 2.33 | -0.37 | 17.7 |
| | HL-60 | 85.22ª | | |
| 5-Fu | Hela | | 90.32ª | |
| | A549 | 77.20a | | |


 $^{^{}a}$ Measured in a dose of 0.5 μ M.

1. 1 H NMR (400 MHz, CDCl₃) spectrum of compound 9











$\textbf{3.} \ \mathsf{HR}\text{-}\mathsf{ESI}\text{-}\mathsf{MS} \ \mathsf{spectrum} \ \mathsf{of} \ \mathsf{compound} \ \textbf{9}$

HIGH RESLUTION MASS SPECTROMETRY REPORT


| Sample No. | Formula (M) | Ion Formula | Measured | Calc m/z | Diff |
|------------|----------------|-------------------|----------|----------|-------|
| | | | m/z | | (ppm) |
| FZB1-22 | C21 H30 N4 O13 | C21 H30 N4 Na O13 | 569.1708 | 569.1702 | -1.21 |



4. ^{1}H NMR (400 MHz, CDCl₃) spectrum of 18




5. ^{13}C NMR (100 MHz, CDCl₃) spectrum of compound 18




$\pmb{6}$. HR-ESI-MS spectrum of compound $\pmb{18}$

HIGH RESLUTION MASS SPECTROMETRY REPORT


| Sample No. | Formula (M) | Ion Formula | Measured | Calc m/z | Diff | |
|----------------------------------------------|----------------|----------------|-----------|-----------|-------|--|
| | | | m/z | | (ppm) | |
| HX2-57 | C54 H81 N5 O15 | C54 H82 N5 O15 | 1040.5798 | 1040.5802 | 0.37 | |
| x10.6 + Scan (8.2440 min) HX2-57.d 1040.5798 | | | | | | |



7. ¹H NMR (400 MHz, CD₃OD) spectrum of compound 19




8. 13 C NMR (100 MHz, CD₃OD) spectrum of compound 19




$\bf 9.~HR\text{-}ESI\text{-}MS~spectrum~of~compound~} \bf 19$


HIGH RESLUTION MASS SPECTROMETRY REPORT

| Sample No. | Formula (M) | Ion Formula | Measured | Calc m/z | Diff |
|------------|----------------|-------------------|----------|----------|-------|
| | | | m/z | | (ppm) |
| HX2-59 | C46 H73 N5 O11 | C46 H73 N5 Na O11 | 894.5206 | 894.5199 | -1.23 |






11. 13 C NMR (100 MHz, CDCl₃) spectrum of compound 20





12. HR-ESI-MS spectrum of compound **20**HIGH RESLUTION MASS SPECTROMETRY REPORT

| Sample No. | Formula (M) | Ion Formula | Measured | Calc m/z | Diff |
|------------|----------------|-------------------|----------|-----------|-------|
| | | | m/z | | (ppm) |
| HX2-61 | C54 H81 N5 O16 | C54 H81 N5 Na O16 | 1078.558 | 1078.5571 | -1.01 |



13. ¹H NMR (400 MHz, CD₃OD) spectrum of compound 21







15. HR-ESI-MS spectrum of compound 21

HIGH RESLUTION MASS SPECTROMETRY REPORT

| Sample No. | Formula (M) | Ion Formula | Measured | Calc m/z | Diff |
|------------|----------------|-------------------|----------|----------|-------|
| | | | m/z | | (ppm) |
| HX2-67 | C46 H73 N5 O12 | C46 H73 N5 Na O12 | 910.5152 | 910.5148 | -0.77 |




$16.\,^{1}\text{H}$ NMR (400 MHz, CDCl₃) spectrum of compound 22



17. 13 C NMR (100 MHz, CDCl₃) spectrum of compound 22







18. HR-ESI-MS spectrum of compound **22**

HIGH RESLUTION MASS SPECTROMETRY REPORT


| Sample No. | Formula (M) | Ion Formula | Measured | Calc m/z | Diff |
|------------|----------------|----------------|-----------|----------|-------|
| | | | m/z | | (ppm) |
| HX2-68 | C54 H81 N5 O15 | C54 H82 N5 O15 | 1040.5807 | 1040.58 | -0.34 |



19. ^1H NMR (400 MHz, CD3OD) spectrum of compound 23




20. ¹³C NMR (100 MHz, CD₃OD) spectrum of compound 23




21. HR-ESI-MS spectrum of compound 23

HIGH RESLUTION MASS SPECTROMETRY REPORT


| Sample No. | Formula (M) | Ion Formula | Measured | Calc m/z | Diff |
|------------|----------------|-------------------|----------|----------|-------|
| | | | m/z | | (ppm) |
| HX2-69 | C46 H73 N5 O11 | C46 H73 N5 Na O11 | 894.5198 | 894.5199 | 0.03 |




22. ^1H NMR (400 MHz, CD3OD) spectrum of compound 24





23. ¹³C NMR (100 MHz, CD₃OD) spectrum of compound 24




24. HR-ESI-MS spectrum of compound 24









27. HR-ESI-MS spectrum of compound 25




28. ¹H NMR (400 MHz, CD₃OD) spectrum of compound 26




29. ¹³C NMR (100 MHz, CD₃OD) spectrum of compound 26




30. HR-ESI-MS spectrum of compound 26



31. ^1H NMR (400 MHz, CDCl₃) spectrum of compound 28




32. 13 C NMR (100 MHz, CDCl₃) spectrum of compound 28




33. HR-ESI-MS spectrum of compound 28

HIGH RESLUTION MASS SPECTROMETRY REPORT


| | Sample No. | Formula (M) | Ion Formula | Measured | Calc m/z | Diff |
|---|------------|----------------|----------------|-----------|-----------|-------|
| | | | | m/z | | (ppm) |
| Ī | HX2-58 | C54 H81 N5 O15 | C54 H82 N5 O15 | 1040.5809 | 1040.5802 | -0.59 |



34. ^1H NMR (400 MHz, CD ^3OD) spectrum of compound 29




35. 13 C NMR (100 MHz, CD₃OD) spectrum of compound 29





HIGH RESLUTION MASS SPECTROMETRY REPORT

| Sample No. | Formula (M) | Ion Formula | Measured | Calc m/z | Diff |
|------------|----------------|----------------|----------|----------|-------|
| | | | m/z | | (ppm) |
| HX2-62 | C46 H73 N5 O11 | C46 H74 N5 O11 | 872.5385 | 872.5379 | -0.73 |




37. ^1H NMR (400 MHz, CD3OD) spectrum of compound 30






39. HR-ESI-MS spectrum of compound **30**



40. 1H NMR (400 MHz, CDCl3) spectrum of compound 34

0.90




2

58.67

0 ppm


41. 13 C NMR (100 MHz, CDCl₃) spectrum of compound 34




42. HR-ESI-MS spectrum of compound 34


HIGH RESLUTION MASS SPECTROMETRY REPORT

| Sample No. | Formula (M) | Ion Formula | Measured | Calc m/z | Diff (ppm) |
|--------------------------------------------------|----------------|-------------------|----------|----------|------------|
| | | | m/z | | |
| HX2-51 | C51 H78 N2 O15 | C51 H78 N2 Na O15 | 981.5294 | 981.5294 | 0 |
| x10 4 + Scan (9.2306 min) HX2-51.d Subtract (13) | | | | | |



43. ^1H NMR (400 MHz, CD3OD) spectrum of compound 35






45. HR-ESI-MS spectrum of compound **35**


HIGH RESLUTION MASS SPECTROMETRY REPORT

| | Sample No. | Formula (M) | Ion Formula | Measured | Calc m/z | Diff (ppm) |
|---|------------|----------------|-------------------|----------|----------|------------|
| | | | | m/z | | |
| Ī | HX2-55-2 | C43 H70 N2 O11 | C43 H70 N2 Na O11 | 813.4876 | 813.4872 | -0.39 |




46. ^1H NMR (400 MHz, CDCl₃) spectrum of compound 36






47. 13 C NMR (100 MHz, CDCl₃) spectrum of compound 36




48. HR-ESI-MS spectrum of compound 36

HIGH RESLUTION MASS SPECTROMETRY REPORT


| Sample No. | Formula (M) | Ion Formula | Measured | Calc m/z | Diff (ppm) |
|-----------------------------------------------|----------------|-------------------|----------|----------|------------|
| | | | m/z | | |
| HX2-48 | C51 H78 N2 O16 | C51 H78 N2 Na O16 | 997.5252 | 997.5244 | -0.83 |
| x10.6 + Scan (7.3159 min) HX2-48-1.d 997.5252 | | | | | |



49. 1 H NMR (400 MHz, CD 3 OD) spectrum of compound **37**




50. ^{13}C NMR (100 MHz, CD $_{3}$ OD) spectrum of compound 37




51. HR-ESI-MS spectrum of compound **37**

HIGH RESLUTION MASS SPECTROMETRY REPORT


| Sample No. | Formula (M) | Ion Formula | Measured | Calc m/z | Diff (ppm) |
|------------|----------------|-------------------|----------|----------|------------|
| | | | m/z | | |
| HX2-53-5 | C43 H70 N2 O12 | C43 H70 N2 Na O12 | 829.4826 | 829.4821 | -0.84 |








53. 13 C NMR (100 MHz, CDCl₃) spectrum of compound 38




54. HR-ESI-MS spectrum of compound 38

HIGH RESLUTION MASS SPECTROMETRY REPORT


| Sample No. | Formula (M) | Ion Formula | Measured | Calc m/z | Diff (ppm) |
|--------------------------------------|----------------|----------------|----------|----------|------------|
| | | | m/z | | |
| HX2-26 | C51 H78 N2 O15 | C51 H79 N2 O15 | 959.5472 | 959.5475 | 0.34 |
| x10 6 + Scan (7.6605 min) HX2-26-1.d | | | | | |



55. ^1H NMR (400 MHz, CD3OD) spectrum of compound 39




56. ¹³C NMR (100 MHz, CD₃OD) spectrum of compound 39




57. HR-ESI-MS spectrum of compound **39**


HIGH RESLUTION MASS SPECTROMETRY REPORT

| Sample No. | Formula (M) | Ion Formula | Measured | Calc m/z | Diff (ppm) |
|------------|----------------|-------------------|----------|----------|------------|
| | | | m/z | | |
| HX2-37 | C43 H70 N2 O11 | C43 H70 N2 Na O11 | 813.4879 | 813.4872 | -1.05 |




58. $^1\!H$ NMR (400 MHz, CD3OD) spectrum of compound 40







60. HR-ESI-MS spectrum of compound **40**





61. ^{1}H NMR (400 MHz, CD3OD) spectrum of compound **41**







$\textbf{63.} \ \textbf{HR-ESI-MS} \ spectrum \ of \ compound \ \textbf{41}$









66. HR-ESI-MS spectrum of compound 42



67. ^1H NMR (400 MHz, CDCl₃) spectrum of compound 44




HX2-46



68. ¹³C NMR (100 MHz, CDCl₃) spectrum of compound 44




SOLVENT CDC13




$69.\ HR ext{-}ESI ext{-}MS$ spectrum of compound 44

HIGH RESLUTION MASS SPECTROMETRY REPORT


| Sample No. | Formula (M) | Ion Formula | Measured | Calc m/z | Diff (ppm) |
|------------|----------------|----------------|----------|----------|------------|
| | | | m/z | | |
| HX2-46 | C51 H78 N2 O15 | C51 H79 N2 O15 | 959.5481 | 959.5475 | -0.45 |



70. ^1H NMR (400 MHz, CD3OD) spectrum of compound 45




71. 13 C NMR (100 MHz, CD₃OD) spectrum of compound **45**




72. HR-ESI-MS spectrum of compound 45


HIGH RESLUTION MASS SPECTROMETRY REPORT

| Sample No. | Formula (M) | Ion Formula | Measured | Calc m/z | Diff (ppm) |
|------------|----------------|-------------------|----------|----------|------------|
| | | | m/z | | |
| HX2-50 | C43 H70 N2 O11 | C43 H70 N2 Na O11 | 813.4878 | 813.4872 | -0.82 |



73. ^1H NMR (400 MHz, CD3OD) spectrum of compound 46





 $\textbf{75.} \ \textbf{HR-ESI-MS} \ spectrum \ of \ compound \ \textbf{46}$

