



Correction

## Correction: Saha, C., et al. Differential Effects of *Viscum album* Preparations on the Maturation and Activation of Human Dendritic Cells and CD4<sup>+</sup> T Cell Responses. *Molecules* 2016, 21, 912

Chaitrali Saha <sup>1,2</sup>, Mrinmoy Das <sup>1</sup>, Emmanuel Stephen-Victor <sup>1</sup>, Alain Friboulet <sup>2</sup>, Jagadeesh Bayry <sup>1,\*</sup> and Srini V. Kaveri <sup>1,\*</sup>

- Institut National de la Santé et de la Recherche Médicale, F-75006 Paris, France; chaitrali.roy@gmail.com (C.S.); mdasmicro@gmail.com (M.D.); esvkai@gmail.com (E.S.-V.)
- Université de Technologie de Compiègne, UMR CNRS 6022, F-60205 Compiègne, France; alain.friboulet@utc.fr
- \* Correspondence: jagadeesh.bayry@crc.jussieu.fr (J.B.); srini.kaveri@crc.jussieu.fr (S.V.K.); Tel.: +33-1-4427-8203 (J.B. & S.V.K.); Fax: +33-1-4427-8194 (J.B. & S.V.K.)


Received: 28 June 2019; Accepted: 8 August 2019; Published: 18 October 2019



The authors wish to make the following corrections to this paper [1]:

Two dot-plots in the Panel E of Figure 1 (labeled under VAP and VAA) have been inadvertently duplicated during the final preparation of figures. We would like to change the Panel E of Figure 1 in paper [1] to the correct version, as follows:

Molecules **2019**, 24, 3762



**Figure 1.** Effect of various VA preparations on the CD4<sup>+</sup> T cell responses. DCs were treated with medium alone (DC Ctrl, labelled as 'C') or with five preparations of VA for 48 h. These DCs were co-cultured with CD4<sup>+</sup> T cells at 1:10 ratio. After five days of co-culture, the cells were analysed for the various CD4<sup>+</sup> T cell subsets by intra-cellular cytokines (IFN- $\gamma$ , IL-4, IL-17A) or transcription factor (FoxP3) for Th1, Th2, Th17 and Tregs respectively. (**A,C,E,G**) representative dot plots showing the proportion of IFN- $\gamma$ <sup>+</sup>, IL-4<sup>+</sup>, IL-17A<sup>+</sup> CD4<sup>+</sup> T cell and CD4<sup>+</sup>CD25<sup>+</sup>Foxp3<sup>+</sup> T cells respectively; (**B,D,F,H**) Percentage (mean ± SEM, six independent donors) of IFN- $\gamma$ <sup>+</sup> Th1, IL-4<sup>+</sup> Th2, IL-17A<sup>+</sup> Th17 and CD4<sup>+</sup>CD25<sup>+</sup>Foxp3<sup>+</sup> Treg cells respectively. ns, non-significant.

Molecules **2019**, 24, 3762

We apologize for this unintentional mistake, which, however, does not affect the results of this manuscript and the conclusions drawn from them.

## Reference

1. Saha, C.; Das, M.; Stephen-Victor, E.; Friboulet, A.; Bayry, J.; Kaveri, S.V. Differential Effects of *Viscum album* Preparations on the Maturation and Activation of Human Dendritic Cells and CD4<sup>+</sup> T Cell Responses. *Molecules* **2016**, 21, 912. [CrossRef] [PubMed]



© 2019 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (http://creativecommons.org/licenses/by/4.0/).