

Supplementary Materials

Synthesis and Investigation of the Analgesic Potential of Enantiomerically Pure Schiff Bases: A Mechanistic Approach

Hamid Hussain Afridi ^{1,2}, Muhammad Shoaib ¹, Fakhria A. Al-Joufi ³, Syed Wadood Ali Shah ¹, Haya Hussain ², Abid Ullah ², Mohammad Zahoor ^{4,*} and Ehsan Ullah Mughal ⁵

¹ Department of Pharmacy, University of Malakand Dir (Lower) at Chakdara, Chakdara 18800, Pakistan

² Department of Pharmacy, Shaheed Benazir Bhutto University Sheringal Dir (Upper), Dir 18000, Pakistan

³ Department of Pharmacology, College of Pharmacy, Jouf University, Aljouf 72341, Saudi Arabia

⁴ Department of Chemistry, University of Malakand Dir (Lower) at Chakdara, Chakdara 18800, Pakistan

⁵ Department of Chemistry, University of Gujrat, Gujrat 50700, Pakistan

* Correspondence: zahoor@uom.edu.pk

S-Schiff Bases




Figure S1. HNMR spectra of (*S,E*)-*N,N*-dimethyl-4-(((1-phenylethyl)imino)methyl)aniline (**H1**)




Figure S2. IR spectra of *(S,E)-N,N-dimethyl-4-(((1-phenylethyl)imino)methyl)aniline (H1)*




Figure S3. HNMR spectra of (S,E)-N-(4-methylbenzylidene)-1-phenylethanamine (**H2**)




Figure S4. IR spectra of (S,E)-N-(4-methylbenzylidene)-1-phenylethanamine (**H2**)




Figure S5. HNMR spectra of (*S,E*)-*N*-(4-nitrobenzylidene)-1-phenylethanamine (**H3**)




Figure S6. IR spectra of *(S,E)*-*N*-(4-nitrobenzylidene)-1-phenylethanamine (**H3**)


R- Schiff Bases

Figure S7. ^1H NMR spectra of (*R,E*)-*N,N*-dimethyl-4-(((1-phenylethyl)imino)methyl)aniline (**H4**)




Figure S8. IR spectra of (*R,E*)-*N,N*-dimethyl-4-(((1-phenylethyl)imino)methyl)aniline (**H4**)




Figure S9. HNMR spectra of (*R,E*)-*N*-(4-methylbenzylidene)-1-phenylethanamine (**H5**)




Figure S10. IR spectra of *(R,E)*-N-(4-methylbenzylidene)-1-phenylethanamine (**H5**)




Figure S11. HNMR spectra of (*R,E*)-*N*-(4-nitrobenzylidene)-1-phenylethanamine (**H6**)




Figure S12. IR spectra of (*R,E*)-*N*-(4-nitrobenzylidene)-1-phenylethanamine (**H6**)