

Supplementary information

Table of Contents

Copies of ^1H and ^{13}C NMR spectra of thiopyrano[2,3- <i>d</i>]thiazole derivatives	S1-S12
NCI protocols for compounds 3.5 and 3.6	S13-S14




Figure S1. ^1H NMR Spectrum of compound **3.1**.




Figure S2. ^{13}C NMR Spectrum of compound **3.1**.




Figure S3. ^1H NMR Spectrum of compound **3.2**.




Figure S4. ^{13}C NMR Spectrum of compound **3.2**.




Figure S5 ^1H NMR Spectrum of compound **3.3**.




Figure S6. ^{13}C NMR Spectrum of compound **3.3**.




Figure S7. ^1H NMR Spectrum of compound **3.4**.




Figure S8. ^{13}C NMR Spectrum of compound **3.4**.

3.19.1.fid




Figure S9. ^1H NMR Spectrum of compound 3.5.




Figure S10. ^{13}C NMR Spectrum of compound 3.5.




Figure S11. ¹H NMR Spectrum of compound **3.6**.




Figure S12. ¹³C NMR Spectrum of compound **3.6**.




Figure S13. NCI-60 cell lines screening protocol in concentration 10 μ M for compound **3.5**.




Figure S14. NCI-60 cell lines screening protocol in concentration 10 μ M for compound **3.6**.