

Supporting Information

Isolation and Bioassay of a New Terminalone A from *Terminalia arjuna*

Bushra¹, Khalil ur Rehman^{1*}, Dilaraz Khan¹, Abdulrahman A. Almehizia², Ahmed M. Naglah², Asma S. Al-Wasidi³, Moamen S. Refat⁴, Mohamed Y. El-Sayed⁵, Hamid Ullah⁶, Shafiullah Khan^{1*}

¹Institute of Chemical Sciences, Gomal University, Dera Ismail Khan, KPK, Pakistan

²Drug Exploration and Development Chair (DEDC), Department of Pharmaceutical Chemistry, College of Pharmacy, King Saud University, Riyadh 11451, Saudi Arabia

³Department of Chemistry, College of Science, Princess Nourah bint Abdulrahman University, Riyadh 11671, Saudi Arabia

⁴Department of Chemistry, College of Science, Taif University, P.O. Box 11099, Taif 21944, Saudi Arabia

⁵Chemistry Department, College of Science, Jouf University, P.O. Box: 2014, Sakaka, Saudi Arabia

⁶Department of Chemistry, Balochistan University of Information Technology, Engineering and Management Sciences, Quetta 87300, Pakistan

***Corresponding author Email Address:** khalilrehmanph.d@gmail.com,

s.khan@gu.edu.pk;




Figure S1: ^1H NMR spectrum of compound **1**




Figure S2: Expanded ^1H NMR spectrum of compound **1**




Figure S3: ^{13}C NMR spectrum of compound **1**