

Supplementary Material:

Table of Contents

1. The copies of ^1H NMR and ^{13}C NMR spectra for compounds 2a-c	S2
2. The copies of ^1H NMR and ^{13}C NMR spectra for compounds 3a-c	S5
3. ^{15}N and 2D NMR spectra for compound 2a	S8
4. ^{15}N and 2D NMR spectra for compound 3a	S10

1. The copies of ^1H NMR and ^{13}C NMR spectra for compounds 2a-c




Figure S1. ^1H NMR spectrum of 2,4-diamino-5-(5,7-dichloro-3,3-dimethyl-1-oxo-2,3,4,9-tetrahydro-1*H*-xanthen-9-yl)-6-oxo-1,6-dihdropyridine-3-carbonitrile **2a** in DMSO- d_6 .




Figure S2. ^{13}C NMR spectrum of 2,4-diamino-5-(5,7-dichloro-3,3-dimethyl-1-oxo-2,3,4,9-tetrahydro-1*H*-xanthen-9-yl)-6-oxo-1,6-dihdropyridine-3-carbonitrile **2a** in DMSO- d_6 .




Figure S3. ¹H NMR spectrum of 2,4-diamino-5-(5,7-dibromo-3,3-dimethyl-1-oxo-2,3,4,9-tetrahydro-1*H*-xanthen-9-yl)-6-oxo-1,6-dihdropyridine-3-carbonitrile **2b** in DMSO-*d*₆.




Figure S4. ¹³C NMR spectrum of 2,4-diamino-5-(5,7-dibromo-3,3-dimethyl-1-oxo-2,3,4,9-tetrahydro-1*H*-xanthen-9-yl)-6-oxo-1,6-dihdropyridine-3-carbonitrile **2b** in DMSO-*d*₆.




Figure S5. ^1H NMR spectrum of 2,4-diamino-5-(5,7-diiodo-3,3-dimethyl-1-oxo-2,3,4,9-tetrahydro-1*H*-xanthen-9-yl)-6-oxo-1,6-dihdropyridine-3-carbonitrile **2c** in $\text{DMSO}-d_6$.




Figure S6. ^{13}C NMR spectrum of 2,4-diamino-5-(5,7-diiodo-3,3-dimethyl-1-oxo-2,3,4,9-tetrahydro-1*H*-xanthen-9-yl)-6-oxo-1,6-dihdropyridine-3-carbonitrile **2c** in $\text{DMSO}-d_6$.

2. The copies of ^1H NMR and ^{13}C NMR spectra for compounds 3a-c




Figure S7. ^1H NMR spectrum of 3-amino-10-(3,5-dichloro-2-hydroxyphenyl)-1-hydroxy-7,7-dimethyl-9-oxo-5,6,7,8,9,10-hexahydrobenzo[b][1,6]naphthyridine-4-carbonitrile **3a** in $\text{DMSO}-d_6$.




Figure S8. ^{13}C NMR spectrum of 3-amino-10-(3,5-dichloro-2-hydroxyphenyl)-1-hydroxy-7,7-dimethyl-9-oxo-5,6,7,8,9,10-hexahydrobenzo[b][1,6]naphthyridine-4-carbonitrile **3a** in $\text{DMSO}-d_6$.




Figure S9. ¹H NMR spectrum of 3-amino-10-(3,5-dibromo-2-hydroxyphenyl)-1-hydroxy-7,7-dimethyl-9-oxo-5,6,7,8,9,10-hexahydrobenzo[*b*][1,6]naphthyridine-4-carbonitrile **3b** in DMSO-*d*₆.




Figure S10. ¹³C NMR spectrum of 3-amino-10-(3,5-dibromo-2-hydroxyphenyl)-1-hydroxy-7,7-dimethyl-9-oxo-5,6,7,8,9,10-hexahydrobenzo[*b*][1,6]naphthyridine-4-carbonitrile **3b** in DMSO-*d*₆.




Figure S11. ^1H NMR spectrum of 3-amino-1-hydroxy-10-(2-hydroxy-3,5-diiodophenyl)-7,7-dimethyl-9-oxo-5,6,7,8,9,10-hexahydrobenzo[*b*][1,6]naphthyridine-4-carbonitrile **3c** in $\text{DMSO}-d_6$.




Figure S12. ^{13}C NMR spectrum of 3-amino-1-hydroxy-10-(2-hydroxy-3,5-diiodophenyl)-7,7-dimethyl-9-oxo-5,6,7,8,9,10-hexahydrobenzo[*b*][1,6]naphthyridine-4-carbonitrile **3c** in $\text{DMSO}-d_6$.

3. ^{15}N and 2D NMR spectra for compound **2a**




Figure S13. ^{15}N NMR spectrum of 2,4-diamino-5-(5,7-dichloro-3,3-dimethyl-1-oxo-2,3,4,9-tetrahydro-1*H*-xanthen-9-yl)-6-oxo-1,6-dihdropyridine-3-carbonitrile **2a** in $\text{DMSO}-d_6$.




Figure S14. ^1H - ^{15}N HSQC NMR spectrum of 2,4-diamino-5-(5,7-dichloro-3,3-dimethyl-1-oxo-2,3,4,9-tetrahydro-1*H*-xanthen-9-yl)-6-oxo-1,6-dihdropyridine-3-carbonitrile **2a** in $\text{DMSO}-d_6$.




Figure S15. ^1H - ^1H NOESY NMR spectrum of 2,4-diamino-5-(5,7-dichloro-3,3-dimethyl-1-oxo-2,3,4,9-tetrahydro-1*H*-xanthen-9-yl)-6-oxo-1,6-dihdropyridine-3-carbonitrile **2a** in $\text{DMSO}-d_6$.




Figure S16. ^1H - ^{13}C HMBC NMR spectrum of 2,4-diamino-5-(5,7-dichloro-3,3-dimethyl-1-oxo-2,3,4,9-tetrahydro-1*H*-xanthen-9-yl)-6-oxo-1,6-dihdropyridine-3-carbonitrile **2a** in $\text{DMSO}-d_6$.

4. ^{15}N and 2D NMR spectra for compound 3a




Figure S17. ^{15}N NMR spectrum of 3-amino-10-(3,5-dichloro-2-hydroxyphenyl)-1-hydroxy-7,7-dimethyl-9-oxo-5,6,7,8,9,10-hexahydrobenzo[*b*][1,6]naphthyridine-4-carbonitrile **3a** in $\text{DMSO}-d_6$.




Figure S18. ^1H - ^{15}N HSQC NMR spectrum of 3-amino-10-(3,5-dichloro-2-hydroxyphenyl)-1-hydroxy-7,7-dimethyl-9-oxo-5,6,7,8,9,10-hexahydrobenzo[*b*][1,6]naphthyridine-4-carbonitrile **3a** in $\text{DMSO}-d_6$.




Figure S19. ^1H - ^1H NOESY NMR spectrum of 3-amino-10-(3,5-dichloro-2-hydroxyphenyl)-1-hydroxy-7,7-dimethyl-9-oxo-5,6,7,8,9,10-hexahydrobenzo[*b*][1,6]naphthyridine-4-carbonitrile **3a** in $\text{DMSO}-d_6$.




Figure S20. ^1H - ^{13}C HMBC NMR spectrum of 3-amino-10-(3,5-dichloro-2-hydroxyphenyl)-1-hydroxy-7,7-dimethyl-9-oxo-5,6,7,8,9,10-hexahydrobenzo[*b*][1,6]naphthyridine-4-carbonitrile **3a** in $\text{DMSO}-d_6$.