

Table S1. Crystallographic structures of curcumin deposited in The Cambridge Structural Database (CSD).

Ref. code	Group	Form	a [Å]	b [Å]	c [Å]	α [°]	β [°]	γ [°]	Volume [Å ³]	Z	Z'	Temp [°C]
BINMEQ	P2/n	I	20.028	7.073	12.609	90	94.94	90	1779.53	4	1	121
BINMEQ1	P2/n	I	12.688	7.206	19.897	90	95..28	90	1811.48	4	1	283-303
BINMEQ2	P2/n	I	12.707	7.219	19.880	90	95.35	90	1815.59	4	1	283-303
BINMEQ3	P2/n	I	12.695	7.207	19.960	90	95.10	90	1819.10	4	1	283-303
BINMEQ4	P2/n	I	12.584	7.039	19.951	90	95.04	90	1760.49	4	1	90
BINMEQ5	P2/n	I	12.568	7.042	19.958	90	94.99	90	1759.76	4	1	100
BINMEQ6	Pca2₁	II	35.417	7.779	12.648	90	90	90	3484.78	8	2	100
BINMEQ7	Pbca	III	12.536	7.992	34.462	90	90	90	3452.50	8	1	100
BINMEQ8	Pca2 ₁	II	35.537	7.780	12.680	90	90	90	3505.56	8	2	283-303
BINMEQ9	P2/n	I	12.697	7.198	19.953	90	95.12	90	1816.36	4	1	283-303
BINMEQ10	P2/n	I	12.685	7.184	19.895	90	95.22	90	1805.71	4	1	283-303
BINMEQ11	P2/n	I	12.626	7.110	19.956	90	95.08	90	1784.50	4	1	173
BINMEQ12	Pca2 ₁	II	35.446	7.850	19.693	90	90	90	3531.70	8	2	173
BINMEQ13	P2/n	I	12.683	7.177	19.916	90	95.05	90	1805.63	4	1	283-303
BINMEQ14	P2/n	I	12.695	7.209	19.936	90	95.28	90	1816.96	4	1	283-303