

Table S5. Frequencies of occurrence of different octanucleotides in the positions (-29 : -22) of the full samples of *M. musculus* and *H. sapiens*.

		<i>M. musculus</i> (-29 : -22)		<i>H. sapiens</i> (-29 : -22)
1	TTTTTTTT	0.45%	AATAAAAG	0.64%
2	AATATAAG	0.16%	TTATAAGG	0.26%
3	GAGAGAGA	0.13%	TTATCAGG	0.26%
4	GTTATGTT	0.13%	TGTTTACC	0.21%
5	TAAAACCC	0.13%	ATAAAAAC	0.13%
6	GGTAAAGT	0.13%	GGCGGGGC	0.13%
7	AAGATCCT	0.10%	CCTCTCCC	0.13%
8	TAAAAAAC	0.10%	CGTCCCCG	0.13%
9	TTGTTTTT	0.10%	CCGCCCCC	0.13%
10	GGCGTGGC	0.10%	GGAAGAGG	0.13%
11	TAAAGAGG	0.10%	CCTCCTCC	0.13%
12	ATAAAAAG	0.10%	TAAAAGCT	0.13%
13	CCCCGCC	0.10%	ATGCAGGG	0.13%
14	TAAAAGCA	0.10%	CTTGGCCA	0.13%
15	TATAAAGC	0.10%	TTAAAAGG	0.13%
16	GGGAGGGG	0.10%	ATTTTTTT	0.13%
17	ATAAAAGA	0.10%	GCTAATAA	0.13%
18	ATAAAAGG	0.10%	TGAGGTGG	0.13%
19	CTGCCCGC	0.10%	TATAAAGC	0.13%
20	AGAAAAGG	0.10%	TTATCAAG	0.13%