

Synthesis of a New α -Azidomethyl Styrene from Safrole via Dearomative Rearrangement

Stephen R. Isbel and Alejandro Bugarin*

** Department of Chemistry and Physics, Florida Gulf Coast University,
10501 FGCU Boulevard South, Fort Myers, FL 33965*

abugarin@fgcu.edu

Table of Contents

¹ H and ¹³ C NMR Spectra of Compound 4	S-2
Mass Spectrum of Compound 4	S-3
IR Spectrum of Compound 4	S-4
Elemental Analysis Chromatogram of Compound 4	S-5

Figure S1. ^1H NMR (400 MHz, CDCl_3)




Figure S2. ^{13}C NMR (101 MHz, CDCl_3)






Figure S3. Mass Spectrum of Compound 4



Spectrum

Line#:1 R Time:4.889(Scan#:2543)
MassPeaks:129
RawMode:Single 4.889(2543) BasePeak:89.00(356686)
BG Mode:None Group 1 - Event 1 Scan




Figure S4. IR Spectrum of Compound 4





Figure S5. Elemental Analysis Chromatogram of Compound 4



		Nitrogen	Carbon	Hydrogen	Sulphur
1	bypass	0	0	0	0
2	blank	0	0	0	0
3	Std: BBOT	6.51	72.53	6.09	0
5	Compound 4	20.63	59.09	4.44	