




## Supplementary Materials



**Figure S1. Detection results of the Au-LFIA test strips.**  
Strip Nos. 1 (mEC medium), 2 (false positive), and 3 (positive)



**Figure S2. CHROMagar™ plates used to isolate bacteria from the enrichment broth.**  
(A) *E. coli* O157:H7. (B) Cross-reactive bacterium.



**Figure S3. Identification results of the cross-reactive bacterium by API 20E.**

#### **Supplementary material 4**

#### **Nucleotide sequence of 16S RNA of *Citrobacter freundii***

TGCAAGTCGAACGGTAGCACAGAGGAGCTTGCTCCTGGGTGACGAGTGGCGGACGG  
GTGAGTAATGTCTGGGAAACTGCCGATGGAGGGGGATAACTACTGGAAACGGTAGCT  
AATACCGATAACGTCGAAGACCAAAGAGGGGGACCTTCGGGCCTTGCACCGA  
TGTGCCAGATGGATTAGCTAGTAGGTGGGTAACGGCTCACCTAGGCACGATCCC  
TAGCTGGTCTGAGAGGATGACCAGCCACACTGGAACGTGAGACACGGTCCAGACTCCT  
ACGGGAGGCAGCAGTGGGAATATTGCACAATGGCGCAAGCCTGATGCAGCCATGC  
CGCGTGTATGAAGAAGGCCTCGGGTTGAAAGTACTTTCAGCGAGGAGGAAGGTGTT  
GTGGTTAATAACCGCAGCAATTGACGTTACTCGCAGAAGAACGACCGGCTAACCTCCGT  
GCCAGCAGCCCGGTAATACGGAGGGTGCAGCGTTAACGGATTACTGGCGTAAA  
GCGCACGCAGGCAGGCTGTCAAGTCGGATGTGAAATCCCCGGCTAACCTGGGAAAC  
TGCATCCGAAACTGGCAGGCTAGAGTCTTGTAGAGGGGGTAGAATTCCAGGTGTAGC  
GGTGAAATGCGTAGAGATCTGGAGGAATACCGGTGGCGAAGGCAGGCCCCCTGGACAA  
AGACTGACGCTCAGGTGCGAAAGCGTGGGGAGCAAACAGGATTAGATAACCTGGTAG  
TCCACGCCGTAAACGATGTCGACTGGAGGTTGTGCCCTGAGGCAGGCTTCCGGAG  
CTAACCGCTTAAGTCGACCGCCTGGGAGTACGGCGCAAGGTTAAAACCAAATGAA  
TTGACGGGGGCCCGACAAGCGGTGGAGCATGTGGTTAACCGATGCAACCGAAG  
AACCTTACCTACTCTTGACATCCAGAGAACCTAGCAGAGATGCTTGCGCTTCGGGA  
ACTCTGAGACAGGTGCTGCATGGCTGTCAGCTCGTGTGAAATGTTGGTTAA  
GTCCCGCAACGAGCGCAACCCCTATCCTTGTGCCAGCGTTAGGCCGGAACTCAA  
AGGAGACTGCCAGTGATAAAACTGGAGGAAGGTGGGATGACGTCAAGTCATCATGGC  
CCTTACGAGTAGGGCTACACACGTGCTACAATGGCATATACAAAGAGAACGACCTCG  
CGAGAGCAAGCGGACCTCATAAAGTATGTCGTAGCCGGATGGAGTCTGCAACTCGA  
CTCCATGAAGTCGGAATCGCTAGTAATCGGATCAGAATGCCACGGTAATACGTTCC  
CGGGCCTTGTACACACCGCCGTACACCCATGGAGTGGTTGCAAAAGAGTAGGT  
AGCTTAACCTTCGGGAGGGC