

Correction

Correction: Rasmussen, B.B., *et al.* Global and Phylogenetic Distribution of Quorum Sensing Signals, Acyl Homoserine Lactones, in the Family of Vibrionaceae. *Mar. Drugs* 2014, *12*, 5527–5546

Bastian Barker Rasmussen ¹, Kristian Fog Nielsen ², Henrique Machado ^{1,3}, Jette Melchiorsen ¹, Lone Gram ¹ and Eva C. Sonnenschein ^{1,*}

- Department of Systems Biology, Technical University of Denmark, Matematiktorvet bldg 301, DK-2800 Kgs, Lyngby, Denmark; E-Mails: bbara@bio.dtu.dk (B.B.R.); jeme@bio.dtu.dk (J.M.); gram@bio.dtu.dk (L.G.)
- Department of Systems Biology, Technical University of Denmark, Søltofts Plads bldg 221, DK-2800 Kgs, Lyngby, Denmark; E-Mail: kfn@bio.dtu.dk
- Novo Nordisk Foundation Center for Biosustainability, Technical University of Denmark, Kogle Allè 6, DK-2970 Hørsholm, Denmark; E-Mail: henma@biosustain.dtu.dk
- * Author to whom correspondence should be addressed; E-Mail: evaso@bio.dtu.dk; Tel.: +45-4525-2518; Fax: +45-4593-2809.

Received: 16 February 2015 / Accepted: 17 February 2015 / Published: 20 March 2015

The authors wish to make the following corrections to this paper [1]: Due to duplicated and missing data in Table 3, Page 5533, replace:

Mar. Drugs 2015, 13

Table 3. AHLs in 32 Vibrionaceae strains tested against *C. violaceum* (*Cv*) and *A. tumefaciens* (*At*) using biomass or acidified EtOAc extracts and AHLs detected by UHPLC-DAD-QTOFMS; numbers demonstrate the peak area of the AHL in the chromatogram of the first run; numbers in brackets demonstrate the peak area of the AHL in the chromatogram of the second run; the total no. of occurrences/AHL does not include the reference strain *V. anguillarum* 90-11-287.

| | AHL Response in | | | | N | D. I. I. (4000 G) AAVW I. GI | | | | | | | | | |
|-----------------------|--|----|----|----|------------|--|--------------------|-----------|---------------|-----|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--|
| Strain | Biomass Screen Extract Well Assay | | | | No of | Peak Area (1000 Counts) of AHL in Chromatogram | | | | | | | | | |
| | Cv | At | Cv | At | AHL/Strain | C4 | C6 | C7 | C8 | C12 | ОН-С4 | ОН-С6 | ОН-С4 | ОН-С6 | |
| S0188 a | _ | + | + | + | 9 | ND | (114) ° | 178 в | ND | ND | 32 ^b (161) ^b | 880 b (4822) b | 32 ^b (161) ^b | 880 ^b (4822) ^b | |
| S0202 | _ | + | _ | + | 5 | ND | ND | ND | ND | ND | ND | 118 ° (1659) b | ND | 118 c (1659) b | |
| S0203 a | _ | + | + | + | 7 | ND | ND | ND | ND | ND | 40 b (3709) b | 964 ^b (6479) ^b | 40 b (3709) b | 964 ^b (6479) ^b | |
| S0207 | + | + | _ | + | 4 | ND | ND | ND | ND | ND | ND | 167 ° (1807) b | ND | 167 ° (1807) b | |
| S0209 a | + | + | + | + | 8 | ND | (116) b | ND | ND | ND | 17 ° (342) b | 627 b (4297) b | 17 ° (342) b | 627 b (4297) b | |
| S0273 a | + | + | + | + | 7 | ND | NĎ | ND | ND | ND | 28 b (273) b | 896 b (5918) b | 28 b (273) b | 896 ^b (5918) ^b | |
| S0344 | + | _ | _ | _ | 2 | 92 ^b (5352) ^b | ND | ND | ND | ND | (50)b | ND | (50)b | ND | |
| S0787 | _ | + | _ | + | 0 | ND | ND | ND | ND | ND | NĎ | ND | NĎ | ND | |
| S0821 | + | + | + | + | 6 | ND | ND | ND | 57 b (6284) b | ND | ND | ND | ND | ND | |
| S0843 a | + | _ | + | + | 2 | 317 b (11974) b | ND | ND | ND | ND | (94) ^b | ND | (94) ^b | ND | |
| S0845 | + | _ | _ | _ | 1 | 83 ^b (5009) ^b | ND | ND | ND | ND | NĎ | ND | NĎ | ND | |
| S1073 a | _ | + | _ | + | 0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| S1089 | _ | + | _ | + | 4 | ND | ND | ND | ND | | 310 b (2279) b | (119) b | 310 b (2279) b | (119) b | |
| S1106 | + | + | _ | + | 4 | ND | ND | ND | ND | ND | ND | 140° (2050) b | ND | 140° (2050) b | |
| S1110 | + | + | _ | + | 2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| S1137 | + | + | _ | + | 2 | ND | ND | ND | ND | ND | ND | 210 ° (3154) b | ND | 210 ° (3154) b | |
| S1162 | _ | + | _ | + | 8 | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| S1192 | _ | + | _ | + | 1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| S1194 | _ | + | _ | _ | 2 | ND | ND | ND | ND | ND | 61 ^b (491) ^b | ND | 61 ^b (491) ^b | ND | |
| S1196 | _ | + | _ | + | 2 | ND | ND | ND | ND | ND | 163 ^b (1425) ^b | ND | 163 ^b (1425) ^b | ND | |
| S1728 | _ | + | _ | + | 4 | ND | ND | ND | ND | ND | ND | 61 ° (617) b | ND | 61 ° (617) b | |
| S1729 | _ | + | + | + | 7 | ND | ND | ND | 53 b (5170) b | ND | ND | 268 ° (2943) b | ND | 268 ° (2943) b | |
| S1730 | _ | + | _ | + | 5 | ND | ND | ND | ND | ND | ND | 142 ° (2643) b | ND | 142 ° (2643) b | |
| S1732 | _ | + | _ | + | 5 | ND | ND | ND | ND | ND | ND | 201°(2201) b | ND | 201 ° (2201) b | |
| S2605 | + | _ | _ | + | 1 | ND | ND | ND | ND | ND | ND | 33 ° (369) b | ND | 33 ° (369) ^b | |
| S2606 a | + | _ | + | + | 6 | ND | (773) ^c | 806 b | ND | ND | $(90)^{b}$ | 961 ^b (6248) ^b | (90) b | 961 ^b (6248) ^b | |
| S2719 | + | _ | _ | + | 2 | 77 ^b (4578) ^c | (54) ° | ND | ND | ND | NĎ | ND | NĎ | ND | |
| S2757 | + | + | + | + | 3 | ND | (69) ° | ND | ND | ND | ND | 364 ° (5464) b | ND | 364 ^c (5464) ^b | |
| S3857 | + | + | + | + | 2 | ND | 52 ° (5321) b | ND | (768) b | ND | ND | ND | ND | ND | |
| S4497 a | + | _ | + | + | 3 | 19 ^b (917) ^b | 286 b (12817) b | 631 b | ND | ND | ND | ND | ND | ND | |
| S4634 | + | _ | _ | + | 1 | ND | ND | ND | ND | ND | ND | (148) b | ND | (148) b | |
| S4738 a | _ | + | _ | + | 1 | ND | ND | ND | ND | ND | 219 b (2638) b | ND | 219 b (2638) b | ND | |
| 90-11-287 | _ | + | + | + | 3 | ND | ND | ND | ND | ND | ND | 192 ° (2162) b | ND | 192 ° (2162) b | |
| No of occurrences/AHL | | | | | | 5 | 7 | 3 | 3 | 1 | 11 | 17 | 11 | 17 | |

Mar. Drugs 2015, 13

With: **Table 3.** AHLs in 32 Vibrionaceae strains tested against *C. violaceum* (*Cv*) and *A. tumefaciens* (*At*) using biomass or acidified EtOAc extracts and AHLs detected by UHPLC-DAD-QTOFMS; numbers demonstrate the peak area of the AHL in the chromatogram of the first run; numbers in brackets demonstrate the peak area of the AHL in the chromatogram of the second run; the total no. of occurrences/AHL does not include the reference strain *V. anguillarum* 90-11-287.

| Strain | AHL Response in | | | | NT C | | | D | 1 4 (1000 | | PATH '. Ch | 4 | | |
|-----------------------|-----------------------------------|----|----|------------------|--|-------------------------------------|-----------------|-----------|--------------------|------------|--------------------------------------|--------------------------------------|-------------------------------------|----------------|
| | Biomass Screen Extract Well Assay | | | No of AHL/Strain | Peak Area (1000 Counts) of AHL in Chromatogram | | | | | | | | | |
| | Cv | At | Cv | At | Afil/Strain | C4 | C6 | C7 | C8 | C12 | ОН-С4 | ОН-С6 | ОН-С7 | ОН-С8 |
| S0188 a | _ | + | + | + | 9 | ND | (114)° | 178 в | ND | ND | 32 ^b (161) ^b | 880 b (4822) b | 15 ° | 176 b (1287) b |
| S0202 | _ | + | _ | + | 5 | ND | NĎ | ND | ND | ND | ND | 118 c (1659) b | ND | ND |
| S0203 a | _ | + | + | + | 7 | ND | ND | ND | ND | ND | 40 ^b (3709) ^b | 964 ^b (6479) ^b | 18 ^b | 193 b (1061) b |
| S0207 | + | + | _ | + | 4 | ND | ND | ND | ND | ND | ND | 167 ° (1807) b | ND | ND |
| S0209 a | + | + | + | + | 8 | ND | (116) b | ND | ND | ND | 17 c (342) b | 627 ^b (4297) ^b | 21 ° | 106 b (1747) b |
| S0273 a | + | + | + | + | 7 | ND | ND | ND | ND | ND | 28 ^b (273) ^b | 896 ^b (5918) ^b | 13 ° | 199 b (1007) b |
| S0344 | + | _ | _ | _ | 2 | 92 ^b (5352) ^b | ND | ND | ND | ND | $(50)^{b}$ | ND | ND | ND |
| S0787 | _ | + | _ | + | 0 | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| S0821 | + | + | + | + | 6 | ND | ND | ND | 57 b (6284) b | ND | ND | ND | ND | ND |
| S0843 a | + | _ | + | + | 2 | 317 b (11974) b | ND | ND | ND | ND | (94) ^b | ND | ND | ND |
| S0845 | + | _ | _ | _ | 1 | 83 ^b (5009) ^b | ND | ND | ND | ND | ND | ND | ND | ND |
| S1073 a | _ | + | _ | + | 0 | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| S1089 | _ | + | _ | + | 4 | ND | ND | ND | ND | (125322) b | 310 b (2279) b | (119) ^b | ND | ND |
| S1106 | + | + | _ | + | 4 | ND | ND | ND | ND | ND | ND | 140 ° (2050) b | ND | ND |
| S1110 | + | + | _ | + | 2 | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| S1137 | + | + | _ | + | 2 | ND | ND | ND | ND | ND | ND | 210 ° (3154) b | ND | 14 ° (154) b |
| S1162 | _ | + | _ | + | 8 | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| S1192 | _ | + | _ | + | 1 | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| S1194 | _ | + | _ | _ | 2 | ND | ND | ND | ND | ND | 61 ^b (491) ^b | ND | ND | ND |
| S1196 | _ | + | _ | + | 2 | ND | ND | ND | ND | ND | 163 ^b (1425) ^b | ND | ND | ND |
| S1728 | _ | + | _ | + | 4 | ND | ND | ND | ND | ND | ND | 61 ° (617) b | ND | ND |
| S1729 | _ | + | + | + | 7 | ND | ND | ND | 53 b (5170) b | ND | ND | 268 ° (2943) b | ND | ND |
| S1730 | _ | + | _ | + | 5 | ND | ND | ND | ND | ND | ND | 142 ° (2643) b | ND | ND |
| S1732 | _ | + | _ | + | 5 | ND | ND | ND | ND | ND | ND | 201 ° (2201) b | ND | ND |
| S2605 | + | _ | _ | + | 1 | ND | ND | ND | ND | ND | ND | 33 ° (369) b | ND | ND |
| S2606 a | + | _ | + | + | 6 | ND | (773) ° | 806 b | ND | ND | $(90)^{b}$ | 961 ^b (6248) ^b | 57 ^b (1663) ^b | 38 b (285) b |
| S2719 | + | _ | _ | + | 2 | 77 ^b (4578) ^c | (54) c | ND | ND | ND | ND | ND | ND | ND |
| S2757 | + | + | + | + | 3 | ND | (69) c | ND | ND | ND | ND | 364 ° (5464) b | ND | ND |
| S3857 | + | + | + | + | 2 | ND | 52 ° (5321) b | ND | (768) ^b | ND | ND | ND | ND | ND |
| S4497 a | + | _ | + | + | 3 | 19 ^b (917) ^b | 286 b (12817) b | 631 b | ND | ND | ND | ND | ND | ND |
| S4634 | + | _ | _ | + | 1 | ND | ND | ND | ND | ND | ND | (148) b | ND | ND |
| S4738 a | _ | + | - | + | 1 | ND | ND | ND | ND | ND | 219 b (2638) b | ND | ND | ND |
| 90-11-287 | _ | + | + | + | 3 | ND | ND | ND | ND | ND | ND | 192 ° (2162) b | ND | ND |
| No of occurrences/AHL | | | | | | 5 | 7 | 3 | 3 | 1 | 11 | 17 | 5 | 6 |

Mar. Drugs 2015, 13

The authors would like to apologize for any inconvenience caused to the readers by these changes.

Reference

1. Rasmussen, B.B.; Nielsen, K.F.; Machado, H.; Melchiorsen, J.; Gram, L.; Sonnenschein, E.C. Global and phylogenetic distribution of quorum sensing signals, acyl homoserine lactones, in the family of Vibrionaceae. *Mar. Drugs* **2014**, *12*, 5527–5546.

© 2015 by the authors; licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution license (http://creativecommons.org/licenses/by/4.0/).