



Supplementary Materials

Cross-Sectional Serological Survey for *Leptospira* spp. in Beef and Dairy Cattle in Two Districts in Uganda

Anou Dreyfus, Terence Odoch, Lordrick Alinaitwe, Sabrina Rodriguez-Campos, Amanuel Tsegay, Valentine Jaquier and Clovice Kankya

Table S1. Titers against eight leptospiral serovars of different serogroups assessed by Microscopic Agglutination Test in seropositive cattle from Mbale ($N = 116$) and Kole district ($N = 159$) in Uganda.

Sample ID	Grippo	Ictero	Hardjo	Butembo	Wolfii	Nigeria	Kenya	Pomona
107							100	100
53	100	100		100	100	100	200	100
3								100
7								100
74								100
95								100
116								100
117								100
125			100					100
207								100
210								100
225								100
226								100
243								100
281								100
300								100
314								100
221				100				200
246								200
261								200
287								200
12				100				400
245								400
317				800				800
264				800				3200
35								6400
108						100	100	
123						200	100	
26							100	
57							100	
113							100	
198							100	
21						200	200	
183							200	
236							200	
242							200	
20							400	
307							1600	
270					100	100		
99						100		
120						100		
169						100		

182		100
267		100
320		200
54	100	
148	100	
170	100	
299	100	
318	100	100
94	100	200
192	100	200
306	100	

^a *Grippytyphosa*; ^b *Icterohaemorrhagiae*.



Figure S1. Sample collection site in Kole district.