Table S1.	Descriptive	statistics	of study	variables

		Overall		
Variables	n	Weighted % (95%CI		
Gender		, , , , , , , , , , , , , , , , , , ,		
Male	1980	49.34 (47.35, 51.32		
Female	2481	50.66 (48.68, 52.65		
Age				
18-34	1334	37.33 (35.36, 39.30		
35-54	1763	40.46 (38.51, 42.41		
55 or older	1364	22.21 (20.70, 23.71		
Race/Ethnicity				
White	3113	67.96 (66.08, 69.85		
Black or African-American	242	7.29 (6.18, 8.41		
American Indian or Alaska Native	441	6.81 (5.95, 7.62		
Hispanic	265	9.44 (8.14, 10.75		
Multiracial	313	5.98 (5.05, 6.90		
Other	87	2.51 (1.87, 3.15		
Education				
High school or less	1409	43.23 (41.21, 45.25		
Some college or more	3052	56.77 (54.75, 58.79		
Income				
≤ \$30,000	1042	21.58 (19.97, 23.19		
\$30,000 - <\$45,000	664	14.16 (12.75, 15.58		
\$45,000 - <\$60,000	673	13.29 (11.99, 14.59		
\$60,000 - <\$80,000	640	15.52 (14.04, 16.99		
\$80,000 - <\$100,000	552	10.95 (9.76, 12.13		
\$100,000 - <\$150,000	510	14.51 (13.05, 15.98		
≥ \$150,000	380	9.97 (8.79, 11.18		

	Overall		
Variables	n	Weighted % (95%CI)	
Region			
Northwest	684	10.11 (9.33, 10.90)	
Northeast	946	20.96 (19.67, 22.25)	
Tulsa	600	17.36 (16.07, 18.65)	
Central	764	28.55 (26.91, 30.20)	
Southwest	716	11.13 (10.21, 12.04)	
Southeast	751	11.89 (11.01, 12.76)	
Urban/Rural			
Urban	1364	45.91 (44.22, 47.61)	
Rural	3097	54.09 (52.39, 55.78)	
Marital status			
Married	2677	52.77 (50.77, 54.76)	
Widowed	127	2.67 (2.03, 3.31)	
Divorced or separated	592	16.98 (15.40, 18.56)	
Never married and other	1065	27.58 (25.74, 29.42)	
Cigarette smoking status			
Current smoker	805	18.32 (16.79, 19.86)	
Former smoker	1027	21.31 (19.72, 22.91)	
Never smoker	2610	60.36 (58.42, 62.30)	
How many of the people that are important to you use tobacco			
None	1171	24.84 (23.16, 26.52)	
Any	3279	75.16 (73.48, 76.84)	
How serious of a problem is smoking and tobacco use for people in your community			
Not a serious, only a little serious, or fairly serious	2005	45.93 (43.91, 47.95)	

	Overall		
Variables	n	Weighted % (95%CI)	
Very serious	2314	54.07 (52.05, 56.09)	
Awareness of any programs, activities, services, or policies to decrease tobacco use or exposure to SHS			
Yes	2296	49.00 (47.01, 50.99)	
No/Don't know	2163	51.00 (49.01, 52.99)	
Knowledge of health effects of SHS			
0	386	8.94 (7.79, 10.09)	
1	610	14.56 (13.10, 16.01)	
2	1260	28.19 (26.39, 29.99)	
3	1262	28.30 (26.50, 30.11)	
4	882	20.01 (18.41, 21.60)	
Knowledge of health effects of SHS (mean, 95%CI)		2.36 (2.31, 2.41)	