

Table S1. Hand hygiene infrastructure at 11 pilot schools at baseline and follow-up*.

	Baseline	Follow-up	Percent change	P-value
Handwashing station				
Total handwashing access points	146	142	-	-
Functional handwashing access points**	131 (90%)	114 (80%)	-10%	0.025
Functional handwashing access points with soap, n (%) [†]	94 (72%)	83 (73%)	+1%	0.855
Functional handwashing access points with paper towel, n (%) [†]	50 (38%)	50 (44%)	+6%	0.366
Functional handwashing access points accessible for individuals with disabilities, n (%) [†]	72 (55%)	50 (44%)	-11%	0.083
Functional handwashing access points accessible for small children, n (%) [†]	108 (82%)	63 (55%)	-27%	<0.001
ABHR				
Total ABHR dispensers	106	94		
Functional ABHR dispensers	102 (96%)	79 (84%)	-12%	0.003
Restrooms				
Total restrooms	52	53		
Restrooms with handwashing station with water within 5 meters, n (%)	45 (87%)	39 (74%)	-13%	0.097
Restrooms with handwashing station with water and soap within 5 meters, n (%)	34 (65%)	35 (66%)	+1%	0.944

ABHR = alcohol-based hand rub

*Excluded one school that was not operating in normal conditions at follow-up

**Percent of all handwashing access points

†Percent of all functional handwashing access points