

Supporting Information

Carbon Xerogels Hydrothermally Doped with Bimetal Oxides for Oxygen Reduction Reaction

Abdalla Abdelwahab ^{1,*}, Francisco Carrasco-Marín ² and Agustín F. Pérez-Cadenas ^{2,*}

¹ Materials Science and Nanotechnology Department, Faculty of Postgraduate Studies for Advanced Sciences, Beni-Suef University, Beni-Suef 62511, Egypt

² Carbon Materials Research Group, Department of Inorganic Chemistry, Faculty of Sciences, University of Granada, Campus Fuentenueva s/n, ES18071 Granada, Spain

* Correspondence: aabdelwahab@psas.bsu.edu.eg (A.A.); afperez@ugr.es (A.F.P.-C.)




Figure S1. Nitrogen isotherms at $-196\text{ }^{\circ}\text{C}$ for samples: (a) $\text{NiFe}_2\text{O}_4/\text{Co-CX}$, $\square$; $\text{NiCo}_2\text{O}_4/\text{Co-CX}$, $\diamond$; $\text{CoFe}_2\text{O}_4/\text{Co-CX}$, $\circ$ and (b) $\text{NiFe}_2\text{O}_4/\text{Ni-CX}$, $\square$; $\text{NiCo}_2\text{O}_4/\text{Ni-CX}$, $\diamond$; $\text{CoFe}_2\text{O}_4/\text{Ni-CX}$, $\circ$. Adsorption curve—open symbols; desorption curve—closed symbols.




Figure S2. EDXS analysis carried out on sample $\text{NiCo}_2\text{O}_4\text{-CoCX}$.



© 2019 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).