

Hydrothermal Crystallization of Bismuth Oxychlorides (BiOCl) Using Different Shape Control Reagents

Enikő Bárdos ^{1,2}, Viktória A. Márta ¹, Szilvia Fodor ^{1,2}, Endre-Zsolt Kedves ^{3,4,5} and Klara Hernadi ^{1,6,*} and Zsolt Pap ^{1,2,4,*}

¹ Department of Applied and Environmental Chemistry, University of Szeged, Rerrich Béla tér 1, HU-6720, Szeged, Hungary; bardosenci@gmail.com (E.B.), martaviktoria95@gmail.com (V.A.M.), fod_szilvia@hotmail.com (S.F.)

² Institute of Environmental Science and Technology, University of Szeged, Tisza Lajos krt. 103, Szeged HU-6720, Hungary

³ Faculty of Physics, Babeş-Bolyai University, M. Kogălniceanu 1, RO-400084 Cluj-Napoca, Romania; kedves.endre91@gmail.com

⁴ Nanostructured Materials and Bio-Nano-Interfaces Center, Institute for Interdisciplinary Research on Bio-Nano-Sciences, Babeş-Bolyai University, Treboniu Laurian 42, RO-400271 Cluj-Napoca, Romania

⁵ Department of Biosystems Engineering, Faculty of Engineering, University of Szeged, Moszkvai krt. 9, H-6725 Szeged, Hungary

⁶ Institute of Physical Metallurgy, Metal Forming and Nanotechnology, University of Miskolc, 3515 Miskolc-Egyetemváros, Hungary

* Correspondence: hernadi@chem.u-szeged.hu (K.H.), pzsolt@chem.u-szeged.hu (Z.P.)




Figure S1. The RhB spectra of the Rhb degradation under UV and Vis irradiation