

Positron Annihilation Spectroscopy Study of Metallic Materials after High-Speed Cutting

Jinquan Li ^{1,*}, Roman Laptev ^{2,*}, Iurii Bordulev ², Krzysztof Siemek ^{3,4}, Pawel Horodek ^{3,4},
Shen Haolun ¹, Anton Lomygin ² and Jian Cui ²

¹ School of Mechanical Engineering, Shenyang Ligong University, No.6 Nanping Center Road,

Hunnan New District, Shenyang 110159, China; shenhaolun0127@163.com (S.H.)

² Division for Experimental Physics, National Research Tomsk Polytechnic University, 634050 Tomsk, Russia; bus@tpu.ru (I.B.); lomyginanton141@gmail.com (A.L.); ttszyan@mail.ru (J.C.)

³ Institute of Nuclear Physics Polish Academy of Sciences, PL-31342 Krakow, Poland; siemek.krzysztof@gmail.com (K.S.); pawel.horodek@ifj.edu.pl (P.H.)

⁴ Joint Institute for Nuclear Research, Joliot-Curie 6, 141980 Dubna, Moscow Region, Russia

* Correspondence: li_jinquan@163.com (J.L.); laptevrs@tpu.ru (R.L.);
Tel.: +7-913-852-3733 (R.L.)

Supplementary materials




Figure S1. PALS spectra for GCr15 steel after high-speed cutting.





Figure S2. DBS spectra for GCr15 steel after high-speed cutting.






Figure S3. CDBS spectra for GCr15 steel after high-speed cutting.