

Supplementary Materials

Recombinant Oleate Hydratase from *Lactobacillus rhamnosus* ATCC 53103: Enzyme Expression and Design of a Reliable Experimental Procedure for the Stereoselective Hydration of Oleic Acid

Antonio Castagna ¹, Davide De Simeis ^{1,*}, Erica E. Ferrandi ², Stefano Marzorati ¹, Daniela Monti ², Stefano Serra ^{1,*} and Mattia Valentino ^{1,†}

¹ Istituto di Scienze e Tecnologie Chimiche, C.N.R., Via Mancinelli 7, 20131 Milano, Italy; antonio.castagna.b@gmail.com (A.C.); s.marzorati10@campus.unimib.it (S.M.); mattia.valentino@scitec.cnr.it (M.V.)

² Istituto di Scienze e Tecnologie Chimiche, C.N.R., Via Mario Bianco 9, 20131 Milano, Italy; erica.ferrandi@scitec.cnr.it (E.E.F.); daniela.monti@scitec.cnr.it (D.M.)

* Correspondence: dav.biotec01@gmail.com (D.D.S.); stefano.serra@cnr.it (S.S.); Tel.: +39-02-2399-3076 (S.S.)

† The authors are listed in alphabetical order.




Figure S1: crude acetylmandelate ester of 10-HSA.




Figure S2: crude acetylmandelate ester of 10-HSA: methyl ester signal.




Figure S3: Reference standard of acetylmandelate of 10-HSA with 22 % ee: methyl ester signal