



Supplementary Materials

Microcystis aeruginosa synergistically facilitate the photocatalytic degradation of tetracycline hydrochloride and Cr(VI) on PAN/TiO₂/Ag nanofiber mats

Lei Wang ¹, Changbo Zhang ², *, Rong Cheng ³, *, Jafar Ali ¹, ⁴, Zhenbo Wang ⁵, ⁶, *, Gilles Mailhot ⁷ and Gang Pan ¹, ⁸,*

- ¹ Key Laboratory of Environmental Nanotechnology and Health Effects, Research Center for Eco-environmental Sciences, Chinese Academy of Sciences, 18 Shuangqing Road, Beijing 100085, P. R. China; leiwang@rcees.ac.cn (L.W.); jafar_386@yahoo.com (J.A.)
- ² Agro-Environmental Protection Institute, Ministry of Agriculture, Tianjin 300191, P. R. China;

³ School of Environment and Natural Resources, Renmin University of China, Beijing 100872.

- ⁴ Research Center for Environmental Material and Pollution Control Technology, University of Chinese Academy of Sciences, Beijing 100049, P. R. China;
- ⁵ Institute of Geographic Sciences and Natural Resources Research, Chinese Academy of Sciences, 11A Datun Road Chaoyang District, Beijing 100101, China;
- ⁶ Key Laboratory of Regional Sustainable Development Modeling, Chinese Academy of Sciences, Beijing 100101, China
- ⁷ Université Clermont Auvergne, CNRS, SIGMA Clermont, Institut de Chimie de Clermont-Ferrand, F-63000 Clermont-Ferrand, France; gilles.mailhot@uca.fr
- ⁸ Center of Integrated Water-Energy-Food studies (iWEF), Nottingham Trent University, Nottinghamshire, NG25 0QF, UK;
- * Correspondence: zhchb1976@163.com (C.Z.); chengrong@ruc.edu.cn (R.C.); wangzb@igsnrr.ac.cn (Z.W.); gpan@rcees.ac.cn (G.P.); Tel.: +86-10-6294-3436 (G.P.)
- 2.1. Characterization of M. aeruginosa-decorated PAN/TiO₂/Ag nanofiber mats



Figure S1 UV-vis absorption spectra of the washing solutions

2.2. Photocatalytic decontamination of TC and Cr(VI)



Figure S2 Variation of UV-vis absorption spectra of algae supernatant after irradiation