

Exhaustive photocatalytic lindane degradation by combined simulated solar light-induced nanocrystalline TiO₂ and inorganic oxidants

Sanaullah Khan^{1,2,3, #}, Changseok Han^{4, #}, Murtaza Sayed², M. Sohail⁵, Safeer Jan², Sabiha Sultana⁶, Hasan M. Khan² and Dionysios D. Dionysiou^{3,7*}

¹Department of Chemistry, Women University Swabi, 22102, Pakistan, sukhan3@gmail.com

²Radiation and Environmental Chemistry Laboratory, National Centre of Excellence in Physical Chemistry, University of Peshawar, Peshawar 25120, Pakistan, murtazasayed_407@yahoo.com

³Environmental Engineering and Science Program, Department of Chemical and Environmental Engineering (ChEE), University of Cincinnati, Cincinnati, Ohio 45221-0012, USA, DIONYSDD@ucmail.uc.edu

⁴Department of Environmental Engineering, INHA University, Incheon 22212, Korea, hanck@inha.ac.kr

⁵Institute of Chemical Sciences, University of Swat, Swat 19130, Pakistan, msohail2000@gmail.com

⁶Department of Chemistry, Islamia College University Peshawar, Peshawar 25120, Pakistan, saba_rehan2006@yahoo.com

⁷Nireas-International Water Research Centre, University of Cyprus, Nicosia 1678, Cyprus, dionysios.d.dionysiou@uc.edu

* Correspondence: dionysios.d.dionysiou@uc.edu; Tel: +1-513-556-0724; Fax: +1-513-556-2599

Contributed equally to this work.




Figure S1. Tauc plot of Kubelka–Munk transformation of synthesized TiO₂ films. Inserts shows the UV-visible absorption spectrum of the TiO₂ film.