

**Association of a Common *NOS1AP* Variant with Attenuation of QTc
Prolongation in Men with Heroin Dependence Undergoing Methadone**

Treatment

Kuan-Cheng Chang^{a, b*} M.D., Ph.D., Ke-Wei Chen^{a*}, MD, Chieh-Liang Huang^{c*}
M.D., Ph.D., Wen-Ling Liao^{d, e} Ph.D., Mei-Yao Wu^{f, g} M.D., Ph.D., Yu-Kai Lin^{a, b}
M.D., Yi-Tzone Shiao^h M.S., Wei-Hsin Chung^{a, b} M.D., Yen-Nien Lin^{a, b} M.D., Ph.D.,
and Hsien-Yuan Lane^{b, i} M.D., Ph.D.

*K.-C. Chang, K.-W. Chen, and C.-L. Huang contributed equally to the work.

^aDivision of Cardiovascular Medicine, Department of Medicine, China Medical University Hospital, Taichung 404332, TAIWAN

^bGraduate Institute of Biomedical Sciences, China Medical University, Taichung 404333, TAIWAN

^cDepartment of Addiction Treatment, Tsaotun Psychiatric Center, Ministry of Health and Welfare, Nan-Tou County 54249, TAIWAN

^dCenter for Personalized Medicine, China Medical University Hospital, Taichung 404332, TAIWAN

^eGraduate Institute of Integrated Medicine, China Medical University, Taichung 404333, TAIWAN

^fSchool of Post-Baccalaureate Chinese Medicine, China Medical University, Taichung, 40402, TAIWAN

^gDepartment of Chinese Medicine, China Medical University Hospital, Taichung 404332, TAIWAN

^hCenter of Institutional Research and Development, Asia University, Taichung 413305 TAIWAN

ⁱDepartment of Psychiatry, China Medical University Hospital, Taichung, 404332,
TAIWAN

Supplementary Table S1. Polymerase chain reaction (PCR) primers and probes in the genotyping single-nucleotide polymorphisms (SNPs) spanning the entire *NOS1AP* gene.

Gene	PCR amplification primers	Taq probes
rs1963645-T/C	F: GTG AGT GGG GGC AGG AGA R: AAA CTC CTC TTC AGA AAT TTG AGC	CGA CTG TAG GTG CGT AAC TCT GGG ACG AGG ATG CAG GAA GAT GGA
rs3751284-A/G	F: TGC AGC ACA CGC AGC AGA R: AAG CCG CAG TGC CTA CCT	AGA GCG AGT GAC GCA TAC TAC AGA TGG CCA GGA AGA TGG AGA GAG
rs737641-C/T	F: TAC ACA CTT TCC CTC ACA CAT G R: TTA GCC TTC CTT GGT GCA	GCG GTA GGT TCC CGA CAT ATA CAC AAA ACA CAC ACA CAC ACA CCA
rs164151-T/C	F: TTT ATA TAT ACA TGT GTG AGG GAA AGT G R: AAA ACA CAA ATC TGT TGC TGA TT	GAC CTG GGT GTC GAT ACC TAA GGA TTG TAA CCA GAC GGA AAA GAA
rs1415263-T/C	F: TAA AAT GGA AAT CTG TCA ACT GC R: GTG AGC CCC AAT GTC ACC	AGC GAT CTG CGA GAC CGT ATG GTT GGA AGG CAA CAT ACT TGA TGA
rs945713-C/T	F: AGA GAC TGC AGA AAT GAT AAC TTC A R: ACT TGT ATA TTC TGT GTG ACA CTC C	GGA TGG CGT TCC GTC CTA TTT TTT TGA CAT ATT GAA TTT AAG GTG
rs1572495-C/T	F: TAA TGA AAC AGA GAT CAG GGA CA R: CTG CCT AAA TAT CCT TTG CTT CT	ACG CAC GTC CAC GGT GAT TTA GAG GAT GCA GAT TTG AGC TGA GCC
rs10494366-G/T	F: AAT GAA TTC AAA GGT CAG TTT TAT C R: ATG TGT CCT AGA TAG AGA CCA GTA CA	ACG CAC GTC CAC GGT GAT TTC AGT ACA AAT TCT CAG AAT TTA AAA
rs6683968-T/G	F: TTA AGA CCA TGG TGT CTG G R: AAG TGA AGC TTA GAG AAG TTT AGT AAT CTG	AGC GAT CTG CGA GAC CGT ATT TCA AAG CCT GTC TCT ATA ACT CAC
rs1415257-G/A	F: AAT TAT TCC ACA CAA ACA CCA AA	GCG GTA GGT TCC CGA CAT ATA AGA AAA TCC ACT

Gene	PCR amplification primers	Taq probes
rs164148-G/A	R: ACT TTT ATA GAG TAA ATT GAA GGG TAT TCA	AGC TGA AAC ACT
	F: TAG GCT TTG CCT AGG GAT C	GGC TAT GAT TCG CAA TGC TTT ACT CCT TAA CGG
rs164149-A/G	R: CAG CCA CTT ATG GCC TTA CA	GCT GGC TGG GGC
	F: ATT TTG GGA TAA TCA TAT CCT TGC	AGG GTC TCT ACG CTG ACG ATA GGA TAA AGA CTT
rs164146-G/C	R: TTA ACA GAT TTT CAA ATG CCT GA	AAT TCC CCG AAC
	F: TTG GGT CAG GGA CCA CAG	GTG ATT CTG TAC GTG TCG CCT TGC CAC CCT TGG
rs2661818-G/C	R: AAT TGC ACA TGG CAC TTT TT	CCC ATC TCT CTG
	F: TTA TTT ACT AAA AAC AGC CCA GG	GAC CTG GGT GTC GAT ACC TAG GTC TTC AAC CTC
rs164147-C/A	R: TGC TAG TGC TCC TGC TCC	CTT CCA CTA TGA
	F: ACT GTG AGA CTG TTT TTG TCC AC	AGA TAG AGT CGA TGC CAG CTC TCT GGG TGC GTG
rs1876986-A/G	R: TAG ATC ATA AAA GAT AAG ACA ATT GCA	CCT TGA GCA CAC
	F: TTT GCC TAG GGA TCA CTA CTC C	AGA GCG AGT GAC GCA TAC TAG GGC TGG CTG GGG
rs1964052-C/T	R: TTT GAA AAT CTG TTA ACA GCC AC	CGA TGA GGA AAA
	F: AGC CCT GCT TCC TCT GTG	CGA CTG TAG GTG CGT AAC TCC CAA GAA AGC ACC
	R: TAT GTT TTC TGC TGG AAT ATA GGG	ACC AAA AAC TTA