

Table S1. Primers used in the PCR amplification for identification of *B. pertussis* genes.

Gene	Primer Sequence
Prn	F: GCCAATGTCACGGTCCAA R: CGGATTCAGGCGCAACTC
PtxP	F: AATCGTCCTGCTCAACCGCC R: GGTATACGGTGGCGGGAGGA
Fim2	F: GCATAGACCATCTTGTATG R: CCGGCCGGGCTCCTTGAG
Fim3	F: CCCCCGGACCTGATATTGTGATG R: GCTGAGCGTGCTGAAGGACAAGAT
PtxS1	F: ACCATCAAAACGCAGAGGGGAAGA R: AGGAGGGCCAACGGCAGA
cyaA	F: ACCGCCTACGGCAAGCGC R: GCCGCCTTCAAGGGTATC
TcfA	F: ATGCACATTTACGGAAATATGA R: TATGCGTGCCCGGGTCATAG
ompQ	F: ATGCGTCGTCTTCTCGTC R: TCAGAAGCGCTGGGTCAT
BapC	F: GACAACGGTGTCTGGGGC R: GCGCAGGTGGAACGTCCA
FHA	F: TCGCCATTTTCGGCGCACG R: AGATCGAGCTGCGCGCCG
Vag8	F: ATGGCAGGACAAGCGAGG R: CCGCGTACCCGTCAACGT
Adk	F: AGCCGCCTTTCTCACCCAACACT R: TGGGCCCAGGACGAGTAGT
BrkA	F: CCTGCTCGGCTACACCTATGC R: CCTGGCGGGGTTTTTCATTG
IS481	F: GCCGGATGAACACCCATAAG R: GCGATCAATTGCTGGACCAT
IS1001	F: AATTGCTGCAAGCCAACCA R: CCAGAGCCGTTTGAGTTCGT
IS1002	F: CTAGGTCGAGCCCTTCTTGTTAAC R: GCGGGCAAGCCACTTGTA