

Table S5: Morphometric data of *Oesophagostomum dentatum* by different authors, presented as mean \pm standard deviation, in millimeters

	This study (n=10)	Dakova e Panayotova-Pencheva [19]
Host	Wild boar	Wild boar
Male		
Length	8.98 \pm 0.038	9.46 \pm 0.28
Width	0.21 \pm 0.018	0.218 \pm 0.014
Excretory pore	0.34 \pm 0.023	–
Nerve ring	0.24 \pm 0.008	–
Esophagus length	0.43 \pm 0.017	0.397 \pm 0.104
Esophagus width	0.13 \pm 0.013	0.110 \pm 0.007
Spicules	0.98 \pm 0.118	1.135 \pm 0.030
Gubernacle	0.10 \pm 0.007	0.127 \pm 0.006
Female		
Length	12.88 \pm 0.409	11.5 \pm 0.6
Width	0.24 \pm 0.008	0.233 \pm 0.014
Excretory pore	0.345 \pm 0.021	–
Nerve ring	0.24 \pm 0.023	–
Esophagus length	0.45 \pm 0.02	0.426 \pm 0.102
Esophagus width	0.12 \pm 0.008	0.115 \pm 0.005
Vulva to the posterior end	0.63 \pm 0.113	–
Vulva to the anus	0.29 \pm 0.021	0.347 \pm 0.015
Anus to the posterior end	0.27 \pm 0.043	0.293 \pm 0.007