


Control


JQ1 treatment



Supplementary S2. LC-MS/MS results of intracellular proteins by *A. fumigatus* DSM 790 after or not after JQ1 treatment. Overall data of LC-MS/MS analysis after treatment of *A. fumigatus* with or without JQ1. Log₂ (LFQ intensity) of the intracellular proteins. The value is expressed as media of at least three independent biological replicates.

Control

JQ1 treatment




Supplementary S2. LC-MS/MS results of intracellular proteins by *A. fumigatus* DSM 790 after or not after JQ1 treatment. Overall data of LC-MS/MS analysis after treatment of *A. fumigatus* with or without JQ1. Log₂ (LFQ intensity) of the intracellular proteins. The value is expressed as media of at least three independent biological replicates.



Supplementary S2. LC-MS/MS results of intracellular proteins by *A. fumigatus* DSM 790 after or not after JQ1 treatment. Overall data of LC-MS/MS analysis after treatment of *A. fumigatus* with or without JQ1. Log₂ (LFQ intensity) of the intracellular proteins. The value is expressed as media of at least three independent biological replicates.

Control

JQ1 treatment



A

B

Supplementary S2. LC-MS/MS results of intracellular proteins by *A. fumigatus* DSM 790 after or not after JQ1 treatment. Overall data of LC-MS/MS analysis after treatment of *A. fumigatus* with or without JQ1. Log₂(LFQ intensity) of the intracellular proteins. The value is expressed as media of at least three independent biological replicates.

Control

JQ1 treatment

