

## **Supporting Information**

# **Utilization of Low Molecular Weight Carbon Sources by Fungi and *Saprolegniales*: Implications for Their Ecology and Taxonomy**

**Hossein Masigol<sup>1,2</sup>, Hans-Peter Grossart<sup>1,3,\*</sup>, Seyedeh Roksana Taheri<sup>1</sup>, Reza Mostowfizadeh-Ghalamfarsa<sup>4</sup>, Mohammad Javad Pourmoghaddam<sup>2</sup>, Ali Chenari Bouket<sup>5</sup> and Seyed Akbar Khodaparast<sup>2</sup>**

<sup>1</sup> Plankton and Microbial Ecology, Leibniz Institute for Freshwater Ecology and Inland Fisheries (IGB), 16775 Neuglobsow, Germany; hossein.masigol@gmail.com (H.M.); roxi.thi@gmail.com (S.R.T.)

<sup>2</sup> Department of Plant Protection, Faculty of Agricultural Sciences, University of Guilan, Rasht 4199613776, Iran; javad.pormoghadam@gmail.com (M.J.P.); blumeria2015@gmail.com (S.A.K.)

<sup>3</sup> Institute for Biochemistry and Biology, Potsdam University, 14469 Potsdam, Germany

<sup>4</sup> Department of Plant Protection, School of Agriculture, Shiraz University, Shiraz 7144113131, Iran; rmostofi@shirazu.ac.ir

<sup>5</sup> East Azarbaijan Agricultural and Natural Resources Research and Education Centre, Plant Protection Research Department, Agricultural Research, Education and Extension Organization (AREEO), Tabriz 5355179854, Iran; a.chenari@areeo.ac.ir

\* Correspondence: hgrossart@igb-berlin.de; Tel.: +49-(0)-3308269991

LIST OF SUPPORTING INFORMATION

<b>Table S1.</b> Isolation and accession numbers of sequences used in the phylogenetic analyses .....	3
<b>References to Table S1.....</b>	5

**Table S1.** Isolation and accession numbers of sequences used in the phylogenetic analyses. Isolates/sequences in bold were isolated/sequenced in present study. N/A: not available.

Species	Strain number	GenBank accession number		References
		ITS	LSU	
<i>Achlya ambisexualis</i>	CBS38379	HQ643082	N/A	Robideau et al. (2011)
<i>Achlya bisexualis</i>	GHL2012.2	<b>KJ028042</b>	N/A	unpublished
<i>Achlya</i> sp.	<b>F962-15</b>	<b>MH394644</b>	N/A	<b>This study</b>
<i>Achlya</i> sp.	<b>O963-13</b>	<b>MH253591</b>	N/A	<b>This study</b>
<i>Achlya</i> sp.	<b>O962-13</b>	<b>MH253586</b>	N/A	<b>This study</b>
<i>Aspergillus aculeatus</i>	F1P3RSF4	MK035984	N/A	unpublished
<i>Aspergillus aculeatus</i>	KKU-CT2	LC102114	N/A	unpublished
<i>Aspergillus candidus</i>	DAOM 216320	JN942868	JN938922	Schoch et al. (2012)
<i>Aspergillus clavatus</i>	DAOM 216311	JN942917	JN938924	Schoch et al. (2012)
<i>Aspergillus flavus</i>	DAOM 225949	JN942867	JN938926	Schoch et al. (2012)
<i>Aspergillus fumigatus</i>	DAOM 215394	JN942916	JN938928	Schoch et al. (2012)
<i>Aspergillus niger</i>	DAOM 221143	JN942866	JN938930	Schoch et al. (2012)
<i>Aspergillus parasiticus</i>	DAOM 225948	JN942865	JN938934	Schoch et al. (2012)
<i>Aspergillus</i> sp.	<b>RT16</b>	<b>MH367066</b>	N/A	<b>This study</b>
<i>Cladosporium allicinum</i>	CBS 399.80	AJ244227	DQ678074	Schoch et al. (2006), de Hoog et al. (1999)
<i>Cladosporium allicinum</i>	CPC 5101	AY251078	GU214408	Braun et al. (2003); Crous et al. (2009)
<i>Cladosporium cladosporioides</i>	CBS 126915	MH864338	MH875782	Vu et al. (2019)
<i>Cladosporium cladosporioides</i>	<b>FBP8</b>	<b>MN401025</b>	<b>ON211939</b>	<b>This study</b>
<i>Cladosporium cladosporioides</i>	<b>FBL81</b>	<b>MN401020</b>	<b>MN396219</b>	<b>This study</b>
<i>Cladosporium herbarum</i>	DAOM 196248	JN942903	JN938886	Schoch et al. (2012)
<i>Cladosporium herbarum</i>	CBS 723.79	EU167558	GU214410	Simon and Weiß (2008); Simon et al. (2009); Crous et al. (2009)
<i>Dictyuchus monosporus</i>	278B_AH	KP663638	N/A	unpublished
<i>Dictyuchus pseudodiktyon</i>	CCIBt 4108	KT935276	N/A	unpublished
<i>Dictyuchus</i> sp.	<b>M963-8A</b>	<b>MH253582</b>	N/A	<b>This study</b>
<i>Dictyuchus</i> sp.	<b>O962-14</b>	<b>MH253592</b>	N/A	<b>This study</b>
<i>Dictyuchus</i> sp.	<b>O963-5</b>	<b>MH253588</b>	N/A	<b>This study</b>
<i>Dictyuchus</i> sp.	<b>O961-3</b>	<b>MH394640</b>	N/A	<b>This study</b>
<i>Dictyuchus</i> sp.	<b>T963-33B</b>	<b>MH253593</b>	N/A	<b>This study</b>
<i>Fusarium proliferatum</i>	CBS 240.64	MH858428	MH870056	Vu et al. (2019)
<i>Fusarium</i> sp.	MRR4	MN461532	N/A	unpublished
<i>Fusarium</i> sp.	brs1	OM106700	N/A	unpublished
<i>Fusarium</i> sp.	-	MK256324	N/A	unpublished
<i>Fusarium</i> sp.	-	MW369561	N/A	unpublished

Table S1. Cont.

Species	Strain number	GenBank accession number		References
		ITS	LSU	
<i>Fusarium</i> sp.	RT3	MH367054	N/A	This study
<i>Fusarium</i> sp.	RT18	MH367068	N/A	This study
<i>Paecilomyces varioti</i>	NR23	MH270551	N/A	unpublished
<i>Paecilomyces varioti</i>	SICAU SDT12	KJ027987	N/A	unpublished
<i>Paecilomyces</i> sp.	RT10	MH367061	N/A	This study
<i>Penicillium brevicompactum</i>	FBP81	MN401026	MN396223	This study
<i>Penicillium brevicompactum</i>	FBP7	MN401023	MN396222	This study
<i>Penicillium brevicompactum</i>	FBP5	MN401017	MN396215	This study
<i>Penicillium crustosum</i>	CBS 115503	MH862985	NG069876	Vu et al. (2019)
<i>Penicillium crustosum</i>	DAOM 215345	JN942857	JN938953	Schoch et al. (2012)
<i>Penicillium crustosum</i>	FBSL1	MN401024	ON211940	This study
<i>Plectosphaerella</i> sp.	TV26-T-1	MW765109	N/A	unpublished
<i>Plectosphaerella</i> sp.	TV14-10-1	MW765087	N/A	unpublished
<i>Plectosphaerella</i> sp.	RT5	MH367056	N/A	This study
<i>Pseudocercospora cruenta</i>	CPC 10846	GU269688	GU214673	Crous et al. (2013)
<i>Pseudocercospora fuligena</i>	CPC 12296	GU269711	GU214675	Crous et al. (2013)
<i>Pseudocercospora kaki</i>	MUCC 900	GU269729	GU253761	Crous et al. (2013)
<i>Pseudocercospora leucadendri</i>	CPC 1869	GU269842	GU214480	Crous et al. (2013)
<i>Pseudocercospora vitis</i>	CPC 11595	GU269829	GU214483	Crous et al. (2013)
<i>Sarocladium kiliense</i>	KoLRI_EL005555	MN844617	N/A	unpublished
<i>Sarocladium kiliense</i>	KoLRI_EL005551	MN844616	N/A	unpublished
<i>Sarocladium</i> sp.	RT1	MH367052	N/A	This study
<i>Volutella citrinella</i>	-	HQ897821	N/A	Grafenhan et al. (2011)
<i>Volutella citrinella</i>	CNUFC DYR1	MW757247	N/A	unpublished
<i>Volutella</i> sp.	RT4	MH367055	N/A	This study

## References to Table S1

- Braun, U.; Crous, P.W.; Dugan, F.; Groenewald, J.Z.; de Hoog, G.S. Phylogeny and taxonomy of *Cladosporium*-like hyphomycetes, including *Davidiella* gen. nov., the teleomorph of *Cladosporium s. str.* *Mycol. Progress.* **2003**, 2, 3–18. <https://doi.org/10.1007/s11557-006-0039-2>
- Crous, P.W.; Schoch, C.L.; Hyde, K.D.; Wood, A.R.; Gueidan, C.; de Hoog, G.S.; Groenewald, J.Z. Phylogenetic lineages in the Capnodiales. *Stud. Mycol.* **2009**, 64, 17–47. <https://doi.org/10.3114/sim.2009.64.02>
- Crous, P.W.; Braun, U.; Hunter, G.C.; Wingfield, M.J.; Verkley, G.J.M.; Shin, H.D.; Nakashima, C.; Groenewald, J.Z. Phylogenetic lineages in *Pseudocercospora*. *Stud. Mycol.* **2013**, 75, 37–114. <http://dx.doi.org/10.3114/sim0005>
- de Hoog, G.S.; Zalar, P.; Urzì, C.; de Leo, F.; Yurlova, N.A.; Sterflinger, K. Relationships of dothideaceous black yeasts and meristematic fungi based on 5.8S and ITS2 rDNA sequence comparison. *Stud. Mycol.* **1999**, 43, 31–37.
- Gräfenhan, T.; Schroers, H.-J.; Nirenberg, H.I.; Seifert, K.A. An overview of the taxonomy, phylogeny, and typification of nectriaceous fungi in *Cosmospora*, *Acremonium*, *Fusarium*, *Stilbella*, and *Volutella*. *Stud. Mycol.* **2011**, 68, 79–113. <https://doi.org/10.3114/sim.2011.68.04>
- Lecellier, A.; Mounier, J.; Gaydou, V.; Castrec, L.; Barbier, G.; Ablain, W.; Manfait, M.; Toubas, D.; Sockalingum, G.D. Differentiation and identification of filamentous fungi by high-throughput FTIR spectroscopic analysis of mycelia. *Int. J. Food. Microbiol.* **2014**, 168–169, 32–41. <https://doi.org/10.1016/j.ijfoodmicro.2013.10.011>
- Robideau, G.P.; De Cock, A.W.; Coffey, M.D.; Voglmayr, H.; Brouwer, H.; Bala, K.; Chitty, D.W.; Desaulniers, N.; Eggertson, Q.A.; Gachon, C.M.; HU, C.H. DNA barcoding of oomycetes with cytochrome c oxidase subunit I and internal transcribed spacer. *Molecular ecology resources* **2011**, 11(6), 1002–1011. <https://doi.org/10.1111/j.1755-0998.2011.03041.x>
- Schoch, C.L.; Shoemaker, R.A.; Seifert, K.A.; Hambleton, S.; Spatafora, J.W.; Crous, P.W. A multigene phylogeny of the Dothideomycetes using four nuclear loci. *Mycologia* **2006**, 98, 1041–1052. <https://doi.org/10.1080/15572536.2006.11832632>
- Schoch, C.L.; Seifert, K.A.; Huhndorf, S. et al. Nuclear ribosomal internal transcribed spacer (ITS) region as a universal DNA barcode marker for Fungi. *PNAS* **2012**, 109, 1–6. <https://doi.org/10.1073/pnas.1117018109>
- Simon, U.K.; Weiß, M. Intrageneric Variation of Fungal Ribosomal Genes Is Higher than Previously Thought, *Molecular Biology and Evolution* **2008**, 25(11), 2251–2254. <https://doi.org/10.1093/molbev/msn188>
- Simon, U.K.; Groenewald, J.Z.; Crous, P.W. *Cymadothea trifolii*, an obligate biotrophic leaf parasite of *Trifolium*, belongs to Mycosphaerellaceae as shown by nuclear ribosomal DNA analyses. *Persoonia* **2009**, 22, 49–55. [doi:10.3767/003158509X425350](https://doi.org/10.3767/003158509X425350)
- Vu, D.; Groenewald, M.; de Vries, M.; Gehrmann, T.; Stielow, B. et al. Large-scale generation and analysis of filamentous fungal DNA barcodes boosts coverage for kingdom fungi and reveals thresholds for fungal species and higher taxon delimitation. *Stud. Mycol.* **2019**, 92, 135–154. <https://doi.org/10.1016/j.simyco.2018.05.001>