

Table S2 Compound infection statistics of 5 known viruses and 4 pairs of detection primers (ReAV rep-1F/R, ReAVrep-2F/R, ReAV CP-1F/R, and ReAV CP-2F/R) of ReAV from 60 samples of *Rehmannia glutinosa*

[illegible]

21	-	+	+	+	+	-	-	+	+	5
22	-	+	+	+	+	+	+	+	+	5
23	-	+	+	+	-	-	-	-	+	4
24	-	-	+	+	-	-	-	+	-	3
25	+	+	+	+	-	-	-	+	-	5
26	+	+	+	+	-	-	-	-	-	4
27	-	+	+	+	+	-	-	+	-	5
28	-	+	+	+	+	+	+	+	+	5
29	-	+	+	+	+	+	+	+	+	5
30	-	-	+	+	+	+	+	+	+	4
31	-	+	+	+	+	+	+	+	+	5
32	+	+	+	+	+	+	+	+	+	6
33	-	+	+	-	-	+	-	-	-	3
34	-	+	+	+	+	+	+	+	+	5
35	-	+	+	+	+	+	+	+	+	5
36	-	+	+	+	+	+	+	+	+	5
37	-	+	+	+	+	+	+	+	+	5
38	-	+	+	+	+	+	+	+	+	5
39	+	-	+	+	+	+	+	+	+	5
40	+	-	+	+	+	+	+	+	+	5
41	+	-	+	+	+	+	+	+	+	5
42	+	-	+	+	+	+	-	+	+	6
43	+	+	+	+	-	+	+	+	-	6
44	+	-	+	+	+	+	+	+	+	5
45	+	-	+	+	+	+	+	-	-	5

46	-	-	+	+	-	+	-	+	-	3
47	-	+	+	+	+	+	+	+	+	5
48	-	-	+	+	+	+	+	+	+	4
49	+	+	+	+	+	+	+	+	+	6
50	-	+	+	+	+	+	+	+	+	5
51	-	+	+	+	+	+	+	+	+	5
52	+	+	+	+	+	+	+	+	+	6
53	-	-	+	+	+	+	+	+	+	4
54	-	+	+	-	+	+	+	+	+	4
55	+	+	+	-	+	+	+	+	+	5
56	+	+	+	-	+	-	+	+	+	5
57	-	+	+	+	+	+	+	+	+	5
58	+	+	+	+	+	+	+	+	+	6
59	+	+	+	+	+	+	+	+	+	6
60	+	+	+	+	+	+	+	+	+	6
Number of positive samples	22	47	60	56	51	47	44	49	49	

Note: “+” represents positive sample, “-” represents positive sample.