

Supplementary material

Effective Adsorption of Methylene Blue Dye onto Magnetic Nanocomposites. Modeling and Reuse Studies.


Silvia Alvarez-Torrellas ^{1,*}, Mokhtar Boutahala ^{2,*}, Nadia Boukhalfa ^{1,2} and Macarena Munoz ³

¹ Catalysis and Separation Processes Group (CyPS), Chemical Engineering and Materials Department, Faculty of Chemistry Sciences, Complutense University, Avda. Complutense s/n, Madrid 28040, Spain; satorrellas@ucm.es

² Laboratory of Chemical Process Engineering, Department of Process Engineering, Faculty of Technology, University of Ferhat Abbas Setif-1, Setif 19000, Algeria; nadouchette2011@hotmail.fr

³ Chemical Engineering Department, Faculty of Sciences, Autónoma University, Cantoblanco, Ctra. Colmenar km 15, Madrid 28049, Spain; macarena.munoz@uam.es

* Correspondence: mboutahala@yahoo.fr (M.B.); satorrellas@ucm.es (S.A.-T.); Tel.: 00213 (0) 699 13 63 94; +34-91-394-4118



Scheme S1. Schematic figure of the commercial multiwalled carbon nanotubes (CNT).




Figure S1. TGA/DTG profiles of (a) γ -Fe₂O₃ particles, (b) f-CNT, (c) A/ γ -Fe₂O₃, (d) A/ γ -Fe₂O₃/f-CNT beads.



Figure S2. TEM micrograph of f-CNT material.