Supplemental Table S1. Characteristics of individuals and symptoms reported according to vaccination status with boosted defined as booster receipt more than 14 days before infection.			
	Not Boosted	**Boosted**	**p value**
	N= 120	N= 273	
Gender = Female, No. (%)	72 (60.0)	155 (56.8)	0.581
Age in years, Mean (SD)[*]	31.2 (10.4)	31.5 (12.3)	0.816
Student versus Employee Status, No (%)			0.143
Student	80 (66.7)	203 (74.4)	
Employee	40 (33.3)	70 (25.6)	
Days Since Last Vaccine Until Infection, Mean (SD)	221.2 (97.1)	128.8 (60.9)	<0.001
Primary Symptoms Present, No. (%)			
Cough	96 (80.0)	231 (84.6)	0.305
Fever- present or temperature $\geq$ 100 ^{0}F	63 (52.5)	148 (54.2)	0.826
Nasal congestion	53 (44.2)	160 (58.6)	0.009
Sore throat	52 (43.3)	130 (47.6)	0.444
Headache	41 (34.2)	69 (25.3)	0.087
Body/ muscle aches	38 (31.7)	60 (22.0)	0.044
Fatigue	27 (22.5)	73 (26.7)	0.451
Shortness of breath	23 (19.2)	32 (11.7)	0.058
Gastrointestinal symptoms	11 (9.2)	17 (6.2)	0.295
Change in taste or smell	7 (5.8)	6 (2.2)	0.073
Nasal congestion and/or sore throat	78 (65.0)	209 (76.6)	0.019
Number of Primary Symptoms Reported, Mean (SD)	3.4 (1.8)	3.4 (1.5)	0.851
Other Symptoms, No (%)			0.468
0	106 (88.3)	234 (85.7)	
1	11 (9.2)	35 (12.8)	
2	3 (2.5)	4 (1.5)	
Number of Primary Plus Other Symptoms, Mean (SD)	3.6 (2.0)	3.5 (1.6)	0.927
Days Symptoms Present, Mean (SD)	7.0 (3.1)	6.4 (2.9)	0.044
Cases before January 1, required isolation = 10 days n= 76	7.4 (3.1)	6.1 (2.2)	0.098
Cases on/after January 1, required isolation = 5 days n=317	6.6 (3.1)	6.3 (2.8)	0. 574
Days Isolated, Mean (SD)			
Cases before January 1, required isolation = 10 days n= 76	11.0 (1.6)	11.0 (1.3)	1.000
Cases on/after January 1, required isolation = 5 days n=317	10.2 (2.9)	8.4 (2.9)	< 0.001

[*]SD= Standard deviation

Supplemental Figure S1.   The correlation between the date of infection represented as calendar week on the x-axis and the weeks between receipt of booster vaccination and date of SARS-CoV-2 infection represented on the y-axis.