

Supplementary Materials: Potential for Reuse of E-Plastics through Processing by Compression Molding

William Mills and Robert A. Tatara

Table S1. Full Data Set for Handheld XRF Analysis.

Material Source	Letter ID (Figures 5 & 6)	Reading	Mode	Elapsed Time Total	Br	Br +/-	Cl	Cl +/-	P	P +/-	Hg	Hg +/-	Pb
Phenolic Resin- Reference Bar	A	#10	Soil	44.13			3.99E+02	5.00E+01	<LOD	1.30E+03	<LOD	3.90E+00	9.00E+00
Phenolic Resin-Reference Bar	A	#11	Soil	44.12			4.20E+02	5.00E+01	<LOD	1.27E+03	<LOD	3.80E+00	5.60E+00
e-Plastic Test Bar	B (no photo)	#12	Soil	44.68			2.08E+02	2.80E+01	<LOD	1.02E+03	<LOD	4.60E+00	8.80E+00
Phenolic Resin (powder)	C (no photo)	#13	Soil	44.13	4.30E+01	7.00E+00	6.90E+01	9.00E+00	<LOD	1.20E+01	<LOD	1.20E+01	3.60E+01
e-Plastic- Test Bar	D	#14	Soil	43.57	5.47E+05	4.76E+03	4.30E+01	4.00E+00	<LOD	1.00E+01	<LOD	7.10E+01	<LOD
e-Plastic - Test Bar	D	#15	Soil	43.65	5.45E+05	4.73E+03	3.60E+01	4.00E+00	<LOD	1.00E+01	<LOD	7.00E+01	<LOD
Blank white paper	E	#16	Soil	45.06	<LOD	2.18E+02	1.71E+03	1.17E+02	<LOD	5.01E+02	<LOD	1.34E+02	<LOD
Blank white paper with Black Marker	F	#17	Soil	44.97	<LOD	2.04E+02	4.29E+03	1.78E+02	<LOD	5.10E+02	<LOD	1.25E+02	<LOD
Black e-plastic, ground up (Bag-4)	G	#18	Soil	43.56	7.79E+04	4.43E+02	5.32E+02	1.10E+01	<LOD	1.30E+01	<LOD	2.10E+01	2.59E+02
White e-Plastic, ground up (Bag-1)	H	#19	Soil	43.71	2.56E+03	2.50E+01	1.10E+01	2.00E+00	<LOD	5.40E+00	<LOD	9.00E+00	<LOD
White e-Plastic , fittings (Bag-2)	I	#20	Soil	44.56	4.40E+01	9.00E+00	2.50E+01	5.00E+00	<LOD	9.00E+00	<LOD	1.40E+01	3.70E+01
Purple e-Plastic , fittings (Bag-3)	J	#21	Soil	44.42	5.00E+01	8.00E+00	6.30E+01	7.00E+00	<LOD	1.00E+01	<LOD	1.30E+01	3.00E+01
White e-Plastic , fittings (Bag-3)	K	#22	Soil	44.18	4.40E+01	7.00E+00	1.50E+01	3.00E+00	<LOD	7.00E+00	<LOD	1.10E+01	<LOD
Purple/White e-Plastic, compression mold test	L	#23	Soil	43.77	5.26E+02	1.10E+01	2.10E+01	3.00E+00	<LOD	5.70E+00	<LOD	9.00E+00	<LOD
Purple/White e-Plastic, Test Bar	M (no photo)	#24	Soil	44.38	7.70E+01	8.00E+00	1.90E+01	4.00E+00	<LOD	7.00E+00	<LOD	1.10E+01	3.00E+01
White e-Plastic Test Bar (repeat)	D	#25	Soil	44.28	1.19E+05	8.79E+02	3.40E+01	4.00E+00	<LOD	1.00E+01	<LOD	3.00E+01	<LOD

Table S1. Cont.

Material Source	Letter ID (Figures 5 & 6)	Reading	Mode	Elapsed Time Total	Pb +/-	Cr	Cr +/-	Co	Co +/-	Ni	Ni +/-	Cu	Cu +/-
Phenolic Resin- Reference Bar	A	#10	Soil	44.13	1.20E+00	<LOD	5.60E+00	<LOD	2.00E+01	<LOD	1.00E+01	9.61E+02	1.10E+01
Phenolic Resin-Reference Bar	A	#11	Soil	44.12	1.20E+00	9.70E+00	1.90E+00	<LOD	2.10E+01	<LOD	1.00E+01	9.83E+02	1.20E+01
e-Plastic Test Bar	B (no photo)	#12	Soil	44.68	1.70E+00	1.10E+01	1.50E+00	<LOD	1.10E+01	<LOD	1.30E+01	<LOD	8.00E+00
Phenolic Resin (powder)	C (no photo)	#13	Soil	44.13	6.00E+00	<LOD	3.40E+01	<LOD	2.90E+01	<LOD	1.80E+01	2.60E+03	3.10E+01
e-Plastic- Test Bar	D	#14	Soil	43.57	1.25E+02	<LOD	1.80E+01	<LOD	3.40E+01	<LOD	4.20E+01	1.70E+02	1.50E+01
e-Plastic - Test Bar	D	#15	Soil	43.65	1.26E+02	<LOD	1.70E+01	<LOD	3.30E+01	<LOD	4.20E+01	1.43E+02	1.40E+01
Blank white paper	E	#16	Soil	45.06	1.48E+02	3.82E+02	6.50E+01	<LOD	1.84E+02	<LOD	2.43E+02	3.24E+02	7.60E+01
Blank white paper with Black Marker	F	#17	Soil	44.97	1.32E+02	5.75E+02	7.30E+01	2.64E+03	1.89E+02	<LOD	2.74E+02	<LOD	1.88E+02
Black e-plastic, ground up (Bag-4)	G	#18	Soil	43.56	1.50E+01	1.34E+02	9.00E+00	<LOD	5.70E+01	<LOD	2.30E+01	4.84E+02	1.40E+01
White e-Plastic, ground up (Bag-1)	H	#19	Soil	43.71	1.40E+01	<LOD	1.40E+01	<LOD	1.00E+01	<LOD	1.40E+01	<LOD	1.20E+01
White e-Plastic , fittings (Bag-2)	I	#20	Soil	44.56	8.00E+00	6.50E+01	9.00E+00	<LOD	1.60E+01	<LOD	2.40E+01	<LOD	2.10E+01
Purple e-Plastic , fittings (Bag-3)	J	#21	Soil	44.42	7.00E+00	<LOD	2.70E+01	<LOD	1.50E+01	<LOD	1.90E+01	<LOD	1.90E+01
White e-Plastic , fittings (Bag-3)	K	#22	Soil	44.18	1.70E+01	<LOD	1.90E+01	<LOD	1.20E+01	<LOD	1.70E+01	<LOD	1.60E+01
Purple/White e-Plastic, compression mold test	L	#23	Soil	43.77	1.40E+01	<LOD	1.50E+01	<LOD	1.00E+01	<LOD	1.30E+01	<LOD	1.30E+01
Purple/White e-Plastic, Test Bar	M (no photo)	#24	Soil	44.38	6.00E+00	<LOD	1.90E+01	<LOD	1.40E+01	<LOD	1.80E+01	<LOD	1.70E+01
White e-Plastic Test Bar (repeat)	D	#25	Soil	44.28	5.30E+01	<LOD	2.10E+01	<LOD	2.00E+01	<LOD	2.70E+01	2.80E+01	9.00E+00

Table S1. Cont.

Material Source	Letter ID (Figures 5 & 6)	Reading	Mode	Elapsed Time Total	S	S +/-	K	K +/-	Ca	Ca +/-	Ti	Ti +/-	Mn
Phenolic Resin- Reference Bar	A	#10	Soil	44.13	4.58E+02	8.90E+01	5.10E+02	2.20E+01	9.64E+02	2.40E+01	1.23E+04	8.90E+01	7.50E+00
Phenolic Resin-Reference Bar	A	#11	Soil	44.12	<LOD	2.40E+02	5.04E+02	2.20E+01	1.05E+03	2.50E+01	1.23E+04	8.90E+01	<LOD
e-Plastic Test Bar	B (no photo)	#12	Soil	44.68	<LOD	1.90E+02	1.62E+02	1.50E+01	<LOD	1.90E+01	<LOD	1.60E+01	4.80E+01
Phenolic Resin (powder)	C (no photo)	#13	Soil	44.13	1.30E+01	4.00E+00	2.18E+02	1.00E+01	7.40E+02	1.80E+01	2.20E+04	1.60E+02	7.30E+01
e-Plastic- Test Bar	D	#14	Soil	43.57	1.30E+01	3.00E+00	1.70E+02	6.00E+00	3.39E+03	3.10E+01	3.82E+02	1.40E+01	3.80E+01
e-Plastic - Test Bar	D	#15	Soil	43.65	<LOD	8.00E+00	1.74E+02	6.00E+00	3.35E+03	3.00E+01	4.18E+02	1.40E+01	4.40E+01
Blank white paper	E	#16	Soil	45.06	2.42E+02	8.00E+01	<LOD	3.50E+02	6.80E+05	1.55E+04	<LOD	2.65E+02	1.78E+03
Blank white paper with Black Marker	F	#17	Soil	44.97	6.61E+02	9.10E+01	<LOD	3.44E+02	6.67E+05	1.52E+04	1.73E+03	1.46E+02	1.61E+03
Black e-plastic, ground up (Bag-4)	G	#18	Soil	43.56	1.40E+01	3.00E+00	5.54E+02	1.10E+01	3.50E+03	3.30E+01	7.13E+02	2.00E+01	3.62E+02
White e-Plastic, ground up (Bag-1)	H	#19	Soil	43.71	<LOD	4.90E+00	7.90E+01	3.00E+00	<LOD	7.00E+00	1.70E+01	5.00E+00	<LOD
White e-Plastic , fittings (Bag-2)	I	#20	Soil	44.56	<LOD	9.00E+00	1.18E+02	8.00E+00	<LOD	1.50E+01	<LOD	2.70E+01	2.55E+02
Purple e-Plastic , fittings (Bag-3)	J	#21	Soil	44.42	1.80E+01	3.00E+00	1.80E+02	8.00E+00	2.77E+02	1.00E+01	9.40E+03	8.20E+01	2.40E+02
White e-Plastic , fittings (Bag-3)	K	#22	Soil	44.18	7.00E+00	2.00E+00	9.70E+01	5.00E+00	<LOD	1.00E+01	<LOD	2.00E+01	1.25E+02
Purple/White e-Plastic, compression mold test	L	#23	Soil	43.77	<LOD	5.10E+00	9.60E+01	4.00E+00	3.90E+01	4.00E+00	1.32E+03	2.10E+01	3.50E+01
Purple/White e-Plastic, Test Bar	M (no photo)	#24	Soil	44.38	<LOD	7.00E+00	7.60E+01	5.00E+00	<LOD	1.10E+01	<LOD	2.00E+01	9.70E+01
White e-Plastic Test Bar (repeat)	D	#25	Soil	44.28	<LOD	8.00E+00	9.30E+01	6.00E+00	1.07E+03	1.80E+01	1.11E+02	1.10E+01	2.06E+02

Table S1. Cont.

Material Source	Letter ID (Figures 5 & 6)	Reading	Mode	Elapsed Time Total	Mn +/-	Fe	Fe +/-	Zn	Zn +/-	As	As +/-	Se	Se +/-
Phenolic Resin- Reference Bar	A	#10	Soil	44.13	1.70E+00	1.39E+03	2.20E+01	1.43E+03	1.30E+01	<LOD	2.60E+00	<LOD	1.30E+00
Phenolic Resin-Reference Bar	A	#11	Soil	44.12	5.00E+00	1.41E+03	2.20E+01	1.42E+03	1.30E+01	<LOD	2.50E+00	<LOD	1.30E+00
e-Plastic Test Bar	B (no photo)	#12	Soil	44.68	2.00E+00	<LOD	2.00E+01	<LOD	5.50E+00	<LOD	3.10E+00	<LOD	2.00E+00
Phenolic Resin (powder)	C (no photo)	#13	Soil	44.13	1.30E+01	1.42E+03	2.20E+01	5.26E+03	4.80E+01	<LOD	2.10E+01	<LOD	1.20E+01
e-Plastic- Test Bar	D	#14	Soil	43.57	9.00E+00	<LOD	4.00E+01	9.75E+02	3.10E+01	1.38E+02	4.10E+01	7.93E+02	4.50E+01
e-Plastic - Test Bar	D	#15	Soil	43.65	9.00E+00	<LOD	3.90E+01	9.83E+02	3.20E+01	1.31E+02	4.20E+01	7.89E+02	4.50E+01
Blank white paper	E	#16	Soil	45.06	1.20E+02	1.14E+03	1.09E+02	1.91E+02	5.80E+01	<LOD	1.74E+02	<LOD	1.14E+02
Blank white paper with Black Marker	F	#17	Soil	44.97	1.17E+02	5.39E+03	2.67E+02	<LOD	1.26E+02	<LOD	1.73E+02	<LOD	1.11E+02
Black e-plastic, ground up (Bag-4)	G	#18	Soil	43.56	1.40E+01	5.90E+03	5.20E+01	1.39E+03	2.20E+01	<LOD	4.70E+01	3.42E+02	1.40E+01
White e-Plastic, ground up (Bag-1)	H	#19	Soil	43.71	2.30E+01	<LOD	1.10E+01	<LOD	1.00E+01	<LOD	1.50E+01	<LOD	1.10E+01
White e-Plastic , fittings (Bag-2)	I	#20	Soil	44.56	1.50E+01	<LOD	1.80E+01	5.60E+01	8.00E+00	<LOD	2.40E+01	<LOD	1.50E+01
Purple e-Plastic , fittings (Bag-3)	J	#21	Soil	44.42	1.30E+01	<LOD	1.80E+01	2.50E+01	6.00E+00	<LOD	2.10E+01	<LOD	1.40E+01
White e-Plastic , fittings (Bag-3)	K	#22	Soil	44.18	1.10E+01	<LOD	1.30E+01	<LOD	1.50E+01	<LOD	1.70E+01	<LOD	1.20E+01
Purple/White e-Plastic, compression mold test	L	#23	Soil	43.77	8.00E+00	<LOD	1.10E+01	<LOD	1.00E+01	<LOD	1.40E+01	<LOD	1.00E+01
Purple/White e-Plastic, Test Bar	M (no photo)	#24	Soil	44.38	1.10E+01	<LOD	1.70E+01	<LOD	1.50E+01	<LOD	2.00E+01	<LOD	1.20E+01
White e-Plastic Test Bar (repeat)	D	#25	Soil	44.28	1.20E+01	<LOD	2.20E+01	1.87E+02	1.30E+01	<LOD	5.20E+01	2.03E+02	1.90E+01

Table S1. Cont.

Material Source	Letter ID (Figures 5 & 6)	Reading	Mode	Elapsed Time Total	Rb	Rb +/-	Sr	Sr +/-	Zr	Zr +/-	Mo	Mo +/-	Ag
Phenolic Resin- Reference Bar	A	#10	Soil	44.13	3.90E+00	5.00E-01	5.60E+00	5.00E-01	4.69E+01	1.30E+00	2.20E+00	7.00E-01	<LOD
Phenolic Resin-Reference Bar	A	#11	Soil	44.12	2.50E+00	5.00E-01	6.60E+00	6.00E-01	4.25E+01	1.30E+00	<LOD	2.00E+00	<LOD
e-Plastic Test Bar	B (no photo)	#12	Soil	44.68	2.34E+01	1.00E+00	<LOD	1.30E+00	<LOD	2.30E+00	4.70E+00	9.00E-01	<LOD
Phenolic Resin (powder)	C (no photo)	#13	Soil	44.13	3.10E+01	8.00E+00	2.68E+02	2.20E+01	1.81E+03	5.20E+01	2.25E+02	4.50E+01	<LOD
e-Plastic- Test Bar	D	#14	Soil	43.57	<LOD	7.94E+02	1.88E+02	3.50E+01	<LOD	1.24E+02	4.74E+02	6.60E+01	<LOD
e-Plastic - Test Bar	D	#15	Soil	43.65	<LOD	7.91E+02	2.04E+02	3.60E+01	<LOD	1.20E+02	4.52E+02	6.50E+01	<LOD
Blank white paper	E	#16	Soil	45.06	<LOD	2.06E+02	2.78E+03	3.69E+02	<LOD	7.29E+02	<LOD	8.65E+02	<LOD
Blank white paper with Black Marker	F	#17	Soil	44.97	2.27E+02	6.90E+01	2.59E+03	3.62E+02	<LOD	8.29E+02	1.16E+03	3.63E+02	<LOD
Black e-plastic, ground up (Bag-4)	G	#18	Soil	43.56	<LOD	1.94E+02	1.64E+03	4.50E+01	<LOD	1.07E+02	2.04E+02	4.10E+01	<LOD
White e-Plastic, ground up (Bag-1)	H	#19	Soil	43.71	<LOD	3.50E+01	<LOD	2.80E+01	<LOD	5.30E+01	1.65E+02	3.40E+01	<LOD
White e-Plastic , fittings (Bag-2)	I	#20	Soil	44.56	1.06E+02	1.20E+01	<LOD	4.50E+01	<LOD	9.10E+01	4.75E+02	6.10E+01	<LOD
Purple e-Plastic , fittings (Bag-3)	J	#21	Soil	44.42	1.08E+02	1.10E+01	<LOD	4.00E+01	<LOD	8.00E+01	2.46E+02	5.00E+01	<LOD
White e-Plastic , fittings (Bag-3)	K	#22	Soil	44.18	6.40E+01	8.00E+00	<LOD	3.20E+01	<LOD	6.70E+01	2.84E+02	4.30E+01	<LOD
Purple/White e-Plastic, compression mold test	L	#23	Soil	43.77	4.40E+01	8.00E+00	<LOD	2.70E+01	<LOD	5.10E+01	1.99E+02	3.40E+01	<LOD
Purple/White e-Plastic, Test Bar	M (no photo)	#24	Soil	44.38	9.00E+01	1.00E+01	<LOD	3.40E+01	<LOD	6.60E+01	2.85E+02	4.60E+01	<LOD
White e-Plastic Test Bar (repeat)	D	#25	Soil	44.28	<LOD	3.07E+02	<LOD	5.40E+01	<LOD	9.00E+01	2.93E+02	5.70E+01	<LOD

Table S1. Cont.

Material Source	Letter ID (Figures 5 & 6)	Reading	Mode	Elapsed Time Total	Rb	Rb +/-	Sr	Sr +/-	Zr	Zr +/-	Mo	Mo +/-	Ag
Phenolic Resin- Reference Bar	A	#10	Soil	44.13	3.90E+00	5.00E-01	5.60E+00	5.00E-01	4.69E+01	1.30E+00	2.20E+00	7.00E-01	<LOD
Phenolic Resin-Reference Bar	A	#11	Soil	44.12	2.50E+00	5.00E-01	6.60E+00	6.00E-01	4.25E+01	1.30E+00	<LOD	2.00E+00	<LOD
e-Plastic Test Bar	B (no photo)	#12	Soil	44.68	2.34E+01	1.00E+00	<LOD	1.30E+00	<LOD	2.30E+00	4.70E+00	9.00E-01	<LOD
Phenolic Resin (powder)	C (no photo)	#13	Soil	44.13	3.10E+01	8.00E+00	2.68E+02	2.20E+01	1.81E+03	5.20E+01	2.25E+02	4.50E+01	<LOD
e-Plastic- Test Bar	D	#14	Soil	43.57	<LOD	7.94E+02	1.88E+02	3.50E+01	<LOD	1.24E+02	4.74E+02	6.60E+01	<LOD
e-Plastic - Test Bar	D	#15	Soil	43.65	<LOD	7.91E+02	2.04E+02	3.60E+01	<LOD	1.20E+02	4.52E+02	6.50E+01	<LOD
Blank white paper	E	#16	Soil	45.06	<LOD	2.06E+02	2.78E+03	3.69E+02	<LOD	7.29E+02	<LOD	8.65E+02	<LOD
Blank white paper with Black Marker	F	#17	Soil	44.97	2.27E+02	6.90E+01	2.59E+03	3.62E+02	<LOD	8.29E+02	1.16E+03	3.63E+02	<LOD
Black e-plastic, ground up (Bag-4)	G	#18	Soil	43.56	<LOD	1.94E+02	1.64E+03	4.50E+01	<LOD	1.07E+02	2.04E+02	4.10E+01	<LOD
White e-Plastic, ground up (Bag-1)	H	#19	Soil	43.71	<LOD	3.50E+01	<LOD	2.80E+01	<LOD	5.30E+01	1.65E+02	3.40E+01	<LOD
White e-Plastic , fittings (Bag-2)	I	#20	Soil	44.56	1.06E+02	1.20E+01	<LOD	4.50E+01	<LOD	9.10E+01	4.75E+02	6.10E+01	<LOD
Purple e-Plastic , fittings (Bag-3)	J	#21	Soil	44.42	1.08E+02	1.10E+01	<LOD	4.00E+01	<LOD	8.00E+01	2.46E+02	5.00E+01	<LOD
White e-Plastic , fittings (Bag-3)	K	#22	Soil	44.18	6.40E+01	8.00E+00	<LOD	3.20E+01	<LOD	6.70E+01	2.84E+02	4.30E+01	<LOD
Purple/White e-Plastic, compression mold test	L	#23	Soil	43.77	4.40E+01	8.00E+00	<LOD	2.70E+01	<LOD	5.10E+01	1.99E+02	3.40E+01	<LOD
Purple/White e-Plastic, Test Bar	M (no photo)	#24	Soil	44.38	9.00E+01	1.00E+01	<LOD	3.40E+01	<LOD	6.60E+01	2.85E+02	4.60E+01	<LOD
White e-Plastic Test Bar (repeat)	D	#25	Soil	44.28	<LOD	3.07E+02	<LOD	5.40E+01	<LOD	9.00E+01	2.93E+02	5.70E+01	<LOD

Table S1. Cont.

Material Source	Letter ID (Figures 5 & 6)	Reading	Mode	Elapsed Time Total	Ag +/-	Cd	Cd +/-	Sn	Sn +/-	Sb	Sb +/-	Ba	Ba +/-
Phenolic Resin- Reference Bar	A	#10	Soil	44.13	1.10E+01	<LOD	1.20E+01	<LOD	1.80E+01	<LOD	2.00E+01	1.90E+02	1.30E+01
Phenolic Resin-Reference Bar	A	#11	Soil	44.12	1.00E+01	<LOD	1.20E+01	<LOD	1.80E+01	<LOD	1.90E+01	1.68E+02	1.30E+01
e-Plastic Test Bar	B (no photo)	#12	Soil	44.68	1.40E+01	<LOD	1.50E+01	<LOD	2.20E+01	3.50E+01	8.00E+00	1.20E+01	2.00E+00
Phenolic Resin (powder)	C (no photo)	#13	Soil	44.13	4.91E+02	<LOD	5.43E+02	<LOD	5.94E+02	<LOD	6.00E+02	6.65E+02	4.50E+01
e-Plastic- Test Bar	D	#14	Soil	43.57	7.24E+02	<LOD	8.25E+02	<LOD	9.57E+02	1.71E+05	2.73E+03	7.80E+01	8.00E+00
e-Plastic - Test Bar	D	#15	Soil	43.65	7.21E+02	<LOD	8.21E+02	<LOD	9.59E+02	1.71E+05	2.71E+03	6.00E+01	8.00E+00
Blank white paper	E	#16	Soil	45.06	3.40E+03	<LOD	3.58E+03	<LOD	3.89E+03	<LOD	4.01E+03	4.57E+02	7.10E+01
Blank white paper with Black Marker	F	#17	Soil	44.97	3.43E+03	<LOD	3.73E+03	<LOD	4.08E+03	<LOD	4.14E+03	4.36E+02	8.50E+01
Black e-plastic, ground up (Bag-4)	G	#18	Soil	43.56	4.78E+02	<LOD	5.32E+02	<LOD	6.15E+02	3.77E+04	4.63E+02	6.70E+01	1.10E+01
White e-Plastic, ground up (Bag-1)	H	#19	Soil	43.71	3.92E+02	<LOD	4.30E+02	<LOD	4.73E+02	7.71E+03	1.86E+02	<LOD	1.30E+01
White e-Plastic , fittings (Bag-2)	I	#20	Soil	44.56	6.40E+02	<LOD	6.97E+02	<LOD	7.53E+02	<LOD	7.52E+02	2.80E+01	8.00E+00
Purple e-Plastic , fittings (Bag-3)	J	#21	Soil	44.42	5.46E+02	<LOD	5.94E+02	<LOD	6.40E+02	6.49E+02	2.14E+02	4.29E+02	2.90E+01
White e-Plastic , fittings (Bag-3)	K	#22	Soil	44.18	4.77E+02	<LOD	5.25E+02	<LOD	5.65E+02	<LOD	5.68E+02	<LOD	1.80E+01
Purple/White e-Plastic, compression mold test	L	#23	Soil	43.77	3.85E+02	<LOD	4.22E+02	<LOD	4.57E+02	<LOD	4.64E+02	5.80E+01	1.00E+01
Purple/White e-Plastic, Test Bar	M (no photo)	#24	Soil	44.38	5.06E+02	<LOD	5.49E+02	<LOD	5.88E+02	<LOD	5.89E+02	<LOD	1.80E+01
White e-Plastic Test Bar (repeat)	D	#25	Soil	44.28	6.15E+02	<LOD	6.76E+02	<LOD	7.48E+02	4.17E+04	6.72E+02	3.80E+01	8.00E+00



© 2016 by the authors; licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons by Attribution (CC-BY) license (<http://creativecommons.org/licenses/by/4.0/>).