

SUPPORTING INFORMATION

LiNbO₃ Thin Films through a Sol–Gel/Spin-Coating Approach Using a Novel Heterobimetallic Lithium–Niobium Precursor

Francesca Lo Presti ¹, Anna Lucia Pellegrino ¹, Quentin Micard ², Guglielmo Guido Condorelli ¹, Samuel Margueron ², Ausrine Bartasyte ^{2,3} and Graziella Malandrino ^{1,*}

¹ Dipartimento di Scienze Chimiche, Università degli Studi di Catania, and INSTM UdR Catania, Viale Andrea Doria 6, I-95125 Catania, Italy; francesca.lopresti@unict.it (F.L.P.); annalucia.pellegrino@unict.it (A.L.P.); guido.condorelli@unict.it (G.G.C.)

² FEMTO-ST Institute, University of Franche-Comté, ENSMM CNRS UMR 6174, 26 Rue de l'Épitaphe, F-25030 Besançon, France; samuel.margueron@femto-st.fr (S.M.), ausrine.bartasyte@femto-st.fr (A.B.)

³ Institut Universitaire de France, 1 rue Descartes, F-75231 Paris, France

* Correspondence: gmalandrino@unict.it; Tel.: +39-095-738-5055




Figure S1. XPS survey (a) and binding energy regions (b) of Li 1s, Nb 4s, Nb 3d, C1s, F 1s, and O1s of the “ $\text{Li}_2\text{Nb}(\text{hfa})_7 \cdot \text{diglyme} \cdot x\text{H}_2\text{O}$ ” precursor.




Figure S2. XPS survey (a) and binding energy regions (b) of Li 1s, Nb 4s, Nb 3d, C1s, F 1s, and O1s of a LN film annealed at 700°C on Si (100).