



Supporting Information for Rapid Water Softening with TEMPO- oxidized/phosphorylated Nanopapers

Andreas Mautner ^{1,2,*}, Thawanrat Kobkeatthawin ^{1,3}, Florian Mayer ¹, Christof Plessl ⁴, Selestina Gorgieva ⁵, Vanja Kokol ⁵, and Alexander Bismarck ^{1,2}

¹ Polymer & Composite Engineering (PaCE) Group, Institute of Materials Chemistry & Research, University of Vienna, 1090 Vienna, Austria; Thawanrat_KK@hotmail.com (T.K.); f.mayer@univie.ac.at (F.M.); alexander.bismarck@univie.ac.at (A.B.)

² Polymer & Composite Engineering (PaCE) Group, Department of Chemical Engineering, Imperial College London, SW7 2AZ London, United Kingdom

³ Department of Chemistry and Center of Excellence for Innovation in Chemistry, Faculty of Science, Prince of Songkla University, Songkhla 90110, Thailand

⁴ Institute of Inorganic Chemistry, University of Vienna, 1090 Vienna, Austria; christof.plessl@univie.ac.at

⁵ Institute for Engineering Materials and Design, Faculty of Mechanical Engineering, University of Maribor, 2000 Maribor, Slovenia; selestina.gorgieva@um.si (S.G.); vanja.kokol@um.si (V.K.)

* Correspondence: andreas.mautner@univie.ac.at; Tel.: +43-1-4277-71324

1. Nitrogen sorption experiments of EPT-CNF nanopapers




Figure S1. Nitrogen sorption isotherm for EPT-CNF nanopapers.

2. Tensile tests of PT-CNF and EPT-CNF nanopapers




Figure S2. Exemplary stress-strain-curves for PT-CNF and EPT-CNF nanopapers.



© 2019 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).