

Supplementary Material

Table S1. Number of specific UTI antibiotics in the four most common antibiotic treatment groups for uncomplicated cystitis (2006–2013)

Groups	Specific UTI antibiotics in each group	2006	2007	2008	2009	2010	2011	2012	2013	All
J01CA	Amoxicillin (J01CA04)	133	111	78	59	45	51	39	34	550
	Pivmecillinam (J01CA08)	13 437	12 530	13 229	12 255	12 206	11 554	10 267	9 768	95 246
J01XE	Nitrofurantoin (J01XE01)	3093	3473	2815	4283	5411	5465	5177	4559	34 276
J01EA	Trimethoprim (J01EA01)	8150	5386	3438	2079	1556	974	591	416	22 590
J01MA	Ciprofloxacin (J01MA02)	1171	1081	830	727	675	546	466	498	5994
	Norfloxacin (J01MA06)	2128	1102	351	83	72	36	15	6	3793
	All UTI specific antibiotics	29 146	24 406	21 265	19 780	20 215	18 853	16 769	15 437	165 871

Each case represents one patient only. UTI=Urinary tract infection. Cephalosporins (J01DB-E,I), Sulphonamides/Trimethoprim combinations (J01EE), and beta-lactam/b-lactam inhibitor combination (J01CR) were too few to be included. No sulphonamide antibiotics (J01EB, J01EC, J01ED) or fosfomycin (J01XX01) were identified. Each patient could only be included once during the study period. Data from the Swedish Prescribed Drug Register.