

Supplementary Materials: Modified Ferrocenes as Primary Driers for Formulations of Alkyd Paints

Jan Honzíček ^{1,*}, Tatiana Fedorova ¹, Jaromír Vinklárěk ², Tomáš Mikysek ³ and Ivana Císařová ⁴


¹ Institute of Chemistry and Technology of Macromolecular Materials, Faculty of Chemical Technology, University of Pardubice, Studentská 573, 532 10 Pardubice, Czech Republic; st52637@student.upce.cz

² Department of General and Inorganic Chemistry, Faculty of Chemical Technology, University of Pardubice, Studentská 573, 532 10 Pardubice, Czech Republic; jaromir.vinklarek@upce.cz

³ Department of Analytical Chemistry, Faculty of Chemical Technology, University of Pardubice, Studentská 573, 532 10 Pardubice, Czech Republic; tomas.mikysek@upce.cz

⁴ Department of Inorganic Chemistry, Faculty of Science, Charles University in Prague, Hlavova 2030/8, 128 43 Prague 2, Czech Republic; cisarova@natur.cuni.cz

* Correspondence: jan.honzicek@upce.cz






Figure 3. ^1H and $^{13}\text{C}\{^1\text{H}\}$ NMR spectra of the compound 4.