



Review

Health Outcomes in Children Associated with Prenatal and Early-Life Exposures to Air Pollution: A Narrative Review

Roya Gheissari ¹, Jiawen Liao ¹ , Erika Garcia ¹ , Nathan Pavlovic ² , Frank D. Gilliland ¹, Anny H. Xiang ³ and Zhanhua Chen ^{1,*}

¹ Department of Population and Public Health Sciences, Keck School of Medicine of the University of Southern California, Los Angeles, CA 90033, USA

² Sonoma Technology Inc., 1450 N. McDowell Blvd., Suite 200, Petaluma, CA 94954, USA

³ Department of Research & Evaluation, Kaiser Permanente Southern California, Pasadena, CA 91107, USA

* Correspondence: zhanghuc@usc.edu; Tel.: +1-(323)-442-2109

Abstract: (1) Background: The developmental origins of health and disease (DOHaD) hypothesis links adverse fetal exposures with developmental mal-adaptations and morbidity later in life. Short- and long-term exposures to air pollutants are known contributors to health outcomes; however, the potential for developmental health effects of air pollution exposures during gestation or early-childhood have yet to be reviewed and synthesized from a DOHaD lens. The objective of this study is to summarize the literature on cardiovascular and metabolic, respiratory, allergic, and neuropsychological health outcomes, from prenatal development through early childhood, associated with early-life exposures to outdoor air pollutants, including traffic-related and wildfire-generated air pollutants. (2) Methods: We conducted a search using PubMed and the references of articles previously known to the authors. We selected papers that investigated health outcomes during fetal or childhood development in association with early-life ambient or source-specific air pollution exposure. (3) Results: The current literature reports that prenatal and early-childhood exposures to ambient and traffic-related air pollutants are associated with a range of adverse outcomes in early life, including cardiovascular and metabolic, respiratory and allergic, and neurodevelopmental outcomes. Very few studies have investigated associations between wildfire-related air pollution exposure and health outcomes during prenatal, postnatal, or childhood development. (4) Conclusion: Evidence from January 2000 to January 2022 supports a role for prenatal and early-childhood air pollution exposures adversely affecting health outcomes during development. Future studies are needed to identify both detrimental air pollutants from the exposure mixture and critical exposure time periods, investigate emerging exposure sources such as wildfire, and develop feasible interventional tools.



Citation: Gheissari, R.; Liao, J.; Garcia, E.; Pavlovic, N.; Gilliland, F.D.; Xiang, A.H.; Chen, Z. Health Outcomes in Children Associated with Prenatal and Early-Life Exposures to Air Pollution: A Narrative Review. *Toxics* **2022**, *10*, 458. <https://doi.org/10.3390/toxics10080458>

Academic Editors: Jeffrey K. Wickliffe, Maureen Y. Lichtveld and Hannah H. Covert

Received: 17 June 2022

Accepted: 3 August 2022

Published: 8 August 2022

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2022 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

1. Introduction

Air pollution is an established risk factor for morbidity and mortality that affects the general population [1,2]. The developmental origins of health and disease (DOHaD) hypothesis states that adverse fetal, infant, and childhood growth patterns are causally linked to disease development in adulthood [3,4]. Prenatal or early-childhood environmental exposures predispose the fetus or child to such mal-adaptations in growth and increase the risk of disease in adulthood, in accordance with the DOHaD hypothesis [5,6]. Two recent reviews on ambient and traffic-related air pollution have linked air pollution exposures in neonates and children with increased cardiovascular morbidity [7] and asthma development [8]. Additionally, prenatal exposure to particulate matter (PM) has been associated with higher odds of respiratory and all-cause infant mortality [9]. However, the literature on early-life air pollution exposures has not been reviewed comprehensively with respect to a broad spectrum of fetal and child health outcomes. Additionally, most reviews

have focused on outdoor, ambient air pollution without specific source apportionment [7,8]. No reviews have been conducted on emerging sources of air pollution, such as traffic-related air pollution from vehicle emissions or wildfire-generated air pollution. This review aims to summarize a spectrum of health outcomes during prenatal, postnatal, and childhood development until age 10 that have been reported in recent studies, since January 2000, to be associated with early-life exposures to ambient air pollutants as well as traffic- and wildfire-generated air pollution. Given our interest in the DOHaD hypothesis, we specifically examine early-life health outcomes that are linked with lasting effects throughout development, and we categorize these into cardiovascular and metabolic, respiratory and allergic, and neurodevelopmental and psychological outcomes. Finally, we outline the biological mechanisms through which early-life exposures can impair development and health, and we summarize the links between adult-onset morbidities and adverse health outcomes during development.

2. Materials and Methods

We conducted a search on PubMed using the query ((air pollution) OR (air pollutant) OR (traffic) OR (wildfire)) AND ((prenatal) OR (early-life) OR (childhood)) AND ((cardiometabolic) OR (cardiovascular) OR (birth weight) OR (respiratory) OR (lung function) OR (allergic) OR (neuropsychological) OR (neurodevelopment)) to identify scientific papers related to early-life air pollution exposure and adverse health outcomes. The search included epidemiological studies published between January 2000 and January 2022, in order to include studies that examine more contemporary air pollution exposures. This search criteria resulted in 2333 journal articles with abstracts available. After discarding duplicates and reading through titles and abstracts, we selected original research studies published in English that focus on health outcomes associated with air pollution exposure during prenatal or early-childhood (0–10 years) development. The inclusion criteria for health effects were cardiovascular and metabolic, respiratory and/or allergic, and neuropsychological outcomes. Only original human studies are included in the review. We excluded studies that investigated air pollution associations beyond the stated prenatal or childhood periods, and we also excluded studies on environmental exposures not related to ambient, traffic-related, or wildfire-generated air pollution, such as heat, noise, tobacco smoke, or environmental chemicals. In addition, we examined the references of relevant papers previously known to the authors and included any relevant studies that were not found in the PubMed search. This final inclusion and exclusion criteria yielded 164 papers.

3. Results

Of the 164 papers included in the review, 81 examined cardiovascular or metabolic outcomes, 57 examined respiratory or allergic outcomes, and 26 examined neuropsychological outcomes associated with prenatal or early-life air pollutant exposures.

3.1. Cardiovascular and Metabolic Outcomes

Our search yielded 81 studies on cardiovascular and metabolic outcomes, and the results support that prenatal and postnatal air pollution exposures are both associated with an increased risk of adverse outcomes. Prenatal exposure to ambient air pollution, including particulate matter with an aerodynamic diameter less than 2.5 or 10 μm ($\text{PM}_{2.5}$ and PM_{10} , respectively), sulfur dioxide (SO_2), nitrogen dioxide (NO_2), or ozone (O_3), has been consistently associated with reduced or low birth weight across various populations and geographic locations [10–40]. Studies that have estimated traffic-related air pollution (TRAP) or roadway proximity using geographic information system or land use regression models similarly report an association between prenatal TRAP exposure and low birth weight [12,38,41–43]. Prenatal exposures to ambient $\text{PM}_{2.5}$, PM_{10} , SO_2 , and O_3 have also been associated with an elevated risk of macrosomia [44]. Although the results differ in the direction of birth weight deviation, low and high birth weight similarly reflect abnormal metabolism or nutritional transfer to the fetus, and they are both risk factors for developing

cardiometabolic disorders [45–48]. Some studies have examined specific constituents of particulate matter and found that birth weight is inversely correlated with prenatal exposures to constituents, including zinc, sulfur, elemental carbon, silicon, titanium, and aluminum. [12,13,49,50] Basu et al. reported that the strongest associations were found with constituents that are common markers of traffic pollution, industrial pollution, oil combustion, and alloy production [12]. In addition to birth weight, some studies have reported that ultrasound measures of fetal growth during gestation are negatively associated with prenatal exposures to particular matter with an aerodynamic diameter less than 1 μm (PM_1), $\text{PM}_{2.5}$, PM_{10} , SO_2 , NO_2 , or O_3 [22,51–55]. Exposures to traffic-related and ambient air pollutants, such as $\text{PM}_{2.5}$, PM_{10} , O_3 , and NO_x , have been consistently associated with increased odds of preterm birth [16,18,25,34,56–58]. However, one study did not find significant associations between NO_2 exposure during pregnancy and preterm birth or low birth weight [59]. Early-life wildfire smoke exposure has also been associated with preterm birth and birth weight. Evidence from three studies demonstrates that pregnant women with addresses in wildfire-affected areas during gestation were at a greater risk of preterm birth or low newborn birth weight [60–62], while one study found a higher average birth weight in exposed male infants [63].

The results are limited on critical exposure time windows because many studies averaged air pollution exposure across an entire pregnancy or only examined exposure at one time point. Of the studies that did analyze trimester-specific associations, most found that exposures during the second [11,15,19,21,25,36,40,58,60,61] or third [11,14,16,17,31–34,36,37,39,49,58,61] trimesters had statistically significant associations with birth weight or preterm birth. A few studies report susceptibility during the first trimester to carbon dioxide (CO_2), NO_2 , or O_3 exposures, particularly within the first month of pregnancy [16,21,28,52]. One study that associated prenatal PM_{10} exposure with term low birth weight attributed the association to conception month and first trimester exposures [27]. One study on wildfire-related $\text{PM}_{2.5}$ exposure found that full gestation and second trimester exposures were associated with preterm birth, while first trimester exposure was associated with decreased birth weight [60].

The literature also supports a link between prenatal air pollution exposure and abnormal weight and growth trajectory after birth. Prenatal and early postnatal exposures to ambient $\text{PM}_{2.5}$, PM_{10} , NO_2 , O_3 , SO_2 , and carbon monoxide (CO) have been associated with deviant growth trajectories, represented by anthropometric measures, in infancy and childhood [40,64–71]. Obesity-related parameters (higher BMI Z-score, levels of adipokines, and higher risk of obesity development) in newborns and children have been positively associated with prenatal highway proximity, TRAP exposure, or ambient PM, NO_2 , O_3 , and polycyclic aromatic hydrocarbons (PAH) exposures [67,71–76], as well as childhood exposures to TRAP and ambient $\text{PM}_{2.5}$ and NO_2 [77,78]. However, one study did not find an association between ambient air pollution or nearby traffic load during the first four years of life and childhood obesity, waist circumference, or cholesterol at ages four or eight [79].

Epidemiological studies also support a link between air pollution levels and the childhood risk of metabolic disorder, including diabetes and hypertension. Several studies reported that $\text{PM}_{2.5}$ exposure during pregnancy was associated with systolic hypertension in newborns [80], and microvascular changes [81,82] and elevated blood pressure in children [83–85]. Prenatal TRAP, $\text{PM}_{2.5}$, PM_{10} , and NO_2 exposures have been associated with a significant increase in cord blood insulin, adiponectin, and leptin levels, [74,75,86] with second trimester exposures having the largest effect [86]. Similarly, proximity to a major road and higher traffic-related PM_{10} and NO_2 levels at the birth address, estimated by land use regression models, have been positively associated with childhood insulin resistance [87]. Prenatal $\text{PM}_{2.5}$ exposure [88] and childhood TRAP exposure [89] have been positively associated with childhood development of risk factors for metabolic syndrome, such as increased hemoglobin A1c and systolic blood pressure. A study on diabetic and healthy children that were randomly selected from a pediatric database at Loma Linda

University found that childhood O₃ exposure prior to diagnosis was significantly higher in children with type 1 diabetes than in healthy controls, and pre-diagnosis PM₁₀ exposure was significantly higher in children with diabetes diagnosed before age five, when compared with healthy controls [90]. In summary, prenatal and childhood exposures to ambient and traffic-related air pollution have been consistently associated with preterm birth, deviant birth weight, childhood obesity, and insulin resistance, all of which have long-term impacts on cardiometabolic health in adults (Table 1). We did not find any studies investigating early-life wildfire exposures in association with cardiometabolic outcomes in infants and children.

Table 1. Cardiovascular and Metabolic Outcomes Associated with Early-Life Air Pollution Exposures.

Health Outcome	Population Age	AP Exposure	Exposure Time Window	Association	References
Intrauterine growth restriction	Newborn	PM _{2.5} , PM ₁₀ , SO ₂ , NO ₂ , O ₃	Prenatal	↓ Birth weight	[10–40]
	Newborn	PM constituents	Prenatal	↓ Birth weight	[12,13,49,50]
	Newborn	TRAP	Prenatal	↓ Birth weight	[12,38,41]
	Newborn	Wildfire smoke	Prenatal	↓ Birth weight	[60–62]
	Newborn	NO ₂	Prenatal	No association with birth weight	[59]
	Newborn	PM ₁ , PM _{2.5} , PM ₁₀ , SO ₂ , NO ₂ , O ₃	Prenatal	↓ Fetal ultrasound measurements	[22,51–55]
Macrosomia	Newborn	PM _{2.5} , PM ₁₀ , SO ₂ , O ₃	Prenatal	↑ Birth weight	[44,66]
	Newborn	Wildfire proximity	Prenatal	↑ Birth weight	[63]
Preterm birth	Newborn	PM _{2.5} , PM ₁₀ , O ₃ , NO _x	Prenatal	↑ Odds of preterm birth	[16,18,25,34,56,57]
	Newborn	TRAP	Prenatal	↑ Odds of preterm birth	[58]
	Newborn	Wildfire smoke PM _{2.5}	Prenatal	↑ Odds of preterm birth	[60]
	Newborn	NO ₂	Prenatal	No association with preterm birth	[59]
Deviant growth trajectory	0–6 years	PM _{2.5} , PM ₁₀ , NO ₂ , O ₃ , SO ₂ , CO ₂ , CO	Prenatal	↑ or ↓ Anthropomorphic measures	[40,64–71]
	0–12 months	CO, PM _{2.5}	Postnatal	↓ Anthropomorphic measures	[70]
Obesity and metabolic disorder	0–12 months	PM, NO ₂ , O ₃	Prenatal	↑ BMI, ↑ fat mass, fat mass rate of change, ↑ weight for length	[67,71]
	4–14 years	PM _{2.5} , O ₃ , PAH	Prenatal	↑ BMI, ↑ fat mass	[72,76]
	0–9 years	TRAP, traffic proximity	Prenatal	↑ Fat mass, ↑ overweight risk	[67,73,76]
	6–11 years	PM _{2.5} , NO ₂ , elemental carbon	Childhood	↑ BMI, ↑ overweight or obese risk	[77,78]
	6–10 years	TRAP, traffic proximity	Childhood	↑ Overweight or obese risk, ↑ hemoglobin A1c, ↑ blood pressure	[78,89]
	4, 8 years	Traffic proximity, ambient AP	Childhood (0–4)	No association with obesity, waist circumference, or cholesterol	[79]
	Newborn	PM _{2.5}	Prenatal	↑ Systolic hypertension	[80]
	4–6 years	PM _{2.5}	Prenatal	↑ Microvascular changes	[81,82]
	3–9 years	PM _{2.5}	Prenatal	↑ Blood pressure	[83–85]
	Newborn	PM _{2.5} , PM ₁₀ , NO ₂	Prenatal	↑ Insulin, ↑ adiponectin, ↑ leptin	[74,86]
	Newborn	TRAP	Prenatal	↑ Adiponectin, ↑ leptin	[75]
	10 years	TRAP and traffic proximity	Prenatal	↑ Insulin resistance	[87]
4–6 years	PM _{2.5}	Prenatal	↑ Hemoglobin A1c	[88]	
	O ₃ , PM ₁₀	Childhood	↑ Diabetes	[90]	

↑: increasing, ↓: decreasing.

3.2. Respiratory and Allergic Outcomes

Our search resulted in 57 studies on respiratory outcomes, and the results support a link between prenatal and early-childhood air pollution exposures and respiratory morbidity. Prenatal air pollution exposure has been associated with decreased lung function during infancy and childhood [91]. Higher PM₁₀ exposure during pregnancy—especially during the second [92] or third [93] trimester—was associated with worsened infant lung function, represented by increased minute ventilation, higher respiratory rate, and tidal breathing flow; in addition, preterm infants showed greater susceptibility to PM₁₀-associated lung inflammation [92]. A different study reported an inverse association between CO exposure during pregnancy and infant lung function [94]. A number of studies have examined the relationship between prenatal exposure to ambient air pollution and pulmonary outcomes in childhood: prenatal exposures to ambient PM_{2.5}, PM₁₀, NO₂, NO₃, and benzene have been associated with worsened childhood lung function parameters, including forced expiratory volume, forced expiratory flow, airway reactance, and peak expiratory flow [95–105]. There is also evidence that proximity to major roads, childhood PM_{2.5} and black carbon exposures [106], and childhood NO₂ exposure [101] is associated with worsened lung function in mid-childhood (median age 7).

The current literature presents strong evidence that prenatal air pollution exposure also increases the risk of respiratory and allergic disorders. The risk of newborn tachypnea, asphyxia, and respiratory distress has been associated with increased prenatal exposures to ambient PM, CO, NO, and O₃ [107]. Epidemiological studies have demonstrated that prenatal exposures to ambient NO₂, SO₂, PM_{2.5}, PM₁₀, and ultrafine particles (with aerodynamic diameter < 0.1 μm) were associated with increased respiratory tract infections in infancy [108–110] and asthma, wheezing, and rhinitis in childhood [109,111–120]. One study that assessed respiratory health at 6 or 18 months found no association between prenatal land use regression-modeled NO₂ exposure and the incidence of lower respiratory tract infections or wheeze [121]. However, a different study that similarly used NO₂ exposure estimates to quantify traffic-related air pollution reported that TRAP exposure during the third-trimester of pregnancy or first year of life was significantly associated with allergic rhinitis, and the association was strongest for male children aged 3 or 4 years old [122].

The literature also presents a consistent relationship between childhood asthma or wheeze and early-childhood exposures to ambient air pollution [102,114,119,120,123–131] or traffic-related air pollution, estimated by a land use regression model or road proximity [132–135]. Postnatal exposures to ambient PM₁₀, NO₂, and O₃ have been associated with eczema and allergic symptoms in children [126,129]. Furthermore, several studies demonstrated that the risk of respiratory infection, such as pneumonia, rhinitis, or bronchitis in infants and children, was associated with increased short-term exposure to ambient PM₁₀, O₃, NO_x, and SO₂ [130,136–138], and long-term exposure to TRAP and ambient PM_{2.5}, PM₁₀, NO_x, and PAH [115,129,139–146]. Still, one study did not find an association between childhood asthma incidence in kindergarten-aged children and exposure to ambient air toxics at two years, using estimates from the 2002 National Air Toxics Assessment [147]. We found only one study that examined early-life respiratory outcomes in association with wildfire-generated air pollution. This study reports an increase in respiratory visits for children aged 0–5 in association with acute PM_{2.5} exposure during a wildfire event [148]. In summary, prenatal and early-childhood exposures to TRAP and ambient air-pollution have been consistently associated with worsened lung function and asthma, wheeze, and respiratory infections in infancy or childhood (Table 2). More research is needed on early-life respiratory and allergic outcomes in association with wildfire exposures.

Table 2. Respiratory and Allergic Outcomes Associated with Early-Life Air Pollution Exposures.

Health Outcome	Population Age	AP Exposure	Exposure Time Window	Association	References
Lung function	5–9 years	PAH	Prenatal	↓ FEV1	[95]
	5–7 years	Near-roadway air pollution (NRAP), TRAP	Postnatal	↓ FVC, ↓ FEV1	[96,101,106]
	2–10 years	NO ₂ , PM ₁₀ , PM _{2.5} , NO ₃	Prenatal	↓ FVC, ↓ FEV1, ↑ respiratory resistance, ↓ respiratory reactance	[97–100,103–105]
	2–10 years	Household air pollution	Postnatal	↑ Airway reactance, ↓ FEV1	[99,102]
	30 days–1 year	PM ₁₀ , CO, NO ₂ , O ₃	Prenatal	↑ Fractional exhaled NO, ↓ peak tidal expiratory flow, ↑ respiratory rate, ↑ minute ventilation	[92–94]
Respiratory tract infections	12–18 months	NO ₂ and PM _{2.5}	Prenatal	↑ Lower respiratory tract infections, ↑ LRTI hospitalizations	[108,110]
	0–5 years	PM _{2.5} , PM ₁₀ , NO _x , O ₃ , SO ₂	Postnatal	↑ Respiratory infections, ↑ bronchitis, ↑ LRTI hospitalizations	[130,136–143,146]
Asthma and allergic disorders	Newborn	PM _{2.5}	Preconception	↑ Transient tachypnea, ↑ asphyxia, ↑ respiratory distress syndrome	[107]
	0–10 years	SO ₂ , NO ₂ , PM ₁₀ , PM _{2.5} , black carbon, CO, ultrafine particles, regional NO ₂	Prenatal	↑ Wheeze, ↑ asthma	[109,111–121]
	3–6 years	PM _{2.5} , PM ₁₀ , NO _x , PAH, SO ₂	Postnatal	↑ Allergic symptoms, ↑ allergic rhinitis, ↑ eczema, ↑ asthma	[102,114,115,119,120,123–131,144]
	0–10 years	TRAP	Postnatal	↑ Asthma, ↑ asthma hospitalizations	[122,132–135,145]
	0–5 years	Ambient air toxics	Postnatal	No association with asthma	[147]
	0–5 years	Wildfire-generated air pollution	Postnatal	↑ Respiratory hospital visits	[148]

↑: increasing, ↓: decreasing.

3.3. Neuropsychological Outcomes

Our literature search yielded 26 studies on neuropsychological outcomes. While early-life air pollution exposure has been less studied in children with respect to neuropsychological health, the current data suggest there is an association with adverse neurodevelopment. Prenatal and neonatal exposures to both ambient and traffic-related air pollutants, including PM, NO₂, SO₂, and black carbon, have been associated with impaired cognitive, motor, behavioral, and language development during infancy and early childhood [149–160]. Prenatal exposures to ambient PM_{2.5}, PM₁₀, and PAH have been associated with lower IQ [161–163] and worsened attention and memory [162] in children aged 4–7 years old. Several studies found greater odds of autism spectrum disorders (ASD) in children with higher prenatal and perinatal exposures to ambient NO, NO₂, PM_{2.5}, PM₁₀, O₃ and near-roadway air pollution, or TRAP [164–172]. TRAP and ambient PM_{2.5} and O₃ exposures in the first two years of life have also been associated with an increased ASD risk [165,169,170]. Childhood exposures to near-residence traffic density, as well as the traffic-related air pollutants NO₂, black carbon or elemental carbon, and fine and ultrafine PM, have been positively associated with cognitive and behavioral deficits, hyperactivity, and changes in white matter volume among children [156,173,174]. In summary, ambient and traffic-related air pollution exposures during pregnancy and the first two years of life have been consistently associated with ASD and worsened neuropsychological parameters, including motor and cognitive development (Table 3). Fewer studies have examined the neuropsychological outcomes associated with childhood air-pollution exposures, and no studies have examined the neuropsychological outcomes in association with early-life wildfire exposure.

Table 3. Neuropsychological Outcomes Associated with Early-Life Air Pollution Exposures.

Health Outcome	Population Age	AP Exposure	Exposure Time Window	Association	References
Impaired cognitive development	0–2 years	PM _{2.5} , PM ₁₀	Prenatal	↓ Cognition Score, ↓ Mental Developmental Index, ↓ Problem Solving Score, ↓ Global Cognition Score,	[151,153,155,160]
	4–7 years	NO ₂ , PM _{2.5} , PM ₁₀ , PAH	Prenatal	↓ IQ Score, ↓ Verbal IQ Index	[151,161–163]
Impaired motor development	0–9 years	PM ₁ , PM _{2.5} , PM ₁₀ , NO ₂ , NO _x , SO ₂ , iron (PM _{2.5} constituent)	Prenatal	↓ Fine Motor Score, ↓ Global Motor Score, ↓ Psychomotor	[149,150,154,155,157,158,160]
				Developmental Index	
Impaired behavioral development	0–2 years	PM ₁ , PM _{2.5} , PM ₁₀ , NO ₂ , SO ₂	Prenatal	↓ Personal-Social Score, ↓ Adaptability Score, ↓ Social-Response Score	[155,158]
	2–6 years	PM _{2.5} , PM ₁₀ , NO ₂ , SO ₂	Prenatal	↓ Inhibition, ↓ impulsivity, ↓ emotion expression, ↑ reported behavioral problems	[150,152]
	0–3 years	NO ₂ , SO ₂	Prenatal	↓ Adaptive-Behavior Score, ↓ Social-Behavior Score	[157]
	6–10 years	TRAP, black carbon	Childhood	↑ Behavioral problems	[156]
Impaired language development	0–2 years	PM _{2.5}	Prenatal	↓ Communication Score	[155]
	2–6 years	PM _{2.5} , PM ₁₀ , NO ₂	Prenatal	↓ Sentence completion, ↓ Verbal Score	[150,151]
	0–2 years	PM ₁ , PM _{2.5} , PM ₁₀ , NO ₂ , SO ₂	Prenatal	↓ Language Score	[157–159]
Attention and memory deficit	2–7 years	PM _{2.5} , NO ₂	Prenatal	↓ Memory Score, ↑ omission errors, ↓ Hit Reaction Time, ↓ general memory, ↓ visual memory	[151,162]
	7–11 years	TRAP	Childhood	↓ Working memory, ↓ memory span length, ↑ inattentiveness	[173,174]
Autism spectrum disorders	2–5 years	TRAP, NRAP, freeway proximity	Prenatal	↑ ASD risk	[164,165,172]
	2–10 years	PM _{2.5} , PM ₁₀ , NO ₂ , NO, O ₃ , CO	Prenatal	↑ ASD risk	[165–171]
	2–5 years	TRAP	Childhood	↑ ASD risk	[165]
	2–10 years	PM _{2.5} , PM ₁₀ , NO ₂	Childhood (0–2 years)	↑ ASD risk	[165,169,170]

↑: increasing, ↓: decreasing.

4. Discussion

Our review indicates that early-life exposures to ambient and traffic-related air pollutants are associated with an increased risk of unfavorable developmental outcomes; prenatal and early-childhood exposures to outdoor air pollutants, including PM_{2.5}, PM₁₀, NO_x, and O₃, have been consistently associated with adverse cardiovascular and metabolic, respiratory and allergic, and neurodevelopmental outcomes in early life.

Experimental studies elucidate that early-life air pollutant exposures can increase morbidity through inflammation, oxidative stress, and transcription regulation. During gestation, air pollutants such as PM_{2.5} and PM₁₀, as well as maternal inflammatory cytokines induced by air pollutants, can cross the placenta and induce fetal inflammation and oxidative stress that can last through childhood [175–179]. Early postnatal exposure to air pollutants such as PM_{2.5} can also induce developmental dysfunction through the generation of reactive oxygen species (ROS) and inflammatory stress [180,181], as well as epigenetic alterations [182–185]. Recent studies have found abnormal immune profiles in newborns and children exposed to air pollution in utero [186–188] or during childhood [186,189].

There is substantial evidence in support of the DOHaD hypothesis linking adverse fetal and infant development to metabolic, cardiovascular, and respiratory morbidity in children and adults [45,190,191]. Both low and high birth weight are known risk factors for adult diseases including obesity, hypertension, heart disease, and adult-onset diabetes [47,48,192]. Abnormal fetal growth and rapid childhood growth trajectories have also been associated with adult cardiovascular, metabolic, and respiratory morbidity [193–195]. The literature also supports a link between impaired respiratory health during early development and adult respiratory morbidity such as chronic obstructive pulmonary disease (COPD) [195–198]. Similarly, there is evidence supporting the developmental origins of neurological deficits and mental health illnesses in adulthood [199–203]. Taken together, the literature in support of DOHaD and the literature we review on early-life air pollution exposures suggest that air pollution exposure during critical developmental periods is a risk factor for adverse health outcomes later in life.

The most widely studied outcomes in our search include birth weight in association with prenatal exposure, and asthma or wheeze in association with prenatal and postnatal exposures. However, much of the data combines respiratory and allergic outcomes, such as asthma, wheeze, or rhinitis. Future research should differentiate between allergic and non-allergic respiratory symptoms, and include non-respiratory immune disorders such as dermatitis. There is also a need for more air pollution research on a wider range of neuropsychological outcomes. Most studies examined ASD diagnosis or cognitive and motor deficits; therefore, studies on psychological outcomes such as anxiety-like and depressive behaviors in young children are warranted. Additionally, while some studies have included prenatal time windows of susceptibility, critical exposure periods from gestation to childhood have not yet been well-established. This may be due in part to difficulty collecting longitudinal data on air pollution exposure, as well as difficulty routinely collecting data on potential confounders that vary during postnatal and childhood development. Still, further research should be conducted to determine the sensitive exposure time windows during early-life development, in order to better inform the DOHaD approach and target the early prevention of adverse health outcomes.

The air pollutants we found to be most consistently studied are particulate matter ($PM_{2.5}$ and PM_{10}), NO_2 , and O_3 . Other air pollutants such as black carbon or elemental carbon, CO , SO_2 , and source-specific air pollutants have been less frequently examined and warrant focused studies in the future. Additionally, identifying detrimental air pollutants from the exposure mixture and identifying the detrimental chemical components within the pollutants, in the cases where there are specific drivers of toxicity, will help inform intervention targets.

Most early-life exposures studies have focused on ambient and traffic-related air pollution, whereas few studies have been conducted on wildfire exposures. The majority of research on early-life wildfire exposure examined the associations of prenatal wildfire exposure with preterm birth and birth weight [60–63], and only one study assessed the respiratory effects of wildfire smoke exposure during early childhood [148]. While this deficit may be due to the challenges inherent in exposure assessment for wildfire-related air pollution, many studies have been conducted on wildfire smoke exposure in adults; they are, therefore, feasible to investigate in a younger population. Wildfire smoke contributes to a significant increase in exposures to air pollutants; in addition, concerns over wildfires and wildfire-associated morbidity have increased in recent years, in part due to climate change impacts. Three review articles have established a consistent link between air pollution levels during wildfire events and acute respiratory morbidity in adults [204–206]. Proximity to wildfire has been strongly associated with increased respiratory symptoms, medication use, or hospital visits in adults [207–211]. Elevated levels of ambient $PM_{2.5}$, PM_{10} , or O_3 during a wildfire have been associated with increased adult respiratory morbidity for outcomes such as asthma, wheezing, COPD, and respiratory infection [212–229]. Epidemiological studies have reported that increased smoke or ambient $PM_{2.5}$ exposure during wildfire are linked to increased cardiovascular events, such as hypertension, angina, and cardiac arrest,

particularly among elderly [213,217,220,230,231]. The literature on early-life air pollution exposure, which we review above, coupled with the data on wildfire smoke exposure throughout the lifetime, together motivate a need for future studies to explore the adverse health effects associated with prenatal and early-childhood exposures to wildfire-generated air pollutants. Although wildfire smoke contains various particulate and gaseous pollutants found in traffic-related or ambient air pollution, it is composed of a different chemical mixture [232,233]; moreover, recent studies suggest that PM from wildfire smoke may be more toxic than equal amounts of PM from other sources [214,234,235]. As such, future studies are needed to identify the detrimental compounds specific to wildfire smoke and investigate their mechanisms of pathophysiology.

5. Conclusions

In conclusion, the current literature supports an association between prenatal and early-childhood exposures to air pollutants (especially particulate matters, NO₂, and O₃), and adverse cardiovascular and metabolic, respiratory and allergic, and neurodevelopmental health outcomes during gestational and childhood development. These air pollution-associated health outcomes during early life can predispose individuals to morbidity in adulthood, in accordance with the DOHaD hypothesis. Critical exposure time windows during development should be further clarified, possibly through natural experimental or interventional studies. There is also a gap in the research identifying specific PM components that are detrimental and exploring their individual effects on development. In addition, while there is substantial data on early-life ambient and traffic-related air pollution exposures, further research is needed to examine the developmental health effects associated with wildfire-generated pollution exposures, given the recent increase in wildfire events and the concern over climate change. Identifying causal determinants of developmental health outcomes in early life, such as air pollution exposure, will help the early prevention of chronic diseases in the general population.

Author Contributions: Conceptualization, R.G. and Z.C.; methodology, R.G. and Z.C.; investigation, R.G.; resources, Z.C.; data curation, R.G.; writing—original draft preparation, R.G.; writing—review and editing, R.G., Z.C., J.L., E.G., N.P., F.D.G. and A.H.X.; supervision, Z.C.; project administration, Z.C.; funding acquisition, Z.C. All authors have read and agreed to the published version of the manuscript.

Funding: This work was supported by the National Institute of Environmental Health Sciences (NIEHS) NIEHS awards R00ES027870 and the Hastings Foundation.

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable.

Data Availability Statement: Not applicable.

Conflicts of Interest: The authors declare no conflict of interest. The funders had no role in the design of the study; in the collection, analyses, or interpretation of data; in the writing of the manuscript; or in the decision to publish the results.

References

1. Schwartz, J.D.; Di, Q.; Requia, W.J.; Dominici, F.; Zanobetti, A. A Direct Estimate of the Impact of PM_{2.5}, NO₂, and O₃ Exposure on Life Expectancy Using Propensity Scores. *Epidemiology* **2021**, *32*, 469–476. [[CrossRef](#)] [[PubMed](#)]
2. Brook, R.D. Cardiovascular effects of air pollution. *Clin. Sci.* **2008**, *115*, 175–187. [[CrossRef](#)]
3. Barker, D.J.P. The origins of the developmental origins theory. *J. Intern. Med.* **2007**, *261*, 412–417. [[CrossRef](#)] [[PubMed](#)]
4. Osmond, C.; Barker, D.J. Fetal, infant, and childhood growth are predictors of coronary heart disease, diabetes, and hypertension in adult men and women. *Environ. Health Perspect.* **2000**, *108*, 545–553. [[CrossRef](#)]
5. Swanson, J.M.; Entringer, S.; Buss, C.; Wadhwa, P.D. Developmental Origins of Health and Disease: Environmental Exposures. *Semin. Reprod. Med.* **2009**, *27*, 391–402. [[CrossRef](#)] [[PubMed](#)]
6. Wigle, D.T.; Arbuckle, T.E.; Turner, M.C.; Bérubé, A.; Yang, Q.; Liu, S.; Krewski, D. Epidemiologic Evidence of Relationships Between Reproductive and Child Health Outcomes and Environmental Chemical Contaminants. *J. Toxicol. Environ. Health Part B* **2008**, *11*, 373–517. [[CrossRef](#)]

7. Kim, J.B.; Prunicki, M.; Haddad, F.; Dant, C.; Sampath, V.; Patel, R.; Smith, E.; Akdis, C.; Balmes, J.; Snyder, M.P.; et al. Cumulative Lifetime Burden of Cardiovascular Disease from Early Exposure to Air Pollution. *J. Am. Heart Assoc.* **2020**, *9*, e014944. [[CrossRef](#)]
8. Deng, S.-Z.; Jalaludin, B.B.; Antó, J.M.; Hess, J.J.; Huang, C.-R. Climate change, air pollution, and allergic respiratory diseases: A call to action for health professionals. *Chin. Med. J.* **2020**, *133*, 1552–1560. [[CrossRef](#)]
9. Son, J.-Y.; Bell, M.L.; Lee, J.-T. Survival Analysis of Long-Term Exposure to Different Sizes of Airborne Particulate Matter and Risk of Infant Mortality Using a Birth Cohort in Seoul, Korea. *Environ. Health Perspect.* **2011**, *119*, 725–730. [[CrossRef](#)]
10. Pedersen, M.; Giorgis-Allemand, L.; Bernard, C.; Aguilera, I.; Andersen, A.-M.N.; Ballester, F.; Beelen, R.M.J.; Chatzi, L.; Cirach, M.; Danileviciute, A.; et al. Ambient air pollution and low birthweight: A European cohort study (ESCAPE). *Lancet Respir. Med.* **2013**, *1*, 695–704. [[CrossRef](#)]
11. Li, S.; Peng, L.; Wu, X.; Xu, G.; Cheng, P.; Hao, J.; Huang, Z.; Xu, M.; Chen, S.; Zhang, C.; et al. Long-term impact of ambient air pollution on preterm birth in Xuzhou, China: A time series study. *Environ. Sci. Pollut. Res.* **2021**, *28*, 41039–41050. [[CrossRef](#)] [[PubMed](#)]
12. Basu, R.; Harris, M.; Sie, L.; Malig, B.; Broadwin, R.; Green, R. Effects of fine particulate matter and its constituents on low birth weight among full-term infants in California. *Environ. Res.* **2014**, *128*, 42–51. [[CrossRef](#)] [[PubMed](#)]
13. Ebisu, K.; Bell, M.L. Airborne PM_{2.5} Chemical Components and Low Birth Weight in the Northeastern and Mid-Atlantic Regions of the United States. *Environ. Health Perspect.* **2012**, *120*, 1746–1752. [[CrossRef](#)]
14. Vinikoor-Imler, L.C.; Davis, J.A.; Meyer, R.E.; Messer, L.C.; Luben, T. Associations between prenatal exposure to air pollution, small for gestational age, and term low birthweight in a state-wide birth cohort. *Environ. Res.* **2014**, *132*, 132–139. [[CrossRef](#)]
15. Estarlich, M.; Ballester, F.; Aguilera, I.; Fernández-Somoano, A.; Lertxundi, A.; Llop, S.; Freire, C.; Tardon, A.; Basterrechea, M.; Sunyer, J.; et al. Residential Exposure to Outdoor Air Pollution during Pregnancy and Anthropometric Measures at Birth in a Multicenter Cohort in Spain. *Environ. Health Perspect.* **2011**, *119*, 1333–1338. [[CrossRef](#)]
16. Le, H.Q.; Batterman, S.A.; Wirth, J.J.; Wahl, R.L.; Hoggatt, K.J.; Sadeghnejad, A.; Hultin, M.L.; Depa, M. Air pollutant exposure and preterm and term small-for-gestational-age births in Detroit, Michigan: Long-term trends and associations. *Environ. Int.* **2012**, *44*, 7–17. [[CrossRef](#)] [[PubMed](#)]
17. Bijnens, E.M.; Derom, C.; Gielen, M.; Winckelmans, E.; Fierens, F.; Vlietinck, R.; Zeegers, M.P.; Nawrot, T.S. Small for gestational age and exposure to particulate air pollution in the early-life environment of twins. *Environ. Res.* **2016**, *148*, 39–45. [[CrossRef](#)]
18. Bergstra, A.D.; Brunekreef, B.; Burdorf, A. The influence of industry-related air pollution on birth outcomes in an industrialized area. *Environ. Pollut.* **2021**, *269*, 115741. [[CrossRef](#)]
19. Salam, M.; Millstein, J.; Li, Y.-F.; Lurmann, F.W.; Margolis, H.G.; Gilliland, F.D. Birth Outcomes and Prenatal Exposure to Ozone, Carbon Monoxide, and Particulate Matter: Results from the Children's Health Study. *Environ. Health Perspect.* **2005**, *113*, 1638–1644. [[CrossRef](#)]
20. Rosa, M.J.; Pajak, A.; Just, A.C.; Sheffield, P.E.; Kloog, I.; Schwartz, J.; Coull, B.; Enlow, M.B.; Baccarelli, A.A.; Huddleston, K.; et al. Prenatal exposure to PM_{2.5} and birth weight: A pooled analysis from three North American longitudinal pregnancy cohort studies. *Environ. Int.* **2017**, *107*, 173–180. [[CrossRef](#)]
21. Ballester, F.; Estarlich, M.; Iñiguez, C.; Llop, S.; Ramón, R.; Esplugues, A.; Lacasaña, M.; Rebagliato, M. Air pollution exposure during pregnancy and reduced birth size: A prospective birth cohort study in Valencia, Spain. *Environ. Health* **2010**, *9*, 6. [[CrossRef](#)] [[PubMed](#)]
22. Lin, L.; Li, Q.; Yang, J.; Han, N.; Jin, C.; Xu, X.; Liu, Z.; Liu, J.; Luo, S.; Raat, H.; et al. The associations of particulate matters with fetal growth in utero and birth weight: A birth cohort study in Beijing, China. *Sci. Total Environ.* **2010**, *709*, 136246. [[CrossRef](#)] [[PubMed](#)]
23. Shang, L.; Huang, L.; Yang, L.; Leng, L.; Qi, C.; Xie, G.; Wang, R.; Guo, L.; Yang, W.; Chung, M.C. Impact of air pollution exposure during various periods of pregnancy on term birth weight: A large-sample, retrospective population-based cohort study. *Environ. Sci. Pollut. Res.* **2021**, *28*, 3296–3306. [[CrossRef](#)] [[PubMed](#)]
24. Romão, R.; Pereira, L.A.; Saldiva, P.H.; Pinheiro, P.M.; Braga, A.L.; Martins, L.C. The relationship between low birth weight and exposure to inhalable particulate matter. *Cad. Saude Publica* **2013**, *29*, 1101–1108. [[CrossRef](#)]
25. Ha, S.; Hu, H.; Roussos-Ross, D.; Haidong, K.; Roth, J.; Xu, X. The effects of air pollution on adverse birth outcomes. *Environ. Res.* **2014**, *134*, 198–204. [[CrossRef](#)]
26. Chen, L.; Yang, W.; Jennison, B.L.; Goodrich, A.; Omaye, S.T. Air pollution and birth weight in northern nevada, 1991–1999. *Inhal. Toxicol.* **2002**, *14*, 141–157. [[CrossRef](#)]
27. Lu, C.; Zhang, W.; Zheng, X.; Sun, J.; Chen, L.; Deng, Q. Combined effects of ambient air pollution and home environmental factors on low birth weight. *Chemosphere* **2020**, *240*, 124836. [[CrossRef](#)]
28. Geer, L.A.; Weedon, J.; Bell, M. Ambient air pollution and term birth weight in Texas from 1998 to 2004. *J. Air Waste Manag. Assoc.* **2012**, *62*, 1285–1295. [[CrossRef](#)]
29. Wojtyla, C.; Zielinska, K.; Wojtyla-Buciora, P.; Panek, G. Prenatal Fine Particulate Matter (PM_{2.5}) Exposure and Pregnancy Outcomes—Analysis of Term Pregnancies in Poland. *Int. J. Environ. Res. Public Health* **2020**, *17*, 5820. [[CrossRef](#)]
30. Laine, J.E.; Bodinier, B.; Robinson, O.; Plusquin, M.; Scalbert, A.; Keski-Rahkonen, P.; Robinot, N.; Vermeulen, R.; Pizzi, C.; Asta, F.; et al. Prenatal Exposure to Multiple Air Pollutants, Mediating Molecular Mechanisms, and Shifts in Birthweight. *Environ. Sci. Technol.* **2020**, *54*, 14502–14513. [[CrossRef](#)]

31. Morello-Frosch, R.; Jesdale, B.M.; Sadd, J.L.; Pastor, M. Ambient air pollution exposure and full-term birth weight in California. *Environ. Health* **2010**, *9*, 44. [[CrossRef](#)] [[PubMed](#)]
32. Darrow, L.A.; Klein, M.; Strickland, M.J.; Mulholland, J.A.; Tolbert, P.E. Ambient Air Pollution and Birth Weight in Full-Term Infants in Atlanta, 1994–2004. *Environ. Health Perspect.* **2011**, *119*, 731–737. [[CrossRef](#)] [[PubMed](#)]
33. Dos Reis, M.M.; Guimarães, M.T.; Braga, A.L.F.; Martins, L.C.; Pereira, L.A.A. Air pollution and low birth weight in an industrialized city in Southeastern Brazil, 2003–2006. *Rev. Bras. Epidemiol.* **2017**, *20*, 189–199. [[CrossRef](#)] [[PubMed](#)]
34. Yuan, L.; Zhang, Y.; Wang, W.; Chen, R.; Liu, Y.; Liu, C.; Kan, H.; Gao, Y.; Tian, Y. Critical windows for maternal fine particulate matter exposure and adverse birth outcomes: The Shanghai birth cohort study. *Chemosphere* **2020**, *240*, 124904. [[CrossRef](#)]
35. Jedrychowski, W.A.; Majewska, R.; Spengler, J.D.; Camann, D.; Roen, E.L.; Perera, F.P. Prenatal exposure to fine particles and polycyclic aromatic hydrocarbons and birth outcomes: A two-pollutant approach. *Int. Arch. Occup. Environ. Health* **2017**, *90*, 255–264. [[CrossRef](#)]
36. Johnson, M.; Shin, H.H.; Roberts, E.; Sun, L.; Fisher, M.; Hystad, P.; Van Donkelaar, A.; Martin, R.V.; Fraser, W.D.; Lavigne, E.; et al. Critical Time Windows for Air Pollution Exposure and Birth Weight in a Multicity Canadian Pregnancy Cohort. *Epidemiology* **2022**, *33*, 7–16. [[CrossRef](#)]
37. Palma, A.; Petrunyk, I.; Vuri, D. Prenatal air pollution exposure and neonatal health. *Health Econ.* **2022**, *31*, 729–759. [[CrossRef](#)]
38. MoghaddamHosseini, V.; Dowlatabadi, A.; Najafi, M.L.; Ghaleenovi, M.; Pajohanfar, N.S.; Ghezi, S.; Mehrabadi, S.; Estiri, E.H.; Miri, M. Association of traffic-related air pollution with Newborn's anthropometric indexes at birth. *Environ. Res.* **2022**, *204*, 112000. [[CrossRef](#)]
39. Yitshak-Sade, M.; Kloog, I.; Schwartz, J.D.; Novack, V.; Erez, O.; Just, A.C. The effect of prenatal temperature and PM_{2.5} exposure on birthweight: Weekly windows of exposure throughout the pregnancy. *Environ. Int.* **2021**, *155*, 106588. [[CrossRef](#)]
40. Cho, H.-J.; Lee, S.-H.; Lee, S.-Y.; Kim, H.-C.; Kim, H.-B.; Park, M.J.; Yoon, J.; Jung, S.; Yang, S.-I.; Lee, E.; et al. Mid-pregnancy PM_{2.5} exposure affects sex-specific growth trajectories via ARRDC3 methylation. *Environ. Res.* **2021**, *200*, 111640. [[CrossRef](#)]
41. Padula, A.M.; Mortimer, K.; Hubbard, A.; Lurmann, F.; Jerrett, M.; Tager, I.B. Exposure to Traffic-related Air Pollution during Pregnancy and Term Low Birth Weight: Estimation of Causal Associations in a Semiparametric Model. *Am. J. Epidemiol.* **2012**, *176*, 815–824. [[CrossRef](#)] [[PubMed](#)]
42. Fleisch, A.F.; Rifas-Shiman, S.L.; Koutrakis, P.; Schwartz, J.D.; Kloog, I.; Melly, S.; Coull, B.A.; Zanobetti, A.; Gillman, M.W.; Gold, D.R.; et al. Prenatal Exposure to Traffic Pollution. *Epidemiology* **2015**, *26*, 43–50. [[CrossRef](#)] [[PubMed](#)]
43. Rokoff, L.B.; Rifas-Shiman, S.L.; Coull, B.A.; Cárdenas, A.; Calafat, A.M.; Ye, X.; Gryparis, A.; Schwartz, J.; Sagiv, S.K.; Gold, D.R.; et al. Cumulative exposure to environmental pollutants during early pregnancy and reduced fetal growth: The Project Viva cohort. *Environ. Health* **2018**, *17*, 19. [[CrossRef](#)]
44. Li, C.; Ju, L.; Yang, M.; Zhang, Q.; Sun, S.; Cao, J.; Ding, R. Prenatal air pollution exposure increases the risk of macrosomia: Evidence from a prospective cohort study in the coastal area of China. *Environ. Sci. Pollut. Res.* **2021**, *29*, 5144–5152. [[CrossRef](#)]
45. Calkins, K.; Devaskar, S.U. Fetal Origins of Adult Disease. *Curr. Probl. Pediatr. Adolesc. Health Care* **2011**, *41*, 158–176. [[CrossRef](#)] [[PubMed](#)]
46. Henriksen, T. The macrosomic fetus: A challenge in current obstetrics. *Acta Obstet. Gynecol. Scand.* **2008**, *87*, 134–145. [[CrossRef](#)]
47. Tian, J.-Y.; Cheng, Q.; Song, X.-M.; Li, G.; Jiang, G.-X.; Gu, Y.-Y.; Luo, M. Birth weight and risk of type 2 diabetes, abdominal obesity and hypertension among Chinese adults. *Eur. J. Endocrinol.* **2006**, *155*, 601–607. [[CrossRef](#)]
48. Curhan, G.C.; Willett, W.C.; Rimm, E.B.; Spiegelman, D.; Ascherio, A.L.; Stampfer, M.J. Birth Weight and Adult Hypertension, Diabetes Mellitus, and Obesity in US Men. *Circulation* **1996**, *94*, 3246–3250. [[CrossRef](#)]
49. Bell, M.L.; Belanger, K.; Ebisu, K.; Gent, J.F.; Lee, H.J.; Koutrakis, P.; Leaderer, B.P. Prenatal Exposure to Fine Particulate Matter and Birth Weight. *Epidemiology* **2010**, *21*, 884–891. [[CrossRef](#)]
50. Bell, M.L.; Belanger, K.; Ebisu, K.; Gent, J.F.; Leaderer, B.P. Relationship between birth weight and exposure to airborne fine particulate potassium and titanium during gestation. *Environ. Res.* **2012**, *117*, 83–89. [[CrossRef](#)]
51. van den Hooven, E.H.; Pierik, F.H.; de Kluizenaar, Y.; Willemsen, S.P.; Hofman, A.; van Ratingen, S.W.; Zandveld, P.Y.J.; Mackenbach, J.P.; Steegers, E.A.P.; Miedema, H.M.E.; et al. Air Pollution Exposure during Pregnancy, Ultrasound Measures of Fetal Growth, and Adverse Birth Outcomes: A Prospective Cohort Study. *Environ. Health Perspect.* **2012**, *120*, 150–156. [[CrossRef](#)] [[PubMed](#)]
52. Ifíñiguez, C.; Ballester, F.; Estarlich, M.; Esplugues, A.; Murcia, M.; Llop, S.; Plana, A.; Amorós, R.; Rebagliato, M. Prenatal exposure to traffic-related air pollution and fetal growth in a cohort of pregnant women. *Occup. Environ. Med.* **2012**, *69*, 736–744. [[CrossRef](#)]
53. Clemens, T.; Turner, S.; Dibben, C. Maternal exposure to ambient air pollution and fetal growth in North-East Scotland: A population-based study using routine ultrasound scans. *Environ. Int.* **2017**, *107*, 216–226. [[CrossRef](#)] [[PubMed](#)]
54. Shao, X.; Cheng, H.; Zhou, J.; Zhang, J.; Zhu, Y.; Yang, C.; Di Narzo, A.; Yu, J.; Shen, Y.; Li, Y.; et al. Prenatal exposure to ambient air multi-pollutants significantly impairs intrauterine fetal development trajectory. *Ecotoxicol. Environ. Saf.* **2020**, *201*, 110726. [[CrossRef](#)] [[PubMed](#)]
55. Lin, L.; Guo, Y.; Han, N.; Su, T.; Jin, C.; Chen, G.; Li, Q.; Zhou, S.; Tang, Z.; Liu, Z.; et al. Prenatal exposure to airborne particulate matter of 1 μm or less and fetal growth: A birth cohort study in Beijing, China. *Environ. Res.* **2021**, *194*, 110729. [[CrossRef](#)]
56. Siddika, N.; Rantala, A.K.; Antikainen, H.; Balogun, H.; Amegah, A.K.; Ryti, N.R.; Kukkonen, J.; Sofiev, M.; Jaakkola, M.S.; Jaakkola, J.J. Synergistic effects of prenatal exposure to fine particulate matter (PM_{2.5}) and ozone (O₃) on the risk of preterm birth: A population-based cohort study. *Environ. Res.* **2019**, *176*, 108549. [[CrossRef](#)]

57. Siddika, N.; Rantala, A.K.; Antikainen, H.; Balogun, H.; Amegah, A.K.; Rytí, N.R.I.; Kukkonen, J.; Sofiev, M.; Jaakkola, M.S.; Jaakkola, J.J.K. Short-term prenatal exposure to ambient air pollution and risk of preterm birth—A population-based cohort study in Finland. *Environ. Res.* **2020**, *184*, 109290. [[CrossRef](#)]
58. Padula, A.M.; Mortimer, K.M.; Tager, I.B.; Hammond, S.K.; Lurmann, F.W.; Yang, W.; Stevenson, D.K.; Shaw, G.M. Traffic-related air pollution and risk of preterm birth in the San Joaquin Valley of California. *Ann. Epidemiol.* **2014**, *24*, 888–895.e4. [[CrossRef](#)]
59. Gehring, U.; Van Eijsden, M.; A Dijkema, M.B.; Van Der Wal, M.F.; Fischer, P.; Brunekreef, B. Traffic-related air pollution and pregnancy outcomes in the Dutch ABCD birth cohort study. *Occup. Environ. Med.* **2011**, *68*, 36–43. [[CrossRef](#)]
60. Abdo, M.; Ward, I.; O'Dell, K.; Ford, B.; Pierce, J.; Fischer, E.; Crooks, J. Impact of Wildfire Smoke on Adverse Pregnancy Outcomes in Colorado, 2007–2015. *Int. J. Environ. Res. Public Health* **2019**, *16*, 3720. [[CrossRef](#)]
61. Holstius, D.M.; Reid, C.; Jesdale, W.; Morello-Frosch, R. Birth Weight following Pregnancy during the 2003 Southern California Wildfires. *Environ. Health Perspect.* **2012**, *120*, 1340–1345. [[CrossRef](#)]
62. Prass, T.S.; Lopes, S.R.C.; Dórea, J.G.; Marques, R.C.; Brandão, K.G. Amazon Forest Fires between 2001 and 2006 and Birth Weight in Porto Velho. *Bull. Environ. Contam. Toxicol.* **2012**, *89*, 1–7. [[CrossRef](#)] [[PubMed](#)]
63. O'Donnell, M.H.; Behie, A.M. Effects of wildfire disaster exposure on male birth weight in an Australian population. *Evol. Med. Public Health* **2015**, *2015*, 344–354. [[CrossRef](#)] [[PubMed](#)]
64. Tan, Y.; Liao, J.; Zhang, B.; Mei, H.; Peng, A.; Zhao, J.; Zhang, Y.; Yang, S.; He, M. Prenatal exposure to air pollutants and early childhood growth trajectories: A population-based prospective birth cohort study. *Environ. Res.* **2021**, *194*, 110627. [[CrossRef](#)] [[PubMed](#)]
65. Patterson, W.B.; Glasson, J.; Naik, N.; Jones, R.B.; Berger, P.K.; Plows, J.F.; Minor, H.A.; Lurmann, F.; Goran, M.I.; Alderete, T.L. Prenatal exposure to ambient air pollutants and early infant growth and adiposity in the Southern California Mother's Milk Study. *Environ. Health* **2021**, *20*, 67. [[CrossRef](#)]
66. Sun, X.; Liu, C.; Liang, H.; Miao, M.; Wang, Z.; Ji, H.; van Donkelaar, A.; Martin, R.V.; Kan, H.; Yuan, W. Prenatal exposure to residential PM2.5 and its chemical constituents and weight in preschool children: A longitudinal study from Shanghai, China. *Environ. Int.* **2021**, *154*, 106580. [[CrossRef](#)]
67. Starling, A.P.; Moore, B.; Thomas, D.S.; Peel, J.L.; Zhang, W.; Adgate, J.L.; Magzamen, S.; Martenies, S.E.; Allshouse, W.B.; Dabelea, D. Prenatal exposure to traffic and ambient air pollution and infant weight and adiposity: The Healthy Start study. *Environ. Res.* **2020**, *182*, 109130. [[CrossRef](#)]
68. Fossati, S.; Valvi, D.; Martinez, D.; Cirach, M.; Estarlich, M.; Fernández-Somoano, A.; Guxens, M.; Iñiguez, C.; Irizar, A.; Lertxundi, A.; et al. Prenatal air pollution exposure and growth and cardio-metabolic risk in preschoolers. *Environ. Int.* **2020**, *138*, 105619. [[CrossRef](#)]
69. Rosofsky, A.S.; Fabian, M.P.; de Cuba, S.E.; Sandel, M.; Coleman, S.; Levy, J.I.; Coull, B.A.; Hart, J.E.; Zanobetti, A. Prenatal Ambient Particulate Matter Exposure and Longitudinal Weight Growth Trajectories in Early Childhood. *Int. J. Environ. Res. Public Health* **2020**, *17*, 1444. [[CrossRef](#)]
70. Boamah-Kaali, E.; Jack, D.W.; Ae-Ngibise, K.A.; Quinn, A.; Kaali, S.; Dubowski, K.; Oppong, F.B.; Wylie, B.J.; Mujtaba, M.N.; Gould, C.F.; et al. Prenatal and Postnatal Household Air Pollution Exposure and Infant Growth Trajectories: Evidence from a Rural Ghanaian Pregnancy Cohort. *Environ. Health Perspect.* **2021**, *129*, 117009. [[CrossRef](#)]
71. Zhou, S.; Lin, L.; Bao, Z.; Meng, T.; Wang, S.; Chen, G.; Li, Q.; Liu, Z.; Bao, H.; Han, N.; et al. The association of prenatal exposure to particulate matter with infant growth: A birth cohort study in Beijing, China. *Environ. Pollut.* **2021**, *277*, 116792. [[CrossRef](#)] [[PubMed](#)]
72. Rundle, A.G.; Gallagher, D.; Herbstman, J.B.; Goldsmith, J.; Holmes, D.; Hassoun, A.; Oberfield, S.; Miller, R.L.; Andrews, H.; Widen, E.M.; et al. Prenatal exposure to airborne polycyclic aromatic hydrocarbons and childhood growth trajectories from age 5–14 years. *Environ. Res.* **2019**, *177*, 108595. [[CrossRef](#)]
73. Fleisch, A.F.; Luttmann-Gibson, H.; Perng, W.; Rifas-Shiman, S.L.; Coull, B.A.; Kloog, I.; Koutrakis, P.; Schwartz, J.D.; Zanobetti, A.; Mantzoros, C.S.; et al. Prenatal and early life exposure to traffic pollution and cardiometabolic health in childhood. *Pediatr. Obes.* **2017**, *12*, 48–57. [[CrossRef](#)] [[PubMed](#)]
74. Lavigne, E.; Ashley-Martin, J.; Dodds, L.; Arbuckle, T.E.; Hystad, P.; Johnson, M.; Crouse, D.; Ettinger, A.S.; Shapiro, G.D.; Fisher, M.; et al. Air Pollution Exposure during Pregnancy and Fetal Markers of Metabolic Function. *Am. J. Epidemiol.* **2016**, *183*, 842–851. [[CrossRef](#)] [[PubMed](#)]
75. Alderete, T.L.; Song, A.Y.; Bastain, T.; Habre, R.; Toledo-Corral, C.M.; Salam, M.T.; Lurmann, F.; Gilliland, F.D.; Breton, C.V. Prenatal traffic-related air pollution exposures, cord blood adipokines and infant weight. *Pediatr. Obes.* **2018**, *13*, 348–356. [[CrossRef](#)]
76. Bloemsma, L.D.; Dabelea, D.; Thomas, D.S.K.; Peel, J.L.; Adgate, J.L.; Allshouse, W.B.; Martenies, S.E.; Magzamen, S.; Starling, A.P. Prenatal exposure to ambient air pollution and traffic and indicators of adiposity in early childhood: The Healthy Start study. *Int. J. Obes.* **2021**, *46*, 491–501. [[CrossRef](#)]
77. Vrijheid, M.; Fossati, S.; Maitre, L.; Márquez, S.; Roumeliotaki, T.; Agier, L.; Andrusaityte, S.; Cadiou, S.; Casas, M.; De Castro, M.; et al. Early-Life Environmental Exposures and Childhood Obesity: An Exposome-Wide Approach. *Environ. Health Perspect.* **2020**, *128*, 067009. [[CrossRef](#)]
78. de Bont, J.; Casas, M.; Barrera-Gómez, J.; Cirach, M.; Rivas, I.; Valvi, D.; Álvarez, M.; Dadvand, P.; Sunyer, J.; Vrijheid, M. Ambient air pollution and overweight and obesity in school-aged children in Barcelona, Spain. *Environ. Int.* **2019**, *125*, 58–64. [[CrossRef](#)]

79. Fioravanti, S.; Cesaroni, G.; Badaloni, C.; Michelozzi, P.; Forastiere, F.; Porta, D. Traffic-related air pollution and childhood obesity in an Italian birth cohort. *Environ. Res.* **2018**, *160*, 479–486. [[CrossRef](#)]
80. van Rossem, L.; Rifas-Shiman, S.L.; Melly, S.J.; Kloog, I.; Luttmann-Gibson, H.; Zanobetti, A.; Coull, B.A.; Schwartz, J.D.; Mittleman, M.A.; Oken, E.; et al. Prenatal Air Pollution Exposure and Newborn Blood Pressure. *Environ. Health Perspect.* **2015**, *123*, 353–359. [[CrossRef](#)]
81. Luyten, L.J.; Dockx, Y.; Provost, E.B.; Madhloum, N.; Sleurs, H.; Neven, K.Y.; Janssen, B.G.; Bové, H.; Debacq-Chainiaux, F.; Gerrits, N.; et al. Children’s microvascular traits and ambient air pollution exposure during pregnancy and early childhood: Prospective evidence to elucidate the developmental origin of particle-induced disease. *BMC Med.* **2020**, *18*, 128. [[CrossRef](#)] [[PubMed](#)]
82. Witters, K.; Dockx, Y.; Roodt, J.O.; Lefebvre, W.; Vanpoucke, C.; Plusquin, M.; Vangronsveld, J.; Janssen, B.G.; Nawrot, T.S. Dynamics of skin microvascular blood flow in 4–6-year-old children in association with pre- and postnatal black carbon and particulate air pollution exposure. *Environ. Int.* **2021**, *157*, 106799. [[CrossRef](#)] [[PubMed](#)]
83. Zhang, M.; Mueller, N.; Wang, H.; Hong, X.; Appel, L.J.; Wang, X. Maternal Exposure to Ambient Particulate Matter $\leq 2.5\text{ }\mu\text{m}$ During Pregnancy and the Risk for High Blood Pressure in Childhood. *Hypertension* **2018**, *72*, 194–201. [[CrossRef](#)] [[PubMed](#)]
84. Ni, Y.; Szpiro, A.A.; Young, M.T.; Loftus, C.T.; Bush, N.R.; LeWinn, K.Z.; Sathyaranayana, S.; Enquobahrie, D.A.; Davis, R.L.; Kratz, M.; et al. Associations of Pre- and Postnatal Air Pollution Exposures with Child Blood Pressure and Modification by Maternal Nutrition: A Prospective Study in the CANDLE Cohort. *Environ. Health Perspect.* **2021**, *129*, 47004. [[CrossRef](#)] [[PubMed](#)]
85. Rosa, M.J.; Hair, G.M.; Just, A.C.; Kloog, I.; Svensson, K.; Pizano-Zárate, M.L.; Pantic, I.; Schnaas, L.; Tamayo-Ortiz, M.; Baccarelli, A.A.; et al. Identifying critical windows of prenatal particulate matter ($\text{PM}_{2.5}$) exposure and early childhood blood pressure. *Environ. Res.* **2019**, *182*, 109073. [[CrossRef](#)]
86. Madhloum, N.; Janssen, B.G.; Martens, D.S.; Saenen, N.D.; Bijnens, E.; Gyselaers, W.; Penders, J.; Vanpoucke, C.; Lefebvre, W.; Plusquin, M.; et al. Cord plasma insulin and in utero exposure to ambient air pollution. *Environ. Int.* **2017**, *105*, 126–132. [[CrossRef](#)]
87. Thiering, E.; Cyrys, J.; Kratzsch, J.; Meisinger, C.; Hoffmann, B.; Berdel, D.; von Berg, A.; Koletzko, S.; Bauer, C.-P.; Heinrich, J. Long-term exposure to traffic-related air pollution and insulin resistance in children: Results from the GINIplus and LISApplus birth cohorts. *Diabetologia* **2013**, *56*, 1696–1704. [[CrossRef](#)]
88. Moody, E.C.; Cantoral, A.; Tamayo-Ortiz, M.; Pizano-Zárate, M.L.; Schnaas, L.; Kloog, I.; Oken, E.; Coull, B.; Baccarelli, A.; Téllez-Rojo, M.M.; et al. Association of Prenatal and Perinatal Exposures to Particulate Matter with Changes in Hemoglobin A_{1c} Levels in Children Aged 4 to 6 Years. *JAMA Netw. Open* **2019**, *2*, e1917643. [[CrossRef](#)]
89. Mann, J.K.; Lutzker, L.; Holm, S.M.; Margolis, H.G.; Neophytou, A.M.; Eisen, E.A.; Costello, S.; Tyner, T.; Holland, N.; Tindula, G.; et al. Traffic-related air pollution is associated with glucose dysregulation, blood pressure, and oxidative stress in children. *Environ. Res.* **2021**, *195*, 110870. [[CrossRef](#)]
90. Hathout, E.H.; Beeson, W.L.; Nahab, F.; Rabadi, A.; Thomas, W.; Mace, J.W. Role of exposure to air pollutants in the development of type 1 diabetes before and after 5 yr of age. *Pediatr. Diabetes* **2002**, *3*, 184–188. [[CrossRef](#)]
91. Korten, I.; Ramsey, K.; Latzin, P. Air pollution during pregnancy and lung development in the child. *Paediatr. Respir. Rev.* **2016**, *21*, 38–46. [[CrossRef](#)] [[PubMed](#)]
92. Decruy, F.; Gorlanova, O.; Salem, Y.; Vienneau, D.; de Hoogh, K.; Gisler, A.; Usemann, J.; Korten, I.; Nahum, U.; Sinues, P.; et al. Increased Impact of Air Pollution on Lung Function in Preterm versus Term Infants: The BILD Study. *Am. J. Respir. Crit. Care Med.* **2022**, *205*, 99–107. [[CrossRef](#)] [[PubMed](#)]
93. Latzin, P.; Röösli, M.; Huss, A.; Kuehni, C.E.; Frey, U. Air pollution during pregnancy and lung function in newborns: A birth cohort study. *Eur. Respir. J.* **2008**, *33*, 594–603. [[CrossRef](#)] [[PubMed](#)]
94. Lee, A.G.; Kaali, S.; Quinn, A.; Delimini, R.; Burkart, K.; Opoku-Mensah, J.; Wylie, B.J.; Yawson, A.K.; Kinney, P.L.; Ae-Ngibise, K.A.; et al. Prenatal Household Air Pollution Is Associated with Impaired Infant Lung Function with Sex-Specific Effects. Evidence from GRAPHS, a Cluster Randomized Cookstove Intervention Trial. *Am. J. Respir. Crit. Care Med.* **2019**, *199*, 738–746. [[CrossRef](#)] [[PubMed](#)]
95. Jedrychowski, W.A.; Perera, F.P.; Maugeri, U.; Majewska, R.; Mroz, E.; Flak, E.; Camann, D.; Sowa, A.; Jacek, R. Long term effects of prenatal and postnatal airborne PAH exposures on ventilatory lung function of non-asthmatic preadolescent children. Prospective birth cohort study in Krakow. *Sci. Total Environ.* **2014**, *502*, 502–509. [[CrossRef](#)]
96. Urman, R.; McConnell, R.; Islam, T.; Avol, E.L.; Lurmann, F.W.; Vora, H.; Linn, W.S.; Rappaport, E.B.; Gilliland, F.D.; Gauderman, W.J. Associations of children’s lung function with ambient air pollution: Joint effects of regional and near-roadway pollutants. *Thorax* **2013**, *69*, 540–547. [[CrossRef](#)]
97. Gutiérrez-Delgado, R.I.; Barraza-Villarreal, A.; Escamilla-Núñez, M.C.; Hernández-Cadena, L.; Dsc, M.C.; Sly, P.; Romieu, I.; Cortez-Lugo, M. Prenatal exposure to VOCs and NOx and lung function in preschoolers. *Pediatr. Pulmonol.* **2020**, *55*, 2142–2149. [[CrossRef](#)]
98. Bose, S.; Rosa, M.J.; Chiu, Y.-H.M.; Hsu, H.-H.L.; Di, Q.; Lee, A.; Kloog, I.; Wilson, A.; Schwartz, J.; Wright, R.O.; et al. Prenatal nitrate air pollution exposure and reduced child lung function: Timing and fetal sex effects. *Environ. Res.* **2018**, *167*, 591–597. [[CrossRef](#)]

99. Dutta, A.; Alaka, M.; Ibigbami, T.; Adepoju, D.; Adekunle, S.; Olamijulo, J.; Adedokun, B.; Deji-Abiodun, O.; Chartier, R.; Ojengbede, O.; et al. Impact of prenatal and postnatal household air pollution exposure on lung function of 2-year old Nigerian children by oscillometry. *Sci. Total Environ.* **2020**, *755*, 143419. [[CrossRef](#)]
100. Cai, Y.; Hansell, A.L.; Granell, R.; Blangiardo, M.; Zottoli, M.; Fecht, D.; Gulliver, J.; Henderson, A.J.; Elliott, P. Prenatal, Early-Life, and Childhood Exposure to Air Pollution and Lung Function: The ALSPAC Cohort. *Am. J. Respir. Crit. Care Med.* **2020**, *202*, 112–123. [[CrossRef](#)]
101. Usemann, J.; Decrue, F.; Korten, I.; Proietti, E.; Goranova, O.; Vienneau, D.; Fuchs, O.; Latzin, P.; Röösli, M.; Frey, U. Exposure to moderate air pollution and associations with lung function at school-age: A birth cohort study. *Environ. Int.* **2019**, *126*, 682–689. [[CrossRef](#)] [[PubMed](#)]
102. Branco, P.T.; Alvim-Ferraz, M.C.; Martins, F.G.; Ferraz, C.; Vaz, L.G.; Sousa, S.I. Impact of indoor air pollution in nursery and primary schools on childhood asthma. *Sci. Total Environ.* **2020**, *745*, 140982. [[CrossRef](#)] [[PubMed](#)]
103. Morales, E.; Garcia-Estebar, R.; De La Cruz, O.A.; Basterrechea, M.; Lertxundi, A.; De Dicastillo, M.D.M.L.; Zabaleta, C.; Sunyer, J. Intrauterine and early postnatal exposure to outdoor air pollution and lung function at preschool age. *Thorax* **2014**, *70*, 64–73. [[CrossRef](#)] [[PubMed](#)]
104. Jedrychowski, W.A.; Perera, F.P.; Maugeri, U.; Mroz, E.; Klimaszewska-Rembiasz, M.; Flak, E.; Edwards, S.; Spengler, J.D. Effect of prenatal exposure to fine particulate matter on ventilatory lung function of preschool children of non-smoking mothers. *Paediatr. Perinat. Epidemiol.* **2010**, *24*, 492–501. [[CrossRef](#)]
105. Mortimer, K.; Neugebauer, R.; Lurmann, F.; Alcorn, S.; Balmes, J.; Tager, I. Air Pollution and Pulmonary Function in Asthmatic Children. *Epidemiology* **2008**, *19*, 550–557. [[CrossRef](#)]
106. Rice, M.B.; Rifas-Shiman, S.L.; Litonjua, A.A.; Oken, E.; Gillman, M.W.; Kloog, I.; Luttmann-Gibson, H.; Zanobetti, A.; Coull, B.A.; Schwartz, J.; et al. Lifetime Exposure to Ambient Pollution and Lung Function in Children. *Am. J. Respir. Crit. Care Med.* **2016**, *193*, 881–888. [[CrossRef](#)]
107. Seeni, I.; Ha, S.; Nobles, C.; Liu, D.; Sherman, S.; Mendola, P. Air pollution exposure during pregnancy: Maternal asthma and neonatal respiratory outcomes. *Ann. Epidemiol.* **2018**, *28*, 612–618.e4. [[CrossRef](#)]
108. Aguilera, I.; Pedersen, M.; Garcia-Estebar, R.; Ballester, F.; Basterrechea, M.; Esplugues, A.; Somoano, A.F.; Lertxundi, A.; Tardon, A.; Sunyer, J. Early-Life Exposure to Outdoor Air Pollution and Respiratory Health, Ear Infections, and Eczema in Infants from the INMA Study. *Environ. Health Perspect.* **2013**, *121*, 387–392. [[CrossRef](#)]
109. Liu, W.; Huang, C.; Hu, Y.; Fu, Q.; Zou, Z.; Sun, C.; Shen, L.; Wang, X.; Cai, J.; Pan, J.; et al. Associations of gestational and early life exposures to ambient air pollution with childhood respiratory diseases in Shanghai, China: A retrospective cohort study. *Environ. Int.* **2016**, *92*, 284–293. [[CrossRef](#)]
110. Goshen, S.; Novack, L.; Erez, O.; Yitshak-Sade, M.; Kloog, I.; Shtein, A.; Shany, E. The effect of exposure to particulate matter during pregnancy on lower respiratory tract infection hospitalizations during first year of life. *Environ. Health* **2020**, *19*, 90. [[CrossRef](#)]
111. Jedrychowski, W.A.; Perera, F.P.; Maugeri, U.; Mrozek-Budzyn, D.; Mroz, E.; Klimaszewska-Rembiasz, M.; Flak, E.; Edwards, S.; Spengler, J.; Jacek, R.; et al. Intrauterine exposure to polycyclic aromatic hydrocarbons, fine particulate matter and early wheeze. Prospective birth cohort study in 4-year olds. *Pediatr. Allergy Immunol.* **2010**, *21*, e723–e732. [[CrossRef](#)] [[PubMed](#)]
112. Bharadwaj, P.; Zivin, J.G.; Mullins, J.T.; Neidell, M. Early-Life Exposure to the Great Smog of 1952 and the Development of Asthma. *Am. J. Respir. Crit. Care Med.* **2016**, *194*, 1475–1482. [[CrossRef](#)] [[PubMed](#)]
113. Hehua, Z.; Qing, C.; Shanyan, G.; Qijun, W.; Yuhong, Z. The impact of prenatal exposure to air pollution on childhood wheezing and asthma: A systematic review. *Environ. Res.* **2017**, *159*, 519–530. [[CrossRef](#)] [[PubMed](#)]
114. Norbäck, D.; Lu, C.; Zhang, Y.; Li, B.; Zhao, Z.; Huang, C.; Zhang, X.; Qian, H.; Sun, Y.; Sundell, J.; et al. Onset and remission of childhood wheeze and rhinitis across China—Associations with early life indoor and outdoor air pollution. *Environ. Int.* **2018**, *123*, 61–69. [[CrossRef](#)]
115. Lin, Y.-T.; Shih, H.; Jung, C.-R.; Wang, C.-M.; Chang, Y.-C.; Hsieh, C.-Y.; Hwang, B.-F. Effect of exposure to fine particulate matter during pregnancy and infancy on paediatric allergic rhinitis. *Thorax* **2021**, *76*, 568–574. [[CrossRef](#)]
116. Hsieh, C.-Y.; Jung, C.-R.; Lin, C.-Y.; Hwang, B.-F. Combined exposure to heavy metals in PM_{2.5} and pediatric asthma. *J. Allergy Clin. Immunol.* **2021**, *147*, 2171–2180.e13. [[CrossRef](#)]
117. Wright, R.J.; Hsu, H.-H.L.; Chiu, Y.-H.M.; Coull, B.A.; Simon, M.C.; Hudda, N.; Schwartz, J.; Kloog, I.; Durant, J.L. Prenatal Ambient Ultrafine Particle Exposure and Childhood Asthma in the Northeastern United States. *Am. J. Respir. Crit. Care Med.* **2021**, *204*, 788–796. [[CrossRef](#)]
118. Guo, M.; Wei, L.; Yan, H.; Duan, Z.; Niu, Z.; Xiao, C. Exposure to ambient air pollution during trimesters of pregnancy and childhood allergic diseases in Wuhan, China. *Int. J. Environ. Health Res.* **2021**, *1*–11. [[CrossRef](#)]
119. Zhang, Y.; Wei, J.; Shi, Y.; Quan, C.; Ho, H.C.; Song, Y.; Zhang, L. Early-life exposure to submicron particulate air pollution in relation to asthma development in Chinese preschool children. *J. Allergy Clin. Immunol.* **2021**, *148*, 771–782.e12. [[CrossRef](#)]
120. Rivera, N.Y.R.; Tamayo-Ortiz, M.; García, A.M.; Just, A.C.; Kloog, I.; Téllez-Rojo, M.M.; Wright, R.O.; Wright, R.J.; Rosa, M.J. Prenatal and early life exposure to particulate matter, environmental tobacco smoke and respiratory symptoms in Mexican children. *Environ. Res.* **2020**, *192*, 110365. [[CrossRef](#)]

121. Madsen, C.; Haberg, S.E.; Magnus, M.C.; Aamodt, G.; Stigum, H.; London, S.; Nystad, W.; Nafstad, P. Pregnancy exposure to air pollution and early childhood respiratory health in the Norwegian Mother and Child Cohort Study (MoBa). *BMJ Open* **2017**, *7*, e015796. [CrossRef] [PubMed]
122. Deng, Q.; Lu, C.; Yu, Y.; Li, Y.; Sundell, J.; Norbäck, D. Early life exposure to traffic-related air pollution and allergic rhinitis in preschool children. *Respir. Med.* **2016**, *121*, 67–73. [CrossRef] [PubMed]
123. Gehring, U.; Wijga, A.H.; Hoek, G.; Bellander, T.; Berdel, D.; Brüske, I.; Fuertes, E.; Gruzieva, O.; Heinrich, J.; Hoffmann, B.; et al. Exposure to air pollution and development of asthma and rhinoconjunctivitis throughout childhood and adolescence: A population-based birth cohort study. *Lancet Respir. Med.* **2015**, *3*, 933–942. [CrossRef]
124. Gehring, U.; Wijga, A.H.; Brauer, M.; Fischer, P.; de Jongste, J.C.; Kerkhof, M.; Oldenwening, M.; Smit, H.A.; Brunekreef, B. Traffic-related Air Pollution and the Development of Asthma and Allergies during the First 8 Years of Life. *Am. J. Respir. Crit. Care Med.* **2010**, *181*, 596–603. [CrossRef]
125. Gehring, U.; Beelen, R.; Eeftens, M.; Hoek, G.; de Hoogh, K.; de Jongste, J.C.; Keuken, M.; Koppelman, G.H.; Meliefste, K.; Oldenwening, M.; et al. Particulate Matter Composition and Respiratory Health. *Epidemiology* **2015**, *26*, 300–309. [CrossRef] [PubMed]
126. To, T.; Zhu, J.; Stieb, D.; Gray, N.; Fong, I.; Pinault, L.; Jerrett, M.; Robichaud, A.; Ménard, R.; Van Donkelaar, A.; et al. Early life exposure to air pollution and incidence of childhood asthma, allergic rhinitis and eczema. *Eur. Respir. J.* **2019**, *55*, 1900913. [CrossRef]
127. Gruzieva, O.; Bergström, A.; Hulchiy, O.; Kull, I.; Lind, T.; Melén, E.; Moskalenko, V.; Pershagen, G.; Bellander, T. Exposure to Air Pollution from Traffic and Childhood Asthma Until 12 Years of Age. *Epidemiology* **2013**, *24*, 54–61. [CrossRef]
128. Lavigne, É.; Talarico, R.; van Donkelaar, A.; Martin, R.V.; Stieb, D.M.; Crighton, E.; Weichenthal, S.; Smith-Doiron, M.; Burnett, R.T.; Chen, H. Fine particulate matter concentration and composition and the incidence of childhood asthma. *Environ. Int.* **2021**, *152*, 106486. [CrossRef]
129. Liu, W.; Cai, J.; Fu, Q.; Zou, Z.; Sun, C.; Zhang, J.; Huang, C. Associations of ambient air pollutants with airway and allergic symptoms in 13,335 preschoolers in Shanghai, China. *Chemosphere* **2020**, *252*, 126600. [CrossRef]
130. Zhu, L.; Ge, X.; Chen, Y.; Zeng, X.; Pan, W.; Zhang, X.; Ben, S.; Yuan, Q.; Xin, J.; Shao, W.; et al. Short-term effects of ambient air pollution and childhood lower respiratory diseases. *Sci. Rep.* **2017**, *7*, 4414. [CrossRef]
131. Jung, K.H.; Hsu, S.-I.; Yan, B.; Moors, K.; Chillrud, S.N.; Ross, J.; Wang, S.; Perzanowski, M.S.; Kinney, P.L.; Whyatt, R.M.; et al. Childhood exposure to fine particulate matter and black carbon and the development of new wheeze between ages 5 and 7 in an urban prospective cohort. *Environ. Int.* **2012**, *45*, 44–50. [CrossRef] [PubMed]
132. Brunst, K.J.; Ryan, P.H.; Brokamp, C.; Bernstein, D.; Reponen, T.; Lockey, J.; Hershey, G.K.K.; Levin, L.; Grinshpun, S.A.; LeMasters, G. Timing and Duration of Traffic-related Air Pollution Exposure and the Risk for Childhood Wheeze and Asthma. *Am. J. Respir. Crit. Care Med.* **2015**, *192*, 421–427. [CrossRef] [PubMed]
133. Bernstein, D.I. Traffic-Related Pollutants and Wheezing in Children. *J. Asthma* **2012**, *49*, 5–7. [CrossRef] [PubMed]
134. Almeida, L.D.O.E.; Favaro, A.; Raimundo-Costa, W.; Anhê, A.C.B.M.; Ferreira, D.C.; Blanes-Vidal, V.; Senhuk, A.P.M.D.S. Influence of urban forest on traffic air pollution and children respiratory health. *Environ. Monit. Assess.* **2020**, *192*, 175. [CrossRef]
135. Ranzi, A.; Porta, D.; Badaloni, C.; Cesaroni, G.; Lauriola, P.; Davoli, M.; Forastiere, F. Exposure to air pollution and respiratory symptoms during the first 7 years of life in an Italian birth cohort. *Occup. Environ. Med.* **2014**, *71*, 430–436. [CrossRef]
136. Ghosh, R.; Joad, J.; Benes, I.; Dostal, M.; Sram, R.J.; Hertz-Pannier, I. Ambient nitrogen oxides exposure and early childhood respiratory illnesses. *Environ. Int.* **2012**, *39*, 96–102. [CrossRef]
137. HEI Collaborative Working Group on Air Pollution, Poverty, and Health in Ho Chi Minh City; Le, T.G.; Ngo, L.; Mehta, S.; Do, V.D.; Thach, T.Q.; Vu, X.D.; Nguyen, D.T.; Cohen, A. Effects of short-term exposure to air pollution on hospital admissions of young children for acute lower respiratory infections in Ho Chi Minh City, Vietnam. *Res. Rep.* **2012**, *169*, 5–72.
138. Darrow, L.A.; Klein, M.; Flanders, W.D.; Mulholland, J.A.; Tolbert, P.E.; Strickland, M.J. Air Pollution and Acute Respiratory Infections Among Children 0–4 Years of Age: An 18-Year Time-Series Study. *Am. J. Epidemiol.* **2014**, *180*, 968–977. [CrossRef]
139. Hertz-Pannier, I.; Baker, R.J.; Yap, P.-S.; Dostál, M.; Joad, J.P.; Lipsett, M.; Greenfield, T.; Herr, C.E.; Beneš, I.; Shumway, R.H.; et al. Early Childhood Lower Respiratory Illness and Air Pollution. *Environ. Health Perspect.* **2007**, *115*, 1510–1518. [CrossRef]
140. Suryadhi, M.; Abudureyimu, K.; Kashima, S.; Yorifuji, T. Nitrogen dioxide and acute respiratory tract infections in children in Indonesia. *Arch. Environ. Occup. Health* **2019**, *75*, 274–280. [CrossRef]
141. Terrazas, C.; Castro-Rodriguez, J.A.; Camargo, C.A.; Borzutzky, A. Solar radiation, air pollution, and bronchiolitis hospitalizations in Chile: An ecological study. *Pediatr. Pulmonol.* **2019**, *54*, 1466–1473. [CrossRef] [PubMed]
142. MacIntyre, E.A.; Gehring, U.; Moelter, A.; Fuertes, E.; Kluemper, C.; Kraemer, U.; Quass, U.; Hoffmann, B.; Gascon, M.; Brunekreef, B.; et al. Air Pollution and Respiratory Infections during Early Childhood: An Analysis of 10 European Birth Cohorts within the ESCAPE Project. *Environ. Health Perspect.* **2014**, *122*, 107–113. [CrossRef]
143. Fuertes, E.; MacIntyre, E.; Agius, R.; Beelen, R.; Brunekreef, B.; Bucci, S.; Cesaroni, G.; Cirach, M.; Cyrys, J.; Forastiere, F.; et al. Associations between particulate matter elements and early-life pneumonia in seven birth cohorts: Results from the ESCAPE and TRANSPHORM projects. *Int. J. Hyg. Environ. Health* **2014**, *217*, 819–829. [CrossRef] [PubMed]
144. Nicolussi, F.H.; Dos Santos, A.P.M.; André, S.C.D.S.; Veiga, T.B.; Takayanagui, A.M.M. Air pollution and respiratory allergic diseases in schoolchildren. *Rev. Saude Publica* **2014**, *48*, 326–330. [CrossRef] [PubMed]

145. Hao, S.; Yuan, F.; Pang, P.; Yang, B.; Jiang, X.; Yan, A. Early childhood traffic-related air pollution and risk of allergic rhinitis at 2–4 years of age modification by family stress and male gender: A case-control study in Shenyang, China. *Environ. Health Prev. Med.* **2021**, *26*, 48. [[CrossRef](#)]
146. Odo, D.B.; Yang, I.A.; Dey, S.; Hammer, M.S.; van Donkelaar, A.; Martin, R.V.; Dong, G.-H.; Yang, B.-Y.; Hystad, P.; Knibbs, L.D. Ambient air pollution and acute respiratory infection in children aged under 5 years living in 35 developing countries. *Environ. Int.* **2021**, *159*, 107019. [[CrossRef](#)]
147. Stoner, A.M.; Anderson, S.E.; Buckley, T.J. Ambient Air Toxics and Asthma Prevalence among a Representative Sample of US Kindergarten-Age Children. *PLoS ONE* **2013**, *8*, e75176. [[CrossRef](#)]
148. Leibel, S.; Nguyen, M.; Brick, W.; Parker, J.; Ilango, S.; Aguilera, R.; Gershunov, A.; Benmarhnia, T. Increase in Pediatric Respiratory Visits Associated with Santa Ana Wind-Driven Wildfire Smoke and PM_{2.5} Levels in San Diego County. *Ann. Am. Thorac. Soc.* **2020**, *17*, 313–320. [[CrossRef](#)]
149. Guxens, M.; Garcia-Estebe, R.; Giorgis-Allemand, L.; Forns, J.; Badaloni, C.; Ballester, F.; Beelen, R.; Cesaroni, G.; Chatzi, L.; De Agostini, M.; et al. Air Pollution during Pregnancy and Childhood Cognitive and Psychomotor Development. *Epidemiology* **2014**, *25*, 636–647. [[CrossRef](#)]
150. Yorifuji, T.; Kashima, S.; Diez, M.H.; Kado, Y.; Sanada, S.; Doi, H. Prenatal Exposure to Traffic-related Air Pollution and Child Behavioral Development Milestone Delays in Japan. *Epidemiology* **2016**, *27*, 57–65. [[CrossRef](#)]
151. Lertxundi, A.; Andiarena, A.; Martínez, M.D.; Ayerdi, M.; Murcia, M.; Estarlich, M.; Guxens, M.; Sunyer, J.; Julvez, J.; Ibarluzea, J. Prenatal exposure to PM_{2.5} and NO₂ and sex-dependent infant cognitive and motor development. *Environ. Res.* **2019**, *174*, 114–121. [[CrossRef](#)] [[PubMed](#)]
152. Ren, Y.; Yao, X.; Liu, Y.; Liu, S.; Li, X.; Huang, Q.; Liu, F.; Li, N.; Lu, Y.; Yuan, Z.; et al. Outdoor air pollution pregnancy exposures are associated with behavioral problems in China's preschoolers. *Environ. Sci. Pollut. Res.* **2018**, *26*, 2397–2408. [[CrossRef](#)] [[PubMed](#)]
153. Kim, E.; Park, H.; Hong, Y.-C.; Ha, M.; Kim, Y.; Kim, B.-N.; Kim, Y.; Roh, Y.-M.; Lee, B.-E.; Ryu, J.-M.; et al. Prenatal exposure to PM₁₀ and NO₂ and children's neurodevelopment from birth to 24 months of age: Mothers and Children's Environmental Health (MOCEH) study. *Sci. Total Environ.* **2014**, *481*, 439–445. [[CrossRef](#)] [[PubMed](#)]
154. Lubczyńska, M.J.; Sunyer, J.; Tiemeier, H.; Porta, D.; Kasper-Sonnenberg, M.; Jaddoe, V.W.; Basagaña, X.; Dalmau-Bueno, A.; Forastiere, F.; Wittsiepe, J.; et al. Exposure to elemental composition of outdoor PM_{2.5} at birth and cognitive and psychomotor function in childhood in four European birth cohorts. *Environ. Int.* **2017**, *109*, 170–180. [[CrossRef](#)]
155. Wang, P.; Zhao, Y.; Li, J.; Zhou, Y.; Luo, R.; Meng, X.; Zhang, Y. Prenatal exposure to ambient fine particulate matter and early childhood neurodevelopment: A population-based birth cohort study. *Sci. Total Environ.* **2021**, *785*, 147334. [[CrossRef](#)]
156. Harris, M.H.; Gold, D.R.; Rifas-Shiman, S.L.; Melly, S.J.; Zanobetti, A.; Coull, B.A.; Schwartz, J.D.; Gryparis, A.; Kloog, I.; Koutrakis, P.; et al. Prenatal and childhood traffic-related air pollution exposure and childhood executive function and behavior. *Neurotoxicol. Teratol.* **2016**, *57*, 60–70. [[CrossRef](#)]
157. Yu, T.; Zhou, L.; Xu, J.; Kan, H.; Chen, R.; Chen, S.; Hua, H.; Liu, Z.; Yan, C. Effects of prenatal exposures to air sulfur dioxide/nitrogen dioxide on toddler neurodevelopment and effect modification by ambient temperature. *Ecotoxicol. Environ. Saf.* **2021**, *230*, 113118. [[CrossRef](#)]
158. Su, X.; Zhang, S.; Lin, Q.; Wu, Y.; Yang, Y.; Yu, H.; Huang, S.; Luo, W.; Wang, X.; Lin, H.; et al. Prenatal exposure to air pollution and neurodevelopmental delay in children: A birth cohort study in Foshan, China. *Sci. Total Environ.* **2021**, *816*, 151658. [[CrossRef](#)]
159. Hurtado-Díaz, M.; Riojas-Rodríguez, H.; Rothenberg, S.J.; Schnaas-Arrieta, L.; Kloog, I.; Just, A.; Hernández-Bonilla, D.; Wright, R.O.; Téllez-Rojo, M.M. Prenatal PM_{2.5} exposure and neurodevelopment at 2 years of age in a birth cohort from Mexico city. *Int. J. Hyg. Environ. Health* **2021**, *233*, 113695. [[CrossRef](#)]
160. Li, J.; Liao, J.; Hu, C.; Bao, S.; Mahai, G.; Cao, Z.; Lin, C.; Xia, W.; Xu, S.; Li, Y. Preconceptual and the first trimester exposure to PM_{2.5} and offspring neurodevelopment at 24 months of age: Examining mediation by maternal thyroid hormones in a birth cohort study. *Environ. Pollut.* **2021**, *284*, 117133. [[CrossRef](#)]
161. Loftus, C.T.; Hazlehurst, M.F.; Szpiro, A.A.; Ni, Y.; Tylavsky, F.A.; Bush, N.R.; Sathyaranayana, S.; Carroll, K.N.; Karr, C.J.; LeWinn, K.Z. Prenatal air pollution and childhood IQ: Preliminary evidence of effect modification by folate. *Environ. Res.* **2019**, *176*, 108505. [[CrossRef](#)] [[PubMed](#)]
162. Chiu, Y.-H.M.; Hsu, H.-H.L.; Coull, B.A.; Bellinger, D.C.; Kloog, I.; Schwartz, J.; Wright, R.O.; Wright, R.J. Prenatal particulate air pollution and neurodevelopment in urban children: Examining sensitive windows and sex-specific associations. *Environ. Int.* **2015**, *87*, 56–65. [[CrossRef](#)] [[PubMed](#)]
163. Jedrychowski, W.A.; Perera, F.P.; Camann, D.; Spengler, J.; Butscher, M.; Mroz, E.; Majewska, R.; Flak, E.; Jacek, R.; Sowa, A. Prenatal exposure to polycyclic aromatic hydrocarbons and cognitive dysfunction in children. *Environ. Sci. Pollut. Res.* **2014**, *22*, 3631–3639. [[CrossRef](#)]
164. Volk, H.E.; Hertz-Pannier, I.; Delwiche, L.; Lurmann, F.; McConnell, R. Residential Proximity to Freeways and Autism in the CHARGE Study. *Environ. Health Perspect.* **2011**, *119*, 873–877. [[CrossRef](#)]
165. Volk, H.E.; Lurmann, F.; Penfold, B.; Hertz-Pannier, I.; McConnell, R. Traffic-Related Air Pollution, Particulate Matter, and Autism. *JAMA Psychiatry* **2013**, *70*, 71–77. [[CrossRef](#)] [[PubMed](#)]
166. Wang, S.-Y.; Cheng, Y.-Y.; Guo, H.-R.; Tseng, Y.-C. Air Pollution during Pregnancy and Childhood Autism Spectrum Disorder in Taiwan. *Int. J. Environ. Res. Public Health* **2021**, *18*, 9784. [[CrossRef](#)]

167. Pagalan, L.; Bickford, C.; Weikum, W.; Lanphear, B.; Brauer, M.; Lanphear, N.; Hanley, G.; Oberlander, T.; Winters, M. Association of Prenatal Exposure to Air Pollution with Autism Spectrum Disorder. *JAMA Pediatr.* **2019**, *173*, 86–92. [[CrossRef](#)]
168. Becerra, T.A.; Wilhelm, M.; Olsen, J.; Cockburn, M.; Ritz, B. Ambient Air Pollution and Autism in Los Angeles County, California. *Environ. Health Perspect.* **2013**, *121*, 380–386. [[CrossRef](#)]
169. McGuinn, L.A.; Windham, G.C.; Kalkbrenner, A.E.; Bradley, C.; Di, Q.; Croen, L.A.; Fallin, M.D.; Hoffman, K.; Ladd-Acosta, C.; Schwartz, J.; et al. Early Life Exposure to Air Pollution and Autism Spectrum Disorder. *Epidemiology* **2020**, *31*, 103–114. [[CrossRef](#)]
170. Kaufman, J.A.; Wright, J.M.; Rice, G.; Connolly, N.; Bowers, K.; Anixt, J. Ambient ozone and fine particulate matter exposures and autism spectrum disorder in metropolitan Cincinnati, Ohio. *Environ. Res.* **2019**, *171*, 218–227. [[CrossRef](#)]
171. Raz, R.; Roberts, A.; Lyall, K.; Hart, J.E.; Just, A.; Laden, F.; Weisskopf, M.G. Autism Spectrum Disorder and Particulate Matter Air Pollution before, during, and after Pregnancy: A Nested Case–Control Analysis within the Nurses’ Health Study II Cohort. *Environ. Health Perspect.* **2015**, *123*, 264–270. [[CrossRef](#)] [[PubMed](#)]
172. Carter, S.A.; Rahman, M.; Lin, J.C.; Shu, Y.-H.; Chow, T.; Yu, X.; Martinez, M.P.; Eckel, S.P.; Chen, J.-C.; Chen, Z.; et al. In utero exposure to near-roadway air pollution and autism spectrum disorder in children. *Environ. Int.* **2021**, *158*, 106898. [[CrossRef](#)] [[PubMed](#)]
173. Sunyer, J.; Esnaola, M.; Alvarez-Pedrerol, M.; Forns, J.; Rivas, I.; López-Vicente, M.; Suades-González, E.; Foraster, M.; García-Estebar, R.; Basagaña, X.; et al. Association between Traffic-Related Air Pollution in Schools and Cognitive Development in Primary School Children: A Prospective Cohort Study. *PLoS Med.* **2015**, *12*, e1001792. [[CrossRef](#)] [[PubMed](#)]
174. van Kempen, E.; Fischer, P.; Janssen, N.; Houthuijs, D.; van Kamp, I.; Stansfeld, S.; Cassee, F. Neurobehavioral effects of exposure to traffic-related air pollution and transportation noise in primary schoolchildren. *Environ. Res.* **2012**, *115*, 18–25. [[CrossRef](#)]
175. Luyten, L.J.; Saenen, N.D.; Janssen, B.G.; Vrijens, K.; Plusquin, M.; Roels, H.A.; Debacq-Chainiaux, F.; Nawrot, T.S. Air pollution and the fetal origin of disease: A systematic review of the molecular signatures of air pollution exposure in human placenta. *Environ. Res.* **2018**, *166*, 310–323. [[CrossRef](#)]
176. Rogers, L.K.; Velten, M. Maternal inflammation, growth retardation, and preterm birth: Insights into adult cardiovascular disease. *Life Sci.* **2011**, *89*, 417–421. [[CrossRef](#)]
177. Lopez-Lopez, J.; Lopez-Jaramillo, P.; Camacho, P.A.; Gomez-Arbelaez, D.; Cohen, D.D. The Link between Fetal Programming, Inflammation, Muscular Strength, and Blood Pressure. *Mediat. Inflamm.* **2015**, *2015*, 710613. [[CrossRef](#)]
178. Wong, H.; Hoeffer, C. Maternal IL-17A in autism. *Exp. Neurol.* **2017**, *299*, 228–240. [[CrossRef](#)]
179. Choi, G.B.; Yim, Y.S.; Wong, H.; Kim, S.; Kim, H.; Kim, S.V.; Hoeffer, C.A.; Littman, D.R.; Huh, J.R. The maternal interleukin-17a pathway in mice promotes autism-like phenotypes in offspring. *Science* **2016**, *351*, 933–939. [[CrossRef](#)]
180. Xu, X.; Yavar, Z.; Verdin, M.; Ying, Z.; Mihai, G.; Kampfrath, T.; Wang, A.; Zhong, M.; Lippmann, M.; Chen, L.-C.; et al. Effect of Early Particulate Air Pollution Exposure on Obesity in Mice. *Arter. Thromb. Vasc. Biol.* **2010**, *30*, 2518–2527. [[CrossRef](#)]
181. Møller, P.; Danielsen, P.H.; Karottki, D.G.; Jantzen, K.; Roursgaard, M.; Klingberg, H.; Jensen, D.M.; Vest Christoffersen, D.; Hemmingsen, J.G.; Cao, Y.; et al. Oxidative stress and inflammation generated DNA damage by exposure to air pollution particles. *Mutat. Res. Mutat. Res.* **2014**, *762*, 133–166. [[CrossRef](#)] [[PubMed](#)]
182. Rajagopalan, S.; Park, B.; Palanivel, R.; Vinayachandran, V.; Deiuliis, J.A.; Gangwar, R.S.; Das, L.M.; Yin, J.; Choi, Y.; Al-Kindi, S.; et al. Metabolic effects of air pollution exposure and reversibility. *J. Clin. Investig.* **2020**, *130*, 6034–6040. [[CrossRef](#)] [[PubMed](#)]
183. Tillett, T. Potential Mechanism for PM₁₀ Effects on Birth Outcomes: In Utero Exposure Linked to Mitochondrial DNA Damage. *Environ. Health Perspect.* **2012**, *120*, a363. [[CrossRef](#)]
184. Gruzieva, O.; Xu, C.-J.; Yousefi, P.; Relton, C.; Merid, S.K.; Breton, C.V.; Gao, L.; Volk, H.E.; Feinberg, J.I.; Ladd-Acosta, C.; et al. Prenatal Particulate Air Pollution and DNA Methylation in Newborns: An Epigenome-Wide Meta-Analysis. *Environ. Health Perspect.* **2019**, *127*, 057012. [[CrossRef](#)] [[PubMed](#)]
185. Saenen, N.D.; Plusquin, M.; Bijnens, E.; Janssen, B.G.; Gyselaers, W.; Cox, B.; Fierens, F.; Molenberghs, G.; Penders, J.; Vrijens, K.; et al. In Utero Fine Particle Air Pollution and Placental Expression of Genes in the Brain-Derived Neurotrophic Factor Signaling Pathway: An ENVIRONAGE Birth Cohort Study. *Environ. Health Perspect.* **2015**, *123*, 834–840. [[CrossRef](#)]
186. Deng, Y.-L.; Liao, J.-Q.; Zhou, B.; Zhang, W.-X.; Liu, C.; Yuan, X.-Q.; Chen, P.-P.; Miao, Y.; Luo, Q.; Cui, F.-P.; et al. Early life exposure to air pollution and cell-mediated immune responses in preschoolers. *Chemosphere* **2021**, *286*, 131963. [[CrossRef](#)]
187. Herr, C.E.W.; Ghosh, R.; Dostal, M.; Skokanova, V.; Ashwood, P.; Lipsett, M.; Joad, J.P.; Pinkerton, K.E.; Yap, P.-S.; Frost, J.D.; et al. Exposure to air pollution in critical prenatal time windows and IgE levels in newborns. *Pediatr. Allergy Immunol.* **2011**, *22*, 75–84. [[CrossRef](#)]
188. García-Serna, A.M.; Hernández-Caselles, T.; Jiménez-Guerrero, P.; Martín-Orozco, E.; Pérez-Fernández, V.; Cantero-Cano, E.; Muñoz-García, M.; Ballesteros-Meseguer, C.; Cobos, I.P.D.L.; García-Marcos, L.; et al. Air pollution from traffic during pregnancy impairs newborn’s cord blood immune cells: The NELA cohort. *Environ. Res.* **2021**, *198*, 110468. [[CrossRef](#)]
189. Black, C.; Gerriets, J.E.; Fontaine, J.H.; Harper, R.W.; Kenyon, N.J.; Tablin, F.; Schelegle, E.S.; Miller, L.A. Early Life Wildfire Smoke Exposure Is Associated with Immune Dysregulation and Lung Function Decrement in Adolescence. *Am. J. Respir. Cell Mol. Biol.* **2017**, *56*, 657–666. [[CrossRef](#)]
190. Barker, D. The Developmental Origins of Adult Disease. *J. Am. Coll. Nutr.* **2004**, *23*, 588S–595S. [[CrossRef](#)]
191. Hales, C.N.; Barker, D.J.P. The thrifty phenotype hypothesis. *Br. Med. Bull.* **2001**, *60*, 5–20. [[CrossRef](#)] [[PubMed](#)]
192. Barker, D. The developmental origins of chronic adult disease. *Acta Paediatr.* **2007**, *93*, 26–33. [[CrossRef](#)] [[PubMed](#)]

193. Eriksson, J.G.; Forsén, T.; Tuomilehto, J.; Jaddoe, V.W.V.; Osmond, C.; Barker, D.J.P. Effects of size at birth and childhood growth on the insulin resistance syndrome in elderly individuals. *Diabetologia* **2002**, *45*, 342–348. [CrossRef] [PubMed]
194. Barker, D.J.P. The developmental origins of well-being. *Philos. Trans. R. Soc. B Biol. Sci.* **2004**, *359*, 1359–1366. [CrossRef] [PubMed]
195. Savran, O.; Ulrik, C.S. Early life insults as determinants of chronic obstructive pulmonary disease in adult life. *Int. J. Chronic Obstr. Pulm. Dis.* **2018**, *13*, 683–693. [CrossRef]
196. Bui, D.S.; Lodge, C.J.; Burgess, J.A.; Lowe, A.J.; Perret, J.; Bui, M.Q.; Bowatte, G.; Gurrin, L.; Johns, D.P.; Thompson, B.R.; et al. Childhood predictors of lung function trajectories and future COPD risk: A prospective cohort study from the first to the sixth decade of life. *Lancet Respir. Med.* **2018**, *6*, 535–544. [CrossRef]
197. Jordan, B.K.; McEvoy, C.T. Trajectories of Lung Function in Infants and Children: Setting a Course for Lifelong Lung Health. *Pediatrics* **2020**, *146*, e20200417. [CrossRef]
198. von Mutius, E. Childhood origins of COPD. *Lancet Respir. Med.* **2018**, *6*, 482–483. [CrossRef]
199. Khandaker, G.M.; Zimbron, J.; Lewis, G.; Jones, P. Prenatal maternal infection, neurodevelopment and adult schizophrenia: A systematic review of population-based studies. *Psychol. Med.* **2012**, *43*, 239–257. [CrossRef]
200. Al-Haddad, B.J.; Oler, E.; Armistead, B.; Elsayed, N.A.; Weinberger, D.R.; Bernier, R.; Burd, I.; Kapur, R.; Jacobsson, B.; Wang, C.; et al. The fetal origins of mental illness. *Am. J. Obstet. Gynecol.* **2019**, *221*, 549–562. [CrossRef]
201. O'Donnell, K.J.; Meaney, M.J. Fetal Origins of Mental Health: The Developmental Origins of Health and Disease Hypothesis. *Am. J. Psychiatry* **2017**, *174*, 319–328. [CrossRef] [PubMed]
202. Wang, B.; Zeng, H.; Liu, J.; Sun, M. Effects of Prenatal Hypoxia on Nervous System Development and Related Diseases. *Front. Neurosci.* **2021**, *15*, 755554. [CrossRef] [PubMed]
203. Al-Haddad, B.; Jacobsson, B.; Chabra, S.; Modzelewska, D.; Olson, E.M.; Bernier, R.; Enquobahrie, D.A.; Hagberg, H.; Östling, S.; Rajagopal, L.; et al. Long-term Risk of Neuropsychiatric Disease After Exposure to Infection In Utero. *JAMA Psychiatry* **2019**, *76*, 594–602. [CrossRef] [PubMed]
204. Liu, J.C.; Pereira, G.; Uhl, S.A.; Bravo, M.A.; Bell, M.L. A systematic review of the physical health impacts from non-occupational exposure to wildfire smoke. *Environ. Res.* **2014**, *136*, 120–132. [CrossRef]
205. Reid, C.E.; Brauer, M.; Johnston, F.H.; Jerrett, M.; Balmes, J.R.; Elliott, C.T. Critical Review of Health Impacts of Wildfire Smoke Exposure. *Environ. Health Perspect.* **2016**, *124*, 1334–1343. [CrossRef]
206. Youssouf, H.; Liousse, C.; Roblou, L.; Assamoi, E.-M.; Salonen, R.O.; Maesano, C.; Banerjee, S.; Annesi-Maesano, I. Non-Accidental Health Impacts of Wildfire Smoke. *Int. J. Environ. Res. Public Health* **2014**, *11*, 11772–11804. [CrossRef]
207. Caamano-Isorna, F.; Figueiras, A.; Sastre, I.; Montes-Martínez, A.; Taracido, M.; Piñeiro-Lamas, M. Respiratory and mental health effects of wildfires: An ecological study in Galician municipalities (north-west Spain). *Environ. Health* **2011**, *10*, 48. [CrossRef]
208. Mott, J.A. Wildland forest fire smoke: Health effects and intervention evaluation, Hoopa, California, 1999. *West. J. Med.* **2002**, *176*, 157–162. [CrossRef]
209. Martin, K.L.; Hanigan, I.C.; Morgan, G.G.; Henderson, S.B.; Johnston, F.H. Air pollution from bushfires and their association with hospital admissions in Sydney, Newcastle and Wollongong, Australia 1994–2007. *Aust. N. Z. J. Public Health* **2013**, *37*, 238–243. [CrossRef]
210. Mott, J.A.; Mannino, D.M.; Alverson, C.J.; Kiyu, A.; Hashim, J.; Lee, T.; Falter, K.; Redd, S.C. Cardiorespiratory hospitalizations associated with smoke exposure during the 1997 Southeast Asian forest fires. *Int. J. Hyg. Environ. Health* **2005**, *208*, 75–85. [CrossRef]
211. Tse, K.; Chen, L.; Tse, M.; Zuraw, B.; Christiansen, S. Effect of catastrophic wildfires on asthmatic outcomes in obese children: Breathing fire. *Ann. Allergy Asthma Immunol.* **2015**, *114*, 308–311.e4. [CrossRef] [PubMed]
212. Rappold, A.G.; Stone, S.L.; Cascio, W.E.; Neas, L.M.; Kilaru, V.; Carraway, M.S.; Szykman, J.J.; Ising, A.; Cleve, W.E.; Meredith, J.T.; et al. Peat Bog Wildfire Smoke Exposure in Rural North Carolina Is Associated with Cardiopulmonary Emergency Department Visits Assessed through Syndromic Surveillance. *Environ. Health Perspect.* **2011**, *119*, 1415–1420. [CrossRef] [PubMed]
213. Rappold, A.G.; Cascio, W.; Kilaru, V.J.; Stone, S.L.; Neas, L.M.; Devlin, R.B.; Diaz-Sanchez, D. Cardio-respiratory outcomes associated with exposure to wildfire smoke are modified by measures of community health. *Environ. Health* **2012**, *11*, 71. [CrossRef] [PubMed]
214. Aguilera, R.; Corringtonham, T.; Gershunov, A.; Benmarhnia, T. Wildfire smoke impacts respiratory health more than fine particles from other sources: Observational evidence from Southern California. *Nat. Commun.* **2021**, *12*, 1493. [CrossRef]
215. Reid, C.E.; Jerrett, M.; Tager, I.B.; Petersen, M.L.; Mann, J.K.; Balmes, J.R. Differential respiratory health effects from the 2008 northern California wildfires: A spatiotemporal approach. *Environ. Res.* **2016**, *150*, 227–235. [CrossRef]
216. Henderson, S.B.; Brauer, M.; Macnab, Y.C.; Kennedy, S.M. Three Measures of Forest Fire Smoke Exposure and Their Associations with Respiratory and Cardiovascular Health Outcomes in a Population-Based Cohort. *Environ. Health Perspect.* **2011**, *119*, 1266–1271. [CrossRef]
217. Tinling, M.A.; West, J.J.; Cascio, W.E.; Kilaru, V.; Rappold, A.G. Repeating cardiopulmonary health effects in rural North Carolina population during a second large peat wildfire. *Environ. Health* **2016**, *15*, 12. [CrossRef]
218. Künzli, N.; Avol, E.; Wu, J.; Gauderman, W.J.; Rappaport, E.; Millstein, J.; Bennion, J.; McConnell, R.; Gilliland, F.D.; Berhane, K.; et al. Health Effects of the 2003 Southern California Wildfires on Children. *Am. J. Respir. Crit. Care Med.* **2006**, *174*, 1221–1228. [CrossRef]

219. Morgan, G.; Sheppeard, V.; Khalaj, B.; Ayyar, A.; Lincoln, D.; Jalaludin, B.; Beard, J.; Corbett, S.; Lumley, T. Effects of Bushfire Smoke on Daily Mortality and Hospital Admissions in Sydney, Australia. *Epidemiology* **2010**, *21*, 47–55. [[CrossRef](#)]
220. Lee, T.-S.; Falter, K.; Meyer, P.; Mott, J.; Gwynn, C. Risk factors associated with clinic visits during the 1999 forest fires near the Hoopa Valley Indian Reservation, California, USA. *Int. J. Environ. Health Res.* **2009**, *19*, 315–327. [[CrossRef](#)]
221. Moore, D.; Copes, R.; Fisk, R.; Joy, R.; Chan, K.; Brauer, M. Population health effects of air quality changes due to forest fires in British Columbia in 2003: Estimates from physician-visit billing data. *Can. J. Public Health* **2006**, *97*, 105–108. [[CrossRef](#)]
222. Thelen, B.; French, N.H.; Koziol, B.W.; Billmire, M.; Owen, R.C.; Johnson, J.; Ginsberg, M.; Loboda, T.; Wu, S. Modeling acute respiratory illness during the 2007 San Diego wildland fires using a coupled emissions-transport system and generalized additive modeling. *Environ. Health* **2013**, *12*, 94. [[CrossRef](#)] [[PubMed](#)]
223. Tham, R.; Erbas, B.; Akram, M.; Dennekamp, M.; Abramson, M.J. The impact of smoke on respiratory hospital outcomes during the 2002–2003 bushfire season, Victoria, Australia. *Respirology* **2009**, *14*, 69–75. [[CrossRef](#)] [[PubMed](#)]
224. Delfino, R.J.; Brummel, S.; Wu, J.; Stern, H.; Ostro, B.; Lipsett, M.; Winer, A.; Street, D.H.; Zhang, L.; Tjoa, T.; et al. The relationship of respiratory and cardiovascular hospital admissions to the southern California wildfires of 2003. *Occup. Environ. Med.* **2009**, *66*, 189–197. [[CrossRef](#)]
225. Chen, L.; Verrall, K.; Tong, S. Air particulate pollution due to bushfires and respiratory hospital admissions in Brisbane, Australia. *Int. J. Environ. Health Res.* **2006**, *16*, 181–191. [[CrossRef](#)] [[PubMed](#)]
226. Vora, C.; Renvall, M.J.; Chao, P.; Ferguson, P.; Ramsdell, J.W. 2007 San Diego Wildfires and Asthmatics. *J. Asthma* **2010**, *48*, 75–78. [[CrossRef](#)]
227. Hanigan, I.C.; Johnston, F.H.; Morgan, G.G. Vegetation fire smoke, indigenous status and cardio-respiratory hospital admissions in Darwin, Australia, 1996–2005: A time-series study. *Environ. Health* **2008**, *7*, 42. [[CrossRef](#)]
228. Yao, J.; Eymarie, J.; Henderson, S. Evaluation of a spatially resolved forest fire smoke model for population-based epidemiologic exposure assessment. *J. Expo. Sci. Environ. Epidemiol.* **2014**, *26*, 233–240. [[CrossRef](#)]
229. Elliott, C.T.; Henderson, S.B.; Wan, V. Time series analysis of fine particulate matter and asthma reliever dispensations in populations affected by forest fires. *Environ. Health* **2013**, *12*, 11. [[CrossRef](#)]
230. Dennekamp, M.; Straney, L.D.; Erbas, B.; Abramson, M.J.; Keywood, M.; Smith, K.; Sim, M.R.; Glass, D.; DEL Monaco, A.; Haikerwal, A.; et al. Forest Fire Smoke Exposures and Out-of-Hospital Cardiac Arrests in Melbourne, Australia: A Case-Crossover Study. *Environ. Health Perspect.* **2015**, *123*, 959–964. [[CrossRef](#)]
231. Haikerwal, A.; Akram, M.; Del Monaco, A.; Smith, K.; Sim, M.R.; Meyer, M.; Tonkin, A.M.; Abramson, M.J.; Dennekamp, M. Impact of Fine Particulate Matter ($PM_{2.5}$) Exposure During Wildfires on Cardiovascular Health Outcomes. *J. Am. Heart Assoc.* **2015**, *4*, e001653. [[CrossRef](#)] [[PubMed](#)]
232. Saarnio, K.; Aurela, M.; Timonen, H.; Saarikoski, S.; Teinilä, K.; Mäkelä, T.; Sofiev, M.; Koskinen, J.; Aalto, P.P.; Kulmala, M.; et al. Chemical composition of fine particles in fresh smoke plumes from boreal wild-land fires in Europe. *Sci. Total Environ.* **2010**, *408*, 2527–2542. [[CrossRef](#)] [[PubMed](#)]
233. Alves, C.A.; Vicente, A.; Monteiro, C.; Gonçalves, C.; Evtyugina, M.; Pio, C. Emission of trace gases and organic components in smoke particles from a wildfire in a mixed-evergreen forest in Portugal. *Sci. Total Environ.* **2011**, *409*, 1466–1475. [[CrossRef](#)] [[PubMed](#)]
234. Wegesser, T.C.; Pinkerton, K.E.; Last, J.A. California Wildfires of 2008: Coarse and Fine Particulate Matter Toxicity. *Environ. Health Perspect.* **2009**, *117*, 893–897. [[CrossRef](#)]
235. Kim, Y.H.; Warren, S.H.; Krantz, Q.T.; King, C.; Jaskot, R.; Preston, W.T.; George, B.J.; Hays, M.D.; Landis, M.; Higuchi, M.; et al. Mutagenicity and Lung Toxicity of Smoldering vs. Flaming Emissions from Various Biomass Fuels: Implications for Health Effects from Wildland Fires. *Environ. Health Perspect.* **2018**, *126*, 017011. [[CrossRef](#)]