

# checkCIF/PLATON report

Structure factors have been supplied for datablock(s) 1\_a

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found.      CIF dictionary      Interpreting this report

## Datablock: 1\_a

---

Bond precision:    C-C = 0.0037 Å                      Wavelength=0.71073

Cell:                      a=12.2369(8)      b=19.6927(13)              c=14.9627(10)  
                            alpha=90              beta=106.0617(14)          gamma=90  
Temperature:      120 K

	Calculated	Reported
Volume	3464.9(4)	3464.9(4)
Space group	P 21/n	P 21/n
Hall group	-P 2yn	-P 2yn
Moiety formula	C23 H23 N6 O7 Tb, 2(C4 H10 O2)	C23 H23 N6 O7 Tb, 2(C4 H10 O2)
Sum formula	C31 H43 N6 O11 Tb	C31 H43 N6 O11 Tb
Mr	834.64	834.63
Dx, g cm <sup>-3</sup>	1.600	1.600
Z	4	4
Mu (mm <sup>-1</sup> )	2.108	2.108
F000	1696.0	1696.0
F000'	1696.03	
h,k,lmax	16,26,20	16,26,20
Nref	9223	9218
Tmin,Tmax	0.509,0.600	0.547,0.629
Tmin'	0.499	

Correction method= # Reported T Limits: Tmin=0.547 Tmax=0.629  
AbsCorr = MULTI-SCAN

Data completeness= 0.999                      Theta(max)= 28.998

R(reflections)= 0.0254( 7889)              wR2(reflections)= 0.0572( 9218)

S = 1.031                      Npar= 452

---

The following ALERTS were generated. Each ALERT has the format

**test-name\_ALERT\_alert-type\_alert-level.**

Click on the hyperlinks for more details of the test.



### Alert level C

PLAT911_ALERT_3_C	Missing FCF Refl Between Thmin & STh/L=	0.600	3 Report
-------------------	---	-------	----------

---



### Alert level G

PLAT007_ALERT_5_G	Number of Unrefined Donor-H Atoms .....		4 Report
PLAT232_ALERT_2_G	Hirshfeld Test Diff (M-X) Tb1 --O1N .	5.4 s.u.	
PLAT232_ALERT_2_G	Hirshfeld Test Diff (M-X) Tb1 --O2N .	7.2 s.u.	
PLAT720_ALERT_4_G	Number of Unusual/Non-Standard Labels .....	24	Note
PLAT794_ALERT_5_G	Tentative Bond Valency for Tb1 (III) .	3.64	Info
PLAT883_ALERT_1_G	No Info/Value for _atom_sites_solution_primary .	Please Do !	
PLAT910_ALERT_3_G	Missing # of FCF Reflection(s) Below Theta(Min).	2	Note
PLAT960_ALERT_3_G	Number of Intensities with I < - 2*sig(I) ...	3	Check
PLAT978_ALERT_2_G	Number C-C Bonds with Positive Residual Density.	9	Info

---

0 **ALERT level A** = Most likely a serious problem - resolve or explain  
0 **ALERT level B** = A potentially serious problem, consider carefully  
1 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight  
9 **ALERT level G** = General information/check it is not something unexpected

1 ALERT type 1 CIF construction/syntax error, inconsistent or missing data  
3 ALERT type 2 Indicator that the structure model may be wrong or deficient  
3 ALERT type 3 Indicator that the structure quality may be low  
1 ALERT type 4 Improvement, methodology, query or suggestion  
2 ALERT type 5 Informative message, check

---

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special\_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

### **Publication of your CIF in IUCr journals**

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

### **Publication of your CIF in other journals**

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

---

**PLATON version of 22/12/2019; check.def file version of 13/12/2019**

