



## Abstract Palindromic Symmetry in Genomes and Evolution \*

Michael Sadovsky <sup>1,\*</sup> and Yaroslav Grebnev <sup>2</sup>

- <sup>1</sup> Institute of Computational Modelling of SB RAS, 660036 Krasnoyarsk, Russia
- <sup>2</sup> Institute of Fundamental Biology and Biotechnology, Siberian Federal University, Svobodny Prospect, 79, 660041 Krasnoyarsk, Russia; yaroslav.grebnev@gmail.com
- \* Correspondence: msad@icm.krasn.ru
- + Presented at Symmetry 2017—The First International Conference on Symmetry, Barcelona, Spain, 16–18 October 2017.

Published: 12 January 2018

Any genome is a symbol sequence from a four-letter alphabet. A lot can be retrieved from the studies of frequency distribution in ensembles of considerably short strings, of a given length. A palindrome is two strings that read equally in opposite directions; a complementary palindrome is two strings that read equally in opposite directions with respect to Chargaff's substitution rule (A  $\leftrightarrow$ T and C  $\leftrightarrow$  G). The symmetry observed over a genome manifests in a proximal equivalence of the strings comprising a complementary palindrome; it should be stressed that the frequencies are counted over a single strand. Thus, it seems that a duality exists between the symmetry and the double helix structure. The frequency equality is not exact, but shows some deviations. We studied a number of genomes of various taxa to determine the deviation figures in order to learn the relation between the deviation figure, and taxonomy of a genome bearer. The deviation figures have been studied for the strings that range from 1 to 8 in length. Also, a theoretical estimation of the deviation figures has been obtained, for various models of a genetic sequence. A dependence of deviation figures from taxonomy has been observed for high taxa ranks, only. Besides, an inhomogeneity of a genome in terms of the figures has been studied for a number of organisms. A new inner structuredness manifesting in divergence of the deviation figures observed for various genome regions was found in all the genomes.

Conflicts of Interest: The authors declare no conflict of interest.



© 2018 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (http://creativecommons.org/licenses/by/4.0/).