

Supplementary Information

Article

Impact of Structure-Directing Agents in Synthesis of $\text{Cu}_2\text{Mo}_3\text{O}_9$ for Flexible Supercapacitor Electrodes

Siddhi Mehta ¹, Sangeetha Kumaravel ², Swarn Jha ⁴, Matthew Yen ⁵, Subrata Kundu ^{2,3}
and Hong Liang ^{1,4,*}

¹ Department of Materials Science and Engineering, Texas A&M University, 575 Ross Street, College Station, TX 77843-3127, USA

² Electrochemical Process Engineering (EPE) Division, CSIR-Central Electrochemical Research Institute (CECRI), Karaikudi 630003, India

³ Academy of Scientific and Innovative Research (AcSIR), Ghaziabad 201002, India

⁴ J. Mike Walker '66 Department of Mechanical Engineering, Texas A&M University, 202 Spence Street, College Station, TX 77843-3123, USA

⁵ Artie McFerrin Department of Chemical Engineering, Texas A&M University, College Station, TX 77843-3123, USA

* Correspondence: hliang@tamu.edu; Tel.: +1-(979)-862-2623; Fax: +1-979-845-3081




Figure S1. High magnified XPS spectra of individual elements N 1s and C 1s for the precursor: (a,b) DNA; (c,d) CTAB