

Development and Characterization of Electrospun Nanostructures Using Polyethylene Oxide: Potential Means for Incorporation of Bioactive Compounds

Sergiana dos P. Ramos¹, Michele A. Giaconia¹, Jonas T. Do Marco¹, Robert da S. Paiva², Veridiana V. De Rosso¹, Ailton C. Lemes³, Mariana B. Egea⁴, Marcelo Assis², Tatiana M. Mazzo⁵, Elson Longo² and Anna R. C. Braga^{1,6*}

¹Department of Biosciences, Universidade Federal de São Paulo (UNIFESP), Silva Jardim Street, 136, Vila Mathias, 11015-020, Santos, SP, Brazil. sergiana.ramos@gmail.com; michelegiaconia@hotmail.com; jonasthmarco@gmail.com; veridiana.rosso@unifesp.br

²Chemistry Department, CDMF/LIEC (UFSCar) P.O. Box 676, 13560-970, São Carlos, SP, Brazil. robert21sp@gmail.com; marcelostassis@gmail.com; elson.liec@gmail.com

³Department of Biochemical Engineering, Universidade Federal do Rio de Janeiro (UFRJ), Technological Center, School of Chemistry, Ilha do Fundão, Av. Athos da Silveira Ramos, 149, 21941-909, Rio de Janeiro, Rio de Janeiro, Brazil. ailtonlemes@eq.ufrj.br

⁴Federal Institute of Education, Science and Technology Goiano, Campus Rio Verde, Rio Verde 75901-970, Brazil. mariana.egea@ifgoiano.edu.br

⁵Institute of Marine Sciences, Universidade Federal de São Paulo (UNIFESP), P.O. Box 11070-100, Santos, SP, Brazil. tatimazzo@gmail.com

⁶Department of Chemical Engineering, Universidade Federal de São Paulo (UNIFESP), Campus Diadema, Diadema, São Paulo, 09972-270, Brazil. anna.braga@unifesp.br

*Corresponding author: anna.braga@unifesp.br; Tel.: +55-13-981450201

Supplementary Information

Supplementary Material




Figure S1. UV-Vis spectral characteristics of the PEO and PEO/NaCl solutions.




Figure S2. Analysis of SEM micrographs corresponding segmented images (Original SEM images are presented in Figure 5) by DiameterJ's Histogram algorithm and orientation degrees using OrientationJ, A: Sample 2; B: Sample 5; C: Sample 12 and D: Sample 14.